

SK	Číslo	Název 1	Mn.po p/v	MJ evidence
014	5	Ocel kruh. pr.5,5 mm	66,	kg
014	10	Ocel kruh. pr.6 mm	4 418,	kg
014	25	Ocel kruh. pr.6, 10505 žebr.	6 096,	kg
014	30	Ocel kruh. pr.8 mm	3 517,	kg
014	43	Ocel kruh. pr.8, 10505 žebr.	11 008,	kg
014	50	Ocel kruh. pr.10 mm	3 123,	kg
014	70	Ocel kruh. pr.10, B500B	22 082,	kg
014	90	Ocel kruh. pr.12 mm	125,	kg
014	110	Ocel kruh. pr.12, B500B	26 236,	kg
014	120	Ocel kruh. pr.12, S235JR	4 318,	kg
014	150	Ocel kruh. pr.14, B500B	3 959,	kg
014	155	Ocel kruh. pr.14 mm	5 180,	kg
014	210	Ocel kruh. pr.16, B500B	19 814,	kg
014	220	Ocel kruh. pr.16, S235JR	7 549,	kg
014	225	Ocel kruh. pr.16, S355J2	5 358,	kg
014	229	Ocel kruh. pr.18 mm	23 328,	kg
014	270	Ocel kruh. pr.20, B500B	1 267,	kg
014	280	Ocel kruh. pr.20, S235JR	6 902,	kg
014	285	Ocel kruh. pr.20, S355J2	4 535,	kg
014	320	Ocel kruh. pr.24, S235JR	949,	kg
014	324	Ocel kruh. pr.24, S355J2	2 441,	kg
014	360	Ocel kruh. pr.25, B500B	7 108,	kg
014	370	Ocel kruh. pr.25, S235JR	8 786,	kg
014	380	Ocel kruh. pr.25, S355J2	23,	kg
014	420	Ocel kruh. pr.30, S235JR	3 336,	kg
014	421	Ocel kruh. pr.30, S355J2	2 337,	kg
014	440	Ocel kruh. pr.35mm C55	835,	kg
014	441	Ocel kruh. pr.35, S355J2	1 357,	kg
014	455	Ocel kruh. pr.36, S235JR	213,	kg
014	458	Ocel kruh. pr.38, S235JR	536,	kg
014	472	Ocel kruh. pr.42, S355J2	4 689,	kg
014	475	Ocel kruh. pr.45, S235JR	465,	kg
014	605	Ocel kruh. pr.100, 42CrMo4	2 618,	kg
014	990	Ocel plochá 20/4, S235JR	521,	kg

014	1000	Ocel plocha 20/5, S235JR	4 964, kg
014	1030	Ocel plochá 20/6, S235JR	223, kg
014	1040	Ocel plochá 20/8, S235JR	2 394, kg
014	1050	Ocel plochá 20/10, S235JR	2 150, kg
014	1095	Ocel plochá 25/4, S235JR	1 766, kg
014	1100	Ocel plocha 25/5, S235JR	32, kg
014	1290	Ocel plochá 30/4, S235JR	1 132, kg
014	1300	Ocel plochá 30/5, S235JR	5 248, kg
014	1350	Ocel plocha 30/6, S235JR	4 644, kg
014	1371	Ocel plochá 30/10, S235JR	9 189, kg
014	1375	Ocel plochá 30/10, S355J2	3 026, kg
014	1380	Ocel plochá 30/12, S235JR	2 535, kg
014	1400	Ocel plocha 35/5, S235JR	1 109, kg
014	1549	Ocel plochá 40/3, S235JR	1 073, kg
014	1551	Ocel plochá 40/4, S235JR	818, kg
014	1600	Ocel plocha 40/5, S235JR	5 480, kg
014	1700	Ocel plochá 40/6, S355J2	24, kg
014	1700	Ocel plocha 40/6, S235JR	5 315, kg
014	1750	Ocel plocha 40/8, S235JR	5 086, kg
014	1755	Ocel plochá 40/8, S355J2	817, kg
014	1760	Ocel plocha 40/10, S235JR	12 106, kg
014	1764	Ocel plocha 40/12, S235JR	2 371, kg
014	1769	Ocel plochá 40/20, S235JR	2 451, kg
014	1770	Ocel plochá 40/20, S355J2	5, kg
014	1778	Ocel plochá 40/30, S355J2	471, kg
014	1780	Ocel plochá 45/5, S235JR	4 044, kg
014	1799	Ocel plochá 50/4, S235JR	2 322, kg
014	1800	Ocel plocha 50/5, S235JR	2 755, kg
014	1801	Ocel plocha 50/5 4,5m S235JR	4 565, kg
014	1850	Ocel plochá 50/5, S355J2	29, kg
014	1900	Ocel plocha 50/6, S235JR	7 371, kg
014	1950	Ocel plocha 50/8, S235JR	7 509, kg
014	1955	Ocel plochá 50/8, S355J2	7, kg
014	2000	Ocel plocha 50/10, S235JR	8 736, kg
014	2001	Ocel plocha 50/10, S355J2	14, kg

014	2006	Ocel plochá 50/20, S235JR	2 260, kg
014	2006	Ocel plochá 50/15, S235JR	1 888, kg
014	2007	Ocel plochá 50/25, S235JR	3 665, kg
014	2009	Ocel plochá 60/4, S235JR	2 252, kg
014	2010	Ocel plochá 60/5, S235JR	6 658, kg
014	2020	Ocel plocha 60/6, S235JR	3 472, kg
014	2025	Ocel plocha 60/8, S235JR	7 324, kg
014	2030	Ocel plocha 60/10, S235JR	5 221, kg
014	2035	Ocel plochá 60/10, S355J2	3 112, kg
014	2041	Ocel plochá 60/15, S235JR	4 739, kg
014	2042	Ocel plochá 60/16, S235JR	45, kg
014	2043	Ocel plochá 60/20, S235JR	2 170, kg
014	2044	Ocel plochá 60/25, S235JR	4 033, kg
014	2044	Ocel plochá 60/20, S355J2	10, kg
014	2095	Ocel plochá 70/6, S235JR	3 521, kg
014	2100	Ocel plocha 70/8, S235JR	3 274, kg
014	2150	Ocel plocha 70/10 S235JR	4 681, kg
014	2155	Ocel plochá 70/10, S355J2	897, kg
014	2175	Ocel plochá 70/12, S235JR	3 998, kg
014	2200	Ocel plochá 70/15, S235JR	1 909, kg
014	2250	Ocel plochá 70/16, S355J2	2 109, kg
014	2308	Ocel plochá 80/5, S235JR	3 854, kg
014	2309	Ocel plochá 80/6, S235JR	2 850, kg
014	2310	Ocel plochá 80/8, S235JR	6 553, kg
014	2315	Ocel plochá 80/8, S355J2	5 266, kg
014	2320	Ocel plocha 80/10, S235JR	3 120, kg
014	2325	Ocel plochá 80/15, S235JR	526, kg
014	2334	Ocel plochá 80/20, S235JR	3 564, kg
014	2340	Ocel plochá 80/25, S235JR	981, kg
014	2349	Ocel plochá 80/40, S235JR	1 947, kg
014	2351	Ocel plochá 90/6, S235JR	1 293, kg
014	2352	Ocel plochá 90/8, S235JR	6 167, kg
014	2353	Ocel plochá 90/10, S235JR	4 868, kg
014	2353	Ocel plochá 90/12, S235JR	2 302, kg
014	2354	Ocel plochá 100/5, S235JR	8 333, kg

014	2354	Ocel plocha 100/6, S235JR	209, kg
014	2355	Ocel plocha 100/8, S235JR	2 506, kg
014	2360	Ocel plocha 100/10, S235JR	3 860, kg
014	2361	Ocel plochá 100/12, S235JR	2 251, kg
014	2362	Ocel plochá 100/16, S235JR	72, kg
014	2362	Ocel plochá 100/15, S235JR	2 510, kg
014	2363	Ocel plochá 100/25, 5m S355J2	4 416, kg
014	2363	Ocel plochá 100/20, S235JR	1 207, kg
014	2365	Ocel plochá 110/10, S235JR	1 510, kg
014	2365	Ocel plochá 110/8, S235JR	2 033, kg
014	2366	Ocel plochá 120/5, S235JR	1 076, kg
014	2367	Ocel plocha 120/6, S235JR	2 519, kg
014	2368	Ocel plochá 120/8, S235JR	4 130, kg
014	2369	Ocel plocha 120/10, S235JR	2 768, kg
014	2369	Ocel plochá 120/12, S235JR	200, kg
014	2372	Ocel plochá 130/6, S235JR	2 013, kg
014	2377	Ocel plochá 130/13, S355J2	736, kg
014	2379	Ocel plochá 140/6 S235JR	3 220, kg
014	2380	Ocel plochá 140/8 S235JR	2 583, kg
014	2383	Ocel plochá 140/15, S235JR	1 293, kg
014	2384	Ocel plochá 140/30,S355JO	198, kg
014	2385	Ocel plochá 150/6, S235JR	2 697, kg
014	2385	Ocel plochá 150/5, S235JR	371, kg
014	2385	Ocel plochá 150/8, S235JR	2 385, kg
014	2385	Ocel plochá 140/10, S235JR	2 058, kg
014	2386	Ocel plochá 150/15, S235JR	1 559, kg
014	2386	Ocel plochá 150/10, S235JR	2 689, kg
014	2390	Ocel plochá 180/10, S235JR	1 265, kg
014	2395	Ocel plochá 200/8, S235JR	2 100, kg
014	2398	Ocel plochá 200/10, S235JR	1 264, kg
014	2470	Ocel čtvercova 10/10, S235JR	1 163, kg
014	2480	Ocel čtvercova 12/12, S235JR	1 853, kg
014	2485	Ocel čtvercová 14/14, S235JR	1 444, kg
014	2487	Ocel čtvercová 16/16, S235JR	2 306, kg
014	2490	Ocel čtvercová 20/20, S235JR	5 761, kg

014	3000	Ocel uhelnik 20/20/3, S235JR	6 880, kg
014	3010	Ocel uhelnik 25/25/3, S235JR	2 816, kg
014	3015	Ocel uhelnik 25/25/4, S235JR	1 470, kg
014	3020	Ocel uhelnik 30/30/3, S235JR	4 223, kg
014	3030	Ocel uhelnik 30/30/4, S235JR	3 033, kg
014	3045	Ocel uhelnik 35/35/3, S235JR	2 444, kg
014	3050	Ocel uhelnik 35/35/4, S235JR	5 562, kg
014	3060	Ocel uhelnik 40/40/3, S235JR	2 169, kg
014	3070	Ocel uhelnik 40/40/4, S235JR	9 101, kg
014	3080	Ocel uhelnik 40/40/5, S235JR	8 094, kg
014	3090	Ocel uhelnik 45/45/4, S235JR	2 078, kg
014	3095	Ocel uhelnik 45/45/4, S355J	10, kg
014	3100	Ocel uhelnik 45/45/5, S235JR	3 668, kg
014	3105	Ocel uhelnik 50/30/5, S235JR	3 412, kg
014	3110	Ocel uhelnik 50/50/4, S235JR	3 458, kg
014	3120	Ocel uhelnik 50/50/5, S235JR	8 565, kg
014	3130	Ocel uhelnik 50/50/6, S235JR	4 176, kg
014	3134	Ocel uhelnik 60/40/5, S235JR	3 390, kg
014	3135	Ocel uhelnik 60/60/5, S235JR	1 952, kg
014	3136	Ocel uhelnik 60/60/5, 12,1m S235JR	918, kg
014	3140	Ocel uhelnik 60/60/6, S235JR	6 311, kg
014	3145	Ocel uhelnik 60/60/6, 12m S235JR	6 834, kg
014	3147	Ocel uhelnik 60/60/6, S355J2	526, kg
014	3150	Ocel uhelnik 60/60/8, S235JR	1 147, kg
014	3154	Ocel uhelnik 70/70/5, S235JR	3 688, kg
014	3155	Ocel uhelnik 70/70/6, S235JR	3 175, kg
014	3159	Ocel uhelnik 70/70/6 5m S355	43, kg
014	3160	Ocel uhelnik 70/70/7, S235JR	402, kg
014	3163	Ocel uhelnik 70/70/7 5,9m S355J2	302, kg
014	3164	Ocel uhelnik 70/70/8, S235JR	4 695, kg
014	3165	Ocel uhelnik 70/70/8, 12,1m S235JR	371, kg
014	3168	Ocel uhelnik 75/75/6, S235JR	564, kg
014	3172	Ocel uhelnik 80/40/6, S235JR	2 739, kg
014	3173	Ocel uhelnik 80/40/8, S235JR	5 445, kg
014	3175	Ocel uhelnik 80/80/6, S235JR	7 276, kg

014	3180	Ocel uhelník 80/80/8, S235JR	313, kg
014	3185	Ocel úhelník 80/80/8, S355J2	41, kg
014	3188	Ocel úhelník 80/80/10 12m, S235JR	586, kg
014	3194	Ocel úhelník 90/90/9 S235JR	38, kg
014	3195	Ocel úhelník 90/90/10 S235JR	3 774, kg
014	3300	Ocel úhelník 100/50/6, S235JR	4 869, kg
014	3420	Ocel uhelník 100/100/8, S235JR	9 346, kg
014	3430	Ocel uhelník 100/100/10, S235JR	275, kg
014	3439	Ocel úhelník 100/100/12, S355	146, kg
014	3440	Ocel úhelník 100/100/12, S235JR	88, kg
014	3441	Ocel úhelník 120/120/10 S235JR	1 632, kg
014	3450	Ocel úhelník 120/120/10 S355	412, kg
014	3458	Ocel úhelník 120/80/10, S235JR	144, kg
014	3600	Ocel úhelník 60/40/6 S235JR	2 261, kg
014	3685	Ocel profil T 20/20/3, S235JR	129, kg
014	3700	Ocel profil T 25/25/3,5, S235JR	550, kg
014	3710	Ocel profil T 30/30/4, S235JR	2 327, kg
014	3720	Ocel profil T 40/40/5, S235JR	1 768, kg
014	3723	Ocel profil T 50/50/6, S235JR	4 716, kg
014	8030	Sv. site KA17 4/4 150/150	98, ks
014	8035	Sv. site KD37 5/5 150/150	266, ks
014	8040	Sv. site KH20 6/6 150/150	407, ks
014	8045	Sv. site KY50 8/8 150/150	204, ks
014	8050	Sv. site KA16 4/4 100/100	104, ks
014	8055	Sv. site KD35 5/5 100/100	148, ks
014	8060	Sv. site KH30 6/6 100/100	348, ks
014	8065	Sv. sitě KY49 8/8 100/100	334, ks
014	8070	Sv. sitě KY51 8/8 200/200	1, ks
014	11080	Oc.nosič I80 S235JR	615, kg
014	11085	Oc.nosič IPE80 S235JR	885, kg
014	11100	Oc.nosič I100 12,1m S235JR	128, kg
014	11105	Oc.nosič IPE100 12,1m S235JR	2 400, kg
014	11120	Oc.nosič I120 12,1m S235JR	5 372, kg
014	11121	Oc.nosič I120 14,1m S235JR	897, kg
014	11125	Oc.nosič IPE120 12,1m S235JR	7 767, kg

014	11140	Oc.nosič I140 S235JR	284, kg
014	11141	Oc.nosič I140 S235JR II,jakost	333, kg
014	11145	Oc.nosič IPE140 12,1m S235JR	7 668, kg
014	11160	Oc.nosič I160 12,1m S235JR	23 683, kg
014	11162	Oc.nosič I160 S235JR II,jakost	61, kg
014	11165	Oc.nosič IPE160 12,1m S235JR	4 886, kg
014	11181	Oc.nosič I180 14,1m S235JR	20 548, kg
014	11184	Oc.nosič IPE180 12,1m S235JR	3 168, kg
014	11187	Oc.nosič IPE180 15,1m S235JR	175, kg
014	11200	Oc.nosič I200 12,1m S235JR	1 055, kg
014	11205	Oc.nosič IPE200 S235JR	18 885, kg
014	11225	Oc.nosič IPE220 S235JR	487, kg
014	11240	Oc.nosič I240 S235JR	53, kg
014	11245	Oc.nosič IPE240 12,1m S235JR	9 063, kg
014	11270	Oc.nosič IPE270 S235JR	218, kg
014	11301	Oc.nosič I300 S275JR	641, kg
014	12030	Oc.nosič U40x20x5 S235JR	2 299, kg
014	12031	Oc.nosič U40x20x5 S235JR	10, kg
014	12050	Oc.nosič U50 S235JR	2 936, kg
014	12055	Oc.nosič U50 S355J2	464, kg
014	12065	Oc.nosič U65 S235JR	2 269, kg
014	12080	Oc.nosič U80 6m S235JR	3 291, kg
014	12081	Oc.nosič U80 S235JR	750, kg
014	12100	Oc.nosič U100 S235JR	27 034, kg
014	12102	Oc.nosič U100 15,1m S235JR	575, kg
014	12119	Oc.nosič U120 6m S235JR	4 047, kg
014	12120	Oc.nosič U120 S235JR	1 509, kg
014	12128	Oc.nosič U120 S355J2	798, kg
014	12139	Oc.nosič U140 6m S235JR	8 819, kg
014	12140	Oc.nosič U140, S235JR	1 208, kg
014	12159	Oc.nosič U160 6m S235JR	70, kg
014	12160	Oc.nosič U160 S235JR	10 989, kg
014	12163	Oc.nosič UPE160 S235JR	62, kg
014	12165	Oc.nosič U160 S355J2	149, kg
014	12180	Oc.nosič U180 12m S235JR	2 539, kg

014	12181	Oc.nosič U180 12,1m S355J2	133, kg
014	12200	Oc.nosič U200 S235JR	897, kg
014	12240	Oc.nosič U240 S235JR	1 316, kg
014	13701	Ocel plochá 30/10, 6,2m S235JR	9 957, kg
014	14140	Oc.nosič HEB140 S235JR	5, kg
014	19500	Sloupek 280/43/2	1, ks
014	20000	Návin PVC 1,4mm/50m	13, ks
014	21300	Tažený oc.drát pr.3,15 mm	793, kg
030	300	Oc.pl. 0,8/1000/2000 DC01	27 184, kg
030	305	Oc.pl. 0,8/1250/2500 DC01	18 066, kg
030	310	Oc.pl. 1/1000/2000 DC01	13 668, kg
030	313	Oc.pl. 1/1000/2000 DC01	552, kg
030	320	Oc.pl. 1/1250/2500 DC01	6 107, kg
030	334	Oc.pl. 1,25/1000/2000 DC01	5 160, kg
030	335	Oc.pl. 1,25/1250/2500 DC01	4 332, kg
030	336	Oc.pl. 1,25/1500/3000 DC01	8 854, kg
030	410	Oc.pl. 1,3/1000/2000 DC01	4 836, kg
030	415	Oc.pl. 1,3/1250/2500 DC01	205, kg
030	420	Oc.pl. 1,3/1500/3000 DC01	16 676, kg
030	599	Oc.pl. 1,5/1000/2000 DC01	40 148, kg
030	600	Oc.pl. 1,5/1250/2500 DC01	40 560, kg
030	620	Oc.pl. 1,5/1500/3000 DC01	1 079, kg
030	1990	Oc.pl. 2/1000/2000 DC01	11 642, kg
030	1995	Oc.pl. 2/1000/2000 DC04	2 265, kg
030	2000	Oc.pl. 2/1000/2000 S235JR+N	6 130, kg
030	2001	Oc.pl. 2/1000/2000 S235JRC+N	3 928, kg
030	2002	Oc.pl. 2/1000/2000 S235JRC+N ořez	18 694, kg
030	2050	Oc.pl. 2/1250/2500 S235JRC+N	14 620, kg
030	2200	Oc.pl. 2/1500/3000 DC01	15 929, kg
030	2454	Oc.pl. 2,5/1000/2000 DC01	13 621, kg
030	2455	Oc.pl. 2,5/1000/2000 S235JR+N	48, kg
030	2599	Oc.pl. 2,5/1250/2500 DC01	10 982, kg
030	2699	Oc.pl. 2,5/1500/3000 DC01	7 213, kg
030	3000	Oc.pl. 3/1000/2000 S235JRC+N	10 508, kg
030	3004	Oc.pl. 3/1009/2000 S355JR	23, kg



030	3008	Oc.pl. 3/1011/2000 S355JR	438, kg
030	3010	Oc.pl. 3/1000/2000 DC01	19 744, kg
030	3097	Oc.pl. 3/1250/2500 DC01	11 573, kg
030	3101	Oc.pl. 3/1250/2500 S235JRC+N	32 416, kg
030	3110	Oc.pl. 3/1250/2500 S355J2C+N	8 058, kg
030	3408	Oc.pl. 3/1460/3000 S235JR	315, kg
030	3449	Oc.pl. 3/1500/3000 DC01	30 355, kg
030	3450	Oc.pl. 3/1500/3000 S235JR+N	9 858, kg
030	3501	Oc.pl. 3/1500/3000 S355MC	14 018, kg
030	3503	Oc.pl. 3/1500/3000 S355J2C+N	19 660, kg
030	3510	Oc.pl. 3/1500/3000 P265GH	8 784, kg
030	3601	Oc.pl. 3/1500/6000 S235JRC+N	20 026, kg
030	3605	Oc.pl. 3/2000/6000 S355J2+N	9 761, kg
030	4001	Oc.pl. 4/1000/2000 S235JRC+N	18 492, kg
030	4002	Oc.pl. 4/1000/2000 S235JRC+N ořez	8 210, kg
030	4065	Oc.pl. 4/1250/2500 S235JRC+N	13 996, kg
030	4315	Oc.pl. 4/1500/3000 S235JR+N	418, kg
030	4321	Oc.pl. 4/1500/3000 S355MC	32 294, kg
030	4330	Oc.pl. 4/1500/6000 S355J2+N	14 086, kg
030	4400	Oc.pl. 4/2000/6000 S235JR+AR	68 736, kg
030	4448	Oc.pl. 4/1500/3000 S235JR+N x8	22 608, kg
030	4459	Oc.pl. 4/2000/6000 S235JR+N	5 951, kg
030	4505	Oc.pl. 4/2000/6000 S355J2+N	11 670, kg
030	4506	Oc.pl. 4/2000/6000 S355MC	23 424, kg
030	4601	Oc.pl. 4/1500/6000 S235JRC+N	15 468, kg
030	4701	Oc.pl.mořený 4/1500/3000 S235JR+N	9 702, kg
030	5000	Oc.pl. 5/1000/2000 S235JR	1 090, kg
030	5173	Oc.pl. 5/1250/2500 S355J2C+N	19 351, kg
030	5180	Oc.pl. 5/1280/2500 S355JR	180, kg
030	5250	Oc.pl. 5/1500/3000 S235JR+N	3 069, kg
030	5320	Oc.pl. 5/1500/3000 S355J2+N	128, kg
030	5321	Oc.pl. 5/1500/3000 S355MC	34 266, kg
030	5322	Oc.pl. 5/1500/3000 S355J2C+N	14 840, kg
030	5326	Oc.pl. 5/1500/6000 S235JRC+N	16 696, kg
030	5327	Oc.pl. 5/1500/6000 S235JR+N x8	19 080, kg

030	5330	Oc.pl. 5/1500/6000 S355J2+N	12 512, kg
030	5331	Oc.pl. 5/1500/6000 S355J2+N x8	21 240, kg
030	5333	Oc.pl. 5/1500/6000 S355J2C+N	2 144, kg
030	5404	Oc.pl. 5/2000/6000 S235JR+N	2 702, kg
030	5405	Oc.pl. 5/2000/6000 S235JR+AR	66 720, kg
030	5410	Oc.pl. 5/2000/12000 S235JR+N	23 040, kg
030	5411	Oc.pl. 5/2000/12000 S235JR+AR	20 160, kg
030	5416	Oc.pl. 5/2000/6000 P265GH	4 051, kg
030	5425	Oc.pl. 5/2500/12000 S235JR+N	590, kg
030	5507	Oc.pl. 5/2000/6000 S355MC	62 880, kg
030	5511	Oc.pl. 5/2000/12000 S355J2+N	3 476, kg
030	5512	Oc.pl. 5/2000/12000 S355MC	46 080, kg
030	5525	Oc.pl. 5/2500/12000 S355J2+N	5 301, kg
030	5701	Oc.pl.mořený 5/1500/3000 S235JR+N	9 996, kg
030	6000	Oc.pl. 6/1000/2000 S235JR+N	3 599, kg
030	6001	Oc.pl. 6/1000/2000 S235JRC+N	25 222, kg
030	6120	Oc.pl. 6/1000/2000 S355J2+N	327, kg
030	6121	Oc.pl. 6/1000/2000 S355J2C+N	17 666, kg
030	6130	Oc.pl. 6/1055/2000 S355JR	3 800, kg
030	6150	Oc.pl. 6/1250/2500 S235JR+N	840, kg
030	6151	Oc.pl. 6/1250/2500 S235JRC+N	22 370, kg
030	6180	Oc.pl. 6/1250/2500 S355J2C+N	12 762, kg
030	6201	Oc.pl. 6/1500/3000 S235JR+N	9 284, kg
030	6251	Oc.pl. 6/1500/6000 S235JRC+N	14 486, kg
030	6252	Oc.pl. 6/1500/6000 S235JR+N x8	23 760, kg
030	6300	Oc.pl. 6/1500/12000 S235JR+N	5 441, kg
030	6330	Oc.pl. 6/1500/3000 S355J2+N	494, kg
030	6331	Oc.pl. 6/1500/3000 S355MC	22 899, kg
030	6332	Oc.pl. 6/1500/3000 S355J2C+N	30 824, kg
030	6404	Oc.pl. 6/2000/6000 S235JR+AR	82 944, kg
030	6405	Oc.pl. 6/2000/6000 S235JR+N	6 336, kg
030	6411	Oc.pl. 6/2000/12000 S235JR+N	1 156, kg
030	6412	Oc.pl. 6/2000/12000 S235JR+AR	69 120, kg
030	6426	Oc.pl. 6/2500/12000 S235JR+N	24 247, kg
030	6504	Oc.pl. 6/2000/6000 S355MC	91 008, kg

030	6510	Oc.pl. 6/2000/12000 S355J2+N	1 072, kg
030	6512	Oc.pl. 6/2000/12000 S355MC	17 280, kg
030	6525	Oc.pl. 6/2500/12000 S355J2+N	33 201, kg
030	6530	Oc.pl. 6/3000/12000 S355J2+N	20 352, kg
030	8101	Oc.pl. 8/1000/2000 S235JRC+N	19 780, kg
030	8156	Oc.pl. 8/1250/2500 S235JRC+N	16 918, kg
030	8200	Oc.pl. 8/1500/3000 S235JR+N	9 034, kg
030	8320	Oc.pl. 8/1500/3000 S355J2+N	824, kg
030	8321	Oc.pl. 8/1500/3000 S355MC	4 170, kg
030	8322	Oc.pl. 8/1500/3000 S355J2C+N	10 722, kg
030	8330	Oc.pl. 8/1500/6000 S355J2+N	978, kg
030	8331	Oc.pl. 8/1500/6000 S355J2C+N	3 004, kg
030	8332	Oc.pl. 8/1500/6000 S355J2+N x8	34 560, kg
030	8405	Oc.pl. 8/2000/6000 S235JR+N	251, kg
030	8408	Oc.pl. 8/2050/6000 S235JR+N	36 929, kg
030	8410	Oc.pl. 8/2000/12000 S235JR+N	4 144, kg
030	8414	Oc.pl. 8/1500/5500 P265GH	528, kg
030	8416	Oc.pl. 8/2000/6000 P265GH	17 957, kg
030	8418	Oc.pl. 8/2050/12000 S235JR+N	79 011, kg
030	8425	Oc.pl. 8/2500/12000 S235JR+N	34 854, kg
030	8455	Oc.pl. 8/3000/12000 S235JR+N	9 612, kg
030	8505	Oc.pl. 8/2000/6000 S355J2+N	1 006, kg
030	8508	Oc.pl. 8/2050/6000 S355J2+N	118 116, kg
030	8510	Oc.pl. 8/2000/12000 S355J2+N	39 179, kg
030	8511	Oc.pl. 8/2000/12000 S355J2+N	19 968, kg
030	8518	Oc.pl. 8/2050/12000 S355J2+N	111 886, kg
030	8525	Oc.pl. 8/2500/12000 S355J2+N	55 158, kg
030	8555	Oc.pl. 8/3000/12000 S355J2+N	60 670, kg
030	10041	Oc.pl. 10/1500/3000 S235JRC+N	10 992, kg
030	10205	Oc.pl. 10/1500/3000 S235JR+N	22 820, kg
030	10250	Oc.pl. 10/1500/6000 S235JR+N	1 270, kg
030	10255	Oc.pl. 10/1500/6000 S235JRC+N	18 528, kg
030	10321	Oc.pl. 10/1500/3000 S355MC	41 060, kg
030	10330	Oc.pl. 10/1500/6000 S355J2+N	2 015, kg
030	10331	Oc.pl. 10/1500/6000 S355J2+N x8	11 520, kg

030	10400	Oc.pl. 10/2000/6000 P265GH	14 478, kg
030	10405	Oc.pl. 10/2000/6000 S235JR+N	448, kg
030	10410	Oc.pl. 10/2000/12000 S235JR+N	787, kg
030	10425	Oc.pl. 10/2500/12000 S235JR+N	12 066, kg
030	10455	Oc.pl. 10/3000/12000 S235JR+N	7 065, kg
030	10505	Oc.pl. 10/2000/6000 S355J2+N	71 373, kg
030	10510	Oc.pl. 10/2000/12000 S355J2+N	40 409, kg
030	10525	Oc.pl. 10/2500/12000 S355J2+N	54 834, kg
030	10527	Oc.pl. 10/2500/12000 S355J2+N x8	2 445, kg
030	10555	Oc.pl. 10/3000/12000 S355J2+N	32 342, kg
030	10633	Oc.pl. 10/1500/3000 S355J2C+N	130, kg
030	12150	Oc.pl. 12/1500/3000 S235JR	117, kg
030	12151	Oc.pl. 12/1500/3000 S235JR+N	7 170, kg
030	12181	Oc.pl. 12/1500/3000 S355MC	16 558, kg
030	12200	Oc.pl. 12/1500/6000 S235JRC+N	13 680, kg
030	12209	Oc.pl. 12/1500/6000 S355J2C+N	2 454, kg
030	12405	Oc.pl. 12/2000/6000 S235JR+N	27 098, kg
030	12410	Oc.pl. 12/2000/12000 S235JR+N	762, kg
030	12425	Oc.pl. 12/2500/12000 S235JR+N	28 242, kg
030	12455	Oc.pl. 12/3000/12000 S235JR+N	20 910, kg
030	12505	Oc.pl. 12/2000/6000 S355J2+N	65 100, kg
030	12510	Oc.pl. 12/2000/12000 S355J2+N	22 007, kg
030	12511	Oc.pl. 12/2000/12000 S355J2+N	9 216, kg
030	12525	Oc.pl. 12/2500/12000 S355J2+N	98 910, kg
030	12555	Oc.pl. 12/3000/12000 S355J2+N	70 267, kg
030	12833	Oc.pl. 12/1500/3000 S355J2C+N	19 754, kg
030	14410	Oc.pl. 14/2000/12000 S235JR+N	6 617, kg
030	14505	Oc.pl. 14/2000/6000 S355J2+N	27 602, kg
030	14507	Oc.pl. 14/2000/7600 S355J2+N	1 670, kg
030	14510	Oc.pl. 14/2000/12000 S355J2+N	35 647, kg
030	15154	Oc.pl. 15/1500/6000 S355MC	40 260, kg
030	15155	Oc.pl. 15/1500/6000 S355J2+N	23 850, kg
030	15159	Oc.pl. 15/1500/6000 S355J2C+N	49 116, kg
030	15211	Oc.pl. 15/1500/3000 S355MC	39 326, kg
030	15250	Oc.pl. 15/1500/6000 S235JRC+N	22 472, kg

030	15251	Oc.pl. 15/1500/6000 S235JR+N	3 161, kg
030	15301	Oc.pl. 15/1500/3000 S355J2C+N	77 562, kg
030	15307	Oc.pl. 15/2000/6000 S355MC	19 782, kg
030	15405	Oc.pl. 15/2000/6000 S235JR+N	424, kg
030	15410	Oc.pl. 15/2000/12000 S235JR+N	36 392, kg
030	15425	Oc.pl. 15/2500/12000 S235JR+N	1 777, kg
030	15455	Oc.pl. 15/3000/12000 S235JR+N	15 189, kg
030	15505	Oc.pl. 15/2000/6000 S355J2+N	82 842, kg
030	15510	Oc.pl. 15/2000/12000 S355J2+N	58 991, kg
030	15525	Oc.pl. 15/2500/12000 S355J2+N	34 447, kg
030	15655	Oc.pl. 15/3000/12000 S355J2+N	38 151, kg
030	16155	Oc.pl. 16/1500/6000 S355J2+N	31 074, kg
030	16410	Oc.pl. 16/2000/12000 S235JR+N	33 405, kg
030	16425	Oc.pl. 16/2500/12000 S235JR+N	8 955, kg
030	16505	Oc.pl. 16/2000/6000 S355J2+N	16 100, kg
030	16510	Oc.pl. 16/2000/12000 S355J2+N	37 676, kg
030	16525	Oc.pl. 16/2500/12000 S355J2+N	19 611, kg
030	16555	Oc.pl. 16/3000/12000 S355J2+N	19 223, kg
030	18410	Oc.pl. 18/2000/12000 S235JR+N	7 071, kg
030	18505	Oc.pl. 18/2000/6000 S355J2+N	25 440, kg
030	18510	Oc.pl. 18/2000/12000 S355J2+N	22 039, kg
030	18525	Oc.pl. 18/2500/12000 S355J2+N	368, kg
030	20250	Oc.pl. 20/1500/6000 S235JR+N	31 785, kg
030	20410	Oc.pl. 20/2000/12000 S235JR+N	28 830, kg
030	20455	Oc.pl. 20/3000/12000 S235JR+N	37 611, kg
030	20504	Oc.pl. 20/1500/6000 S355J2+N	38 149, kg
030	20505	Oc.pl. 20/2000/6000 S355J2+N	11 806, kg
030	20510	Oc.pl. 20/2000/12000 S355J2+N	71 604, kg
030	20525	Oc.pl. 20/2500/12000 S355J2+N	51 644, kg
030	20555	Oc.pl. 20/3000/12000 S355J2+N	76 310, kg
030	22410	Oc.pl. 22/2000/12000 S235JR+N	345, kg
030	22510	Oc.pl. 22/2000/12000 S355J2+N	14 162, kg
030	24505	Oc.pl. 24/2000/6000 S355J2+N	27 132, kg
030	24510	Oc.pl. 24/2000/12000 S355J2+N	7 171, kg
030	25404	Oc.pl. 25/1500/6000 S235JR+N	6 147, kg

030	25405	Oc.pl. 25/2000/6000 S235JR+N	785, kg
030	25425	Oc.pl. 25/2500/12000 S235JR+N	30 937, kg
030	25455	Oc.pl. 25/3000/12000 S235JR+N	17 663, kg
030	25504	Oc.pl. 25/1500/6000 S355J2+N	23 836, kg
030	25505	Oc.pl. 25/2000/6000 S355J2+N	12 166, kg
030	25510	Oc.pl. 25/2000/12000 S355J2+N	45 854, kg
030	25525	Oc.pl. 25/2500/12000 S355J2+N	82 432, kg
030	25555	Oc.pl. 25/3000/12000 S355J2+N	45 922, kg
030	26505	Oc.pl. 26/2000/6000 S355J2+N	24 490, kg
030	26510	Oc.pl. 26/2000/12000 S355J2+N	31 837, kg
030	28510	Oc.pl. 28/2000/12000 S355J2+N	42 200, kg
030	30404	Oc.pl. 30/1500/6000 S235JR+N	357, kg
030	30405	Oc.pl. 30/2000/6000 S235JR+N	2 319, kg
030	30410	Oc.pl. 30/2000/12000 S235JR+N	7 507, kg
030	30412	Oc.pl. 30/1500/12000 S235JR+N	16 956, kg
030	30425	Oc.pl. 30/2500/12000 S235JR+N	7 348, kg
030	30455	Oc.pl. 30/3000/12000 S235JR+N	29 592, kg
030	30504	Oc.pl. 30/1500/6000 S355J2+N	54 416, kg
030	30505	Oc.pl. 30/2000/6000 S355J2+N	11 196, kg
030	30510	Oc.pl. 30/2000/12000 S355J2+N	81 911, kg
030	30525	Oc.pl. 30/2500/12000 S355J2+N	128 220, kg
030	30555	Oc.pl. 30/3000/12000 S355J2+N	41 394, kg
030	32510	Oc.pl. 32/2000/12000 S355J2+N	12 058, kg
030	35410	Oc.pl. 35/2000/12000 S235JR+N	15 911, kg
030	35425	Oc.pl. 35/2500/12000 S235JR+N	20 608, kg
030	35455	Oc.pl. 35/3000/12000 S235JR+N	22 253, kg
030	35505	Oc.pl. 35/2000/6000 S355J2+N	20 628, kg
030	35510	Oc.pl. 35/2000/12000 S355J2+N	79 128, kg
030	35525	Oc.pl. 35/2500/12000 S355J2+N	82 429, kg
030	35555	Oc.pl. 35/3000/12000 S355J2+N	29 673, kg
030	36510	Oc.pl. 36/2000/12000 S355J2+N	32 779, kg
030	40405	Oc.pl. 40/2000/6000 S235JR+N	25 718, kg
030	40410	Oc.pl. 40/2000/12000 S235JR+N	41 385, kg
030	40425	Oc.pl. 40/2500/12000 S235JR+N	5 786, kg
030	40455	Oc.pl. 40/3000/12000 S235JR+N	32 499, kg

030	40505	Oc.pl. 40/2000/6000 S355J2+N	160 695, kg
030	40510	Oc.pl. 40/2000/12000 S355J2+N	116 663, kg
030	40525	Oc.pl. 40/2500/12000 S355J2+N	113 040, kg
030	40555	Oc.pl. 40/3000/12000 S355J2+N	79 128, kg
030	45410	Oc.pl. 45/2000/12000 S235JR+N	3 530, kg
030	45425	Oc.pl. 45/2500/12000 S235JR+N	14 196, kg
030	45510	Oc.pl. 45/2000/12000 S355J2+N	125 392, kg
030	45535	Oc.pl. 45/2500/12000 S355J2+N	67 020, kg
030	50405	Oc.pl. 50/2000/6000 S235JR+N	23 550, kg
030	50410	Oc.pl. 50/2000/12000 S235JR+N	16 826, kg
030	50425	Oc.pl. 50/2500/12000 S235JR+N	71 937, kg
030	50450	Oc.pl. 50/3000/6000 S235JR+N	7 065, kg
030	50505	Oc.pl. 50/2000/6000 S355J2+N	39 249, kg
030	50510	Oc.pl. 50/2000/12000 S355J2+N	14 887, kg
030	50512	Oc.pl. 50/2000/12000 S355J2+N x8	4 980, kg
030	50525	Oc.pl. 50/2500/10000 S355J2+N	29 439, kg
030	50535	Oc.pl. 50/2500/12000 S355J2+N	70 649, kg
030	50550	Oc.pl. 50/3000/6000 S355J2+N	56 522, kg
030	55410	Oc.pl. 55/2000/12000 S235JR+N	14 229, kg
030	55510	Oc.pl. 55/2000/12000 S355J2+N	28 510, kg
030	55525	Oc.pl. 55/2500/12000 S355J2+N	55 050, kg
030	55550	Oc.pl. 55/3000/6000 S355J2+N	15 544, kg
030	60405	Oc.pl. 60/2000/6000 S235JR+N	7 065, kg
030	60406	Oc.pl. 60/2500/6000 S235JR+N	7 995, kg
030	60410	Oc.pl. 60/2000/12000 S235JR+N	3 733, kg
030	60445	Oc.pl. 60/3000/6000 S235JR+N	29 686, kg
030	60505	Oc.pl. 60/2000/6000 S355J2+N	13 482, kg
030	60510	Oc.pl. 60/2000/12000 S355J2+N	83 886, kg
030	60531	Oc.pl. 60/2500/10500 S355J2+N	2 252, kg
030	60545	Oc.pl. 60/3000/6000 S355J2+N	25 434, kg
030	65410	Oc.pl. 65/2000/12000 S235JR+N	42 861, kg
030	65510	Oc.pl. 65/2000/12000 S355J2+N	33 676, kg
030	65525	Oc.pl. 65/2500/6000 S355J2+N	53 578, kg
030	65548	Oc.pl. 65/3000/8000 S355J2+N	9 184, kg
030	70410	Oc.pl. 70/2000/12000 S235JR+N	56 049, kg

030	70505	Oc.pl. 70/2000/6000 S355J2+N	8 635, kg
030	70510	Oc.pl. 70/2000/12000 S355J2+N	9 891, kg
030	70555	Oc.pl. 70/3000/6000 S355J2+N	19 782, kg
030	75410	Oc.pl. 75/2000/12000 S235JR+N	2 355, kg
030	80410	Oc.pl. 80/2000/12000 S235JR+N	1 256, kg
030	80425	Oc.pl. 80/2500/6000 S235JR+N	2 669, kg
030	80505	Oc.pl. 80/2000/6000 S355J2+N	45 216, kg
030	80510	Oc.pl. 80/2000/12000 S355J2+N	37 680, kg
030	80545	Oc.pl. 80/3000/6000 S355J2+N	18 840, kg
030	85405	Oc.pl. 85/2000/6000 S235JR+N	16 014, kg
030	85410	Oc.pl. 85/2000/12000 S235JR+N	16 014, kg
030	85510	Oc.pl. 85/2000/12000 S355J2+N	32 028, kg
030	85525	Oc.pl. 85/2500/6000 S355J2+N	20 017, kg
030	85555	Oc.pl. 85/3000/6000 S355J2+N	12 011, kg
030	90410	Oc.pl. 90/2000/12000 S235JR+N	21 141, kg
030	90505	Oc.pl. 90/2000/6000 S355J2+N	42 390, kg
030	90510	Oc.pl. 90/2000/12000 S355J2+N	8 478, kg
030	90525	Oc.pl. 90/2500/6000 S355J2+N	21 196, kg
030	90550	Oc.pl. 90/3000/6000 S355J2+N	52 987, kg
030	95505	Oc.pl. 95/2000/6000 S355J2+N	1 490, kg
030	100505	Oc.pl. 100/2000/6000 S355J2+N	9 420, kg
030	100509	Oc.pl. 100/2000/9000 S355J2+N	18 603, kg
030	100525	Oc.pl. 100/2500/6000 S355J2+N	1 962, kg
030	110406	Oc.pl. 110/2000/5000 S235JR+N	5, kg
030	110506	Oc.pl. 110/2000/6000 S355J2+N	12 089, kg
030	120408	Oc.pl. 120/2000/6000 S235JR+N	44 274, kg
030	120505	Oc.pl. 120/2000/6000 S355J2+N	13 188, kg
030	130407	Oc.pl. 130/2000/6000 S235JR+AR	8 164, kg
030	140503	Oc.pl. 140/2000/4000 S355J2+N	73 633, kg
030	140507	Oc.pl. 140/2000/5700 S355J2+N	3 737, kg
030	140509	Oc.pl. 140/2000/5400 S355J2+N	23 738, kg
030	150503	Oc.pl. 150/2000/4000 S355J2+N	64 762, kg
030	160405	Oc.pl. 160/2000/4200 S235JR+N	7 787, kg
030	160504	Oc.pl. 160/2000/4000 S355J2+N	75 410, kg
030	160506	Oc.pl. 160/2000/4830 S355J2+N	12 133, kg



030	160509	Oc.pl. 160/2000/4877 S355J2+N	12 251, kg
030	160510	Oc.pl. 160/2000/4850 S355J2+N	12 183, kg
030	170501	Oc.pl. 170/2000/4600 S355J2+N	6 138, kg
030	170504	Oc.pl. 170/2000/4000 S355J2+N	24 021, kg
030	190504	Oc.pl. 190/2000/3000 S355J2+N	5 966, kg
030	200200	Plech pozink. 0,55/1000/2000 DX51D	5 604, kg
030	200208	Pl.poz. 0,8/1000/2000 DX51D+Z	1 215, kg
030	200209	Pl.poz. 0,8/1250/2500 DX51D	3 381, kg
030	200210	Pl.pozink. 1/1000/2000 DX51D	6 107, kg
030	200211	Pl.pozink. 1/1250/2500 DX51D	5 749, kg
030	200211	Pl.pozink. 1/1500/3000 DX51D	3 121, kg
030	200212	Pl.pozink. 1,25/1000/2000 DX51D+Z275	4 396, kg
030	200212	Pl.pozink. 1,25/1250/2500 DX51D	4 906, kg
030	200213	Pl.pozink. 1,5/1250/2500 DX51D	2 541, kg
030	200214	Pl.pozink. 1,5/1000/2000 DX51D	7 505, kg
030	200215	Pl.pozink. 1,5/1500/3000 DX51D	7 054, kg
030	200215	Pl.pozink. 1,5/1250/2500 DX51D	886, kg
030	200216	Pl.pozink. 3/1500/3000 DX51D	8 837, kg
030	200216	Pl.pozink. 2,5/1500/3000 DX51D	11 388, kg
030	200216	Pl.pozink. 2,5/1000/2000 DX51D	3 078, kg
030	200216	Pl.pozink. 3/1250/2500 DX51D	6 714, kg
030	200216	Pl.pozink. 2/1000/2000 DX51D+Z275	4 699, kg
030	200216	Pl.pozink. 2/1250/2500 DX51D	7 659, kg
030	200216	Pl.pozink. 3/1000/2000 DX51D+Z275	6 891, kg
030	200216	Pl.pozink. 2,5/1250/2500 DX51D	5 899, kg
030	200216	Pl.pozink. 3/1250/2500 DX51D zatečené	4 892, kg
030	200216	Pl.pozink. 2/1500/3000 DX51D	6 863, kg
030	200280	Oc.pl. trap. 1012F 0,8/800/6000 poz.	80, ks
030	200390	Oc.pl. trap. 1142F 0,8/800/6000 poz.	98, ks
030	220300	Oc.pl.slza 3/1000/2000 S235JR	3 775, kg
030	220360	Oc.pl.slza 3/1500/3000 S235JR+N	666, kg
030	220370	Oc.pl.slza 3/1500/6000 S235JR+N	7 010, kg
030	220400	Oc.pl.slza 4/1000/2000 S235JR	28 793, kg
030	220420	Oc.pl. slza 4/1250/2500 S235JR+N	48 532, kg
030	220450	Oc.pl. slza 4/1500/3000 S235JR	23 964, kg

030	220455	Oc.pl.slza 4/1500/6000 S235JR	53 062, kg
030	220463	Oc.pl.slza 4/2000/4000 S235JR+N	13 380, kg
030	220500	Oc.pl.slza 5/1000/2000 S235JR	26 912, kg
030	220525	Oc.pl.slza 5/1250/2500 S235JR	3 533, kg
030	220550	Oc.pl.slza 5/1500/3000 S235JR	59 707, kg
030	220552	Oc.pl.slza 5/1500/6000 S235JR	56 147, kg
030	220610	Oc.pl.slza 6/1000/2000 S235JR	30 488, kg
030	220625	Oc.pl.slza 6/1250/2500 S235JR+N	26 726, kg
030	220650	Oc.pl. slza 6/1500/3000 S235JR	49 440, kg
030	220660	Oc.pl. slza 6/1500/6000 S235JR	57 638, kg
030	220668	Oc.pl.slza 6/2000/8000 S235JR+N	20 510, kg
030	220810	Oc.pl. slza 8/1000/2000 S235JR+N	17 987, kg
030	220825	Oc.pl.slza 8/1250/2500 S235JR+N	24 334, kg
030	220830	Oc.pl.slza 8/1500/3000 S235JR	33 378, kg
030	220860	Oc.pl. slza 8/1500/6000 S235JR	39 381, kg
030	220866	Oc.pl.slza 8/2000/8000 S235JR+N	6 252, kg
030	220905	Oc.pl.slza 10/1000/2000 S235JR+N	9 603, kg
030	220910	Oc.pl.slza 10/1500/3000 S235JR+N	24 813, kg
030	220960	Oc.pl. slza 10/1500/6000 S235JR+N	20 085, kg