

SK	Číslo	Název 1	Mn.po p/v	MJ evidence
014	10	Ocel kruh. pr.6 mm	3 206,	kg
014	25	Ocel kruh. pr.6, 10505 žebr.	3 615,	kg
014	30	Ocel kruh. pr.8 mm	2 740,	kg
014	43	Ocel kruh. pr.8, 10505 žebr.	6 352,	kg
014	50	Ocel kruh. pr.10 mm	5 322,	kg
014	70	Ocel kruh. pr.10, B500B	40 982,	kg
014	110	Ocel kruh. pr.12, B500B	89 211,	kg
014	120	Ocel kruh. pr.12, S235JR	6 396,	kg
014	125	Ocel kruh. pr.12, S355J2	2 270,	kg
014	150	Ocel kruh. pr.14, B500B	42 817,	kg
014	160	Ocel kruh. pr.14, S235JR	3 192,	kg
014	210	Ocel kruh. pr.16, B500B	13 534,	kg
014	220	Ocel kruh. pr.16, S235JR	5 239,	kg
014	225	Ocel kruh. pr.16, S355J2	1 741,	kg
014	229	Ocel kruh. pr.18 mm	42 315,	kg
014	270	Ocel kruh. pr.20, B500B	18 466,	kg
014	280	Ocel kruh. pr.20, S235JR	2 736,	kg
014	285	Ocel kruh. pr.20, S355J2	3 601,	kg
014	360	Ocel kruh. pr.25, B500B	4 972,	kg
014	370	Ocel kruh. pr.25, S235JR	2 300,	kg
014	380	Ocel kruh. pr.25, S355J2	4 191,	kg
014	381	Ocel kruh. pr.25, 5,7m, S355J2	15 099,	kg
014	420	Ocel kruh. pr.30, S235JR	273,	kg
014	421	Ocel kruh. pr.30, S355J2	2 474,	kg
014	435	Ocel kruh. pr.32, B500B	4 476,	kg
014	440	Ocel kruh. pr.35mm C55	835,	kg
014	441	Ocel kruh. pr.35, S355J2	1 176,	kg
014	450	Ocel kruh. pr.36, S355J2	6 145,	kg
014	455	Ocel kruh. pr.36, S235JR	10,	kg
014	458	Ocel kruh. pr.38, S235JR	536,	kg
014	470	Ocel kruh. pr.40, S355J2	4,	kg
014	472	Ocel kruh. pr.42, S355J2	4 134,	kg
014	475	Ocel kruh. pr.45, S235JR	257,	kg
014	605	Ocel kruh. pr.100, 42CrMo4	2 618,	kg

014	1000	Ocel plocha 20/5, S235JR	548, kg
014	1040	Ocel plochá 20/8, S235JR	1 187, kg
014	1050	Ocel plochá 20/10, S235JR	295, kg
014	1053	Ocel plochá 20/12, S235JR	2 228, kg
014	1055	Ocel plochá 20/15, S235JR	20, kg
014	1095	Ocel plochá 25/4, S235JR	747, kg
014	1100	Ocel plocha 25/5, S235JR	4 116, kg
014	1200	Ocel plochá 25/8, S235JR	501, kg
014	1290	Ocel plochá 30/4, S235JR	5 745, kg
014	1291	Ocel plochá 30/4, S355J2	1 909, kg
014	1300	Ocel plochá 30/5, S235JR	5 841, kg
014	1350	Ocel plocha 30/6, S235JR	3 162, kg
014	1371	Ocel plochá 30/10, 6,2m S235JR	588, kg
014	1371	Ocel plochá 30/10, S235JR	4 263, kg
014	1375	Ocel plochá 30/10, St52.3	1 270, kg
014	1380	Ocel plochá 30/12, S235JR	700, kg
014	1400	Ocel plocha 35/5, S235JR	1 414, kg
014	1500	Ocel plocha 35/8, S235JR	3 110, kg
014	1551	Ocel plochá 40/4, S235JR	1 239, kg
014	1600	Ocel plocha 40/5, S235JR	6 449, kg
014	1700	Ocel plocha 40/6, S235JR	5 311, kg
014	1755	Ocel plochá 40/8, St52.3	1 785, kg
014	1760	Ocel plocha 40/10, S235JR	1 488, kg
014	1764	Ocel plocha 40/12, S235JR	995, kg
014	1769	Ocel plochá 40/20, S235JR	1 575, kg
014	1780	Ocel plochá 45/5, S235JR	2 689, kg
014	1799	Ocel plochá 50/4, S235JR	1 717, kg
014	1800	Ocel plocha 50/5, S235JR	3 357, kg
014	1850	Ocel plochá 50/5, S355J2	29, kg
014	1900	Ocel plocha 50/6, S235JR	4 616, kg
014	1950	Ocel plocha 50/8, S235JR	2 080, kg
014	1955	Ocel plochá 50/8, S355J2	913, kg
014	2000	Ocel plocha 50/10, S235JR	3 887, kg
014	2001	Ocel plocha 50/10, S355J2	1 690, kg
014	2005	Ocel plochá 50/12, S235JR	1 337, kg

014	2006	Ocel plochá 50/15, S235JR	1 534, kg
014	2006	Ocel plochá 50/20, S235JR	778, kg
014	2007	Ocel plochá 50/25, S235JR	1 711, kg
014	2010	Ocel plochá 60/5, S235JR	4 868, kg
014	2020	Ocel plocha 60/6, S235JR	6 000, kg
014	2025	Ocel plocha 60/8, S235JR	3 124, kg
014	2026	Ocel plochá 60/8, S355J2	380, kg
014	2035	Ocel plochá 60/10, St52.3	1 618, kg
014	2041	Ocel plochá 60/15, S235JR	8 357, kg
014	2043	Ocel plochá 60/20, S235JR	631, kg
014	2044	Ocel plochá 60/25, S235JR	4 383, kg
014	2090	Ocel plocha 70/5, S235JR	11 969, kg
014	2095	Ocel plochá 70/6, S235JR	2 518, kg
014	2100	Ocel plocha 70/8, S235JR	2 538, kg
014	2150	Ocel plocha 70/10 S235JR	1 268, kg
014	2155	Ocel plochá 70/10, S355J2	857, kg
014	2175	Ocel plochá 70/12, S235JR	1 327, kg
014	2200	Ocel plochá 70/15, S235JR	2 671, kg
014	2250	Ocel plochá 70/16, S355J2	2 056, kg
014	2302	Ocel plochá 70/30, S235JR	100, kg
014	2304	Ocel plochá 70/40, S355J2	530, kg
014	2308	Ocel plochá 80/5, S235JR	5 424, kg
014	2309	Ocel plochá 80/6, S235JR	1 129, kg
014	2310	Ocel plochá 80/8, S235JR	3 179, kg
014	2315	Ocel plochá 80/8, S355J2	142, kg
014	2320	Ocel plocha 80/10, S235JR	2 198, kg
014	2323	Ocel plochá 80/12, S235JR	3 300, kg
014	2324	Ocel plochá 80/12, S355J2	32, kg
014	2325	Ocel plochá 80/15, S235JR	898, kg
014	2334	Ocel plochá 80/20, S235JR	1 426, kg
014	2349	Ocel plochá 80/40, S235JR	3 329, kg
014	2352	Ocel plochá 90/8, S235JR	2 270, kg
014	2353	Ocel plochá 90/10, S235JR	7 483, kg
014	2353	Ocel plochá 90/12, S235JR	1 199, kg
014	2354	Ocel plocha 100/6, S235JR	248, kg

014	2354	Ocel plochá 100/5, S235JR	8 392, kg
014	2355	Ocel plocha 100/8, S235JR	2 686, kg
014	2360	Ocel plocha 100/10, S235JR	4 367, kg
014	2361	Ocel plochá 100/12, S235JR	3 684, kg
014	2362	Ocel plochá 100/15, S235JR	2 067, kg
014	2363	Ocel plochá 100/25, S355J2	1 168, kg
014	2363	Ocel plochá 100/20, S235JR	2 838, kg
014	2365	Ocel plochá 110/8, S235JR	2 440, kg
014	2365	Ocel plochá 110/6, S355J2	517, kg
014	2365	Ocel plochá 110/10, S235JR	2 392, kg
014	2366	Ocel plochá 120/5, S235JR	3 815, kg
014	2367	Ocel plocha 120/6, S235JR	2 897, kg
014	2368	Ocel plochá 120/8, S235JR	1 247, kg
014	2369	Ocel plochá 120/10, S355J2	2 346, kg
014	2369	Ocel plocha 120/10, S235JR	4 038, kg
014	2369	Ocel plochá 120/12, S235JR	3 950, kg
014	2372	Ocel plochá 130/6, S235JR	872, kg
014	2373	Ocel plochá 130/10, S235JR	2 284, kg
014	2379	Ocel plochá 140/6 S235JR	36, kg
014	2380	Ocel plochá 140/8 S235JR	2 170, kg
014	2381	Ocel plochá 140/12, 6m S355J2	235, kg
014	2383	Ocel plochá 140/15, S235JR	1 192, kg
014	2385	Ocel plochá 150/5, S235JR	5 033, kg
014	2385	Ocel plochá 150/6, S235JR	1 709, kg
014	2385	Ocel plochá 140/10, S235JR	6 029, kg
014	2385	Ocel plochá 150/8, S235JR	5 806, kg
014	2386	Ocel plochá 150/10, S355J2	2 070, kg
014	2386	Ocel plochá 150/10, S235JR	2 059, kg
014	2395	Ocel plochá 200/8, S235JR	6 480, kg
014	2398	Ocel plochá 200/10, S235JR	5 642, kg
014	2470	Ocel čtvercova 10/10, S235JR	2 801, kg
014	2480	Ocel čtvercova 12/12, S235JR	2 840, kg
014	2485	Ocel čtvercová 14/14, S235JR	935, kg
014	2487	Ocel čtvercová 16/16, S235JR	529, kg
014	2490	Ocel čtvercová 20/20, S235JR	3 737, kg

014	3000	Ocel uhelnik 20/20/3, S235JR	2 663, kg
014	3010	Ocel uhelnik 25/25/3, S235JR	1 316, kg
014	3015	Ocel uhelnik 25/25/4, S235JR	855, kg
014	3020	Ocel uhelnik 30/30/3, S235JR	7 152, kg
014	3030	Ocel uhelnik 30/30/4, S235JR	816, kg
014	3045	Ocel uhelnik 35/35/3, S235JR	1 181, kg
014	3050	Ocel uhelnik 35/35/4, S235JR	716, kg
014	3060	Ocel uhelnik 40/40/3, S235JR	2 377, kg
014	3070	Ocel uhelnik 40/40/4, S235JR	3 602, kg
014	3080	Ocel uhelnik 40/40/5, S235JR	6 357, kg
014	3100	Ocel uhelnik 45/45/5, S235JR	4 329, kg
014	3105	Ocel uhelnik 50/30/5, S235JR	829, kg
014	3110	Ocel uhelnik 50/50/4, S235JR	3 546, kg
014	3120	Ocel uhelnik 50/50/5, S235JR	4 801, kg
014	3130	Ocel uhelnik 50/50/6, S235JR	6 490, kg
014	3134	Ocel uhelnik 60/40/5, S235JR	3 415, kg
014	3134	Ocel uhelnik 60/40/6 S235JR	3 985, kg
014	3135	Ocel uhelnik 60/60/5, S235JR	2 369, kg
014	3136	Ocel uhelnik 60/60/5, 12,1m S235JR	161, kg
014	3140	Ocel uhelnik 60/60/6, S235JR	7 421, kg
014	3145	Ocel uhelnik 60/60/6, 12m S235JR	4 802, kg
014	3155	Ocel uhelnik 70/70/6, S235JR	2 527, kg
014	3160	Ocel uhelnik 70/70/7, S235JR	3 834, kg
014	3164	Ocel uhelnik 70/70/8, 12,1m S235JR	13 726, kg
014	3172	Ocel uhelnik 80/40/6, S235JR	4 409, kg
014	3173	Ocel uhelnik 80/40/8, S235JR	13 764, kg
014	3174	Ocel uhelnik 80/60/6, S235JR	320, kg
014	3174	Ocel uhelnik 80/60/8, S235JR	700, kg
014	3175	Ocel uhelnik 80/80/6, S235JR	4 145, kg
014	3180	Ocel uhelnik 80/80/8, S235JR	1 047, kg
014	3188	Ocel uhelnik 80/80/10 6,1m, S235JR	3 765, kg
014	3195	Ocel uhelnik 90/90/10 S235JR	271, kg
014	3200	Ocel uhelnik 90/90/10 S355J2	7 195, kg
014	3290	Ocel uhelnik 90/60/8, S235JR	633, kg
014	3300	Ocel uhelnik 100/50/6, S235JR	2 388, kg

014	3309	Ocel úhelník 100/65/8, S235JR	145, kg
014	3420	Ocel uhelník 100/100/8, S235JR	2 254, kg
014	3430	Ocel uhelník 100/100/10, S235JR	4 591, kg
014	3439	Ocel úhelník 100/100/12, S355	146, kg
014	3440	Ocel úhelník 100/100/12, S235JR	6 035, kg
014	3441	Ocel úhelník 120/120/10 S235JR	3 584, kg
014	3451	Ocel úhelník 120/120/12 S235JR	12 386, kg
014	3492	Ocel úhelník 150/100/12, S235JR	174, kg
014	3685	Ocel profil T 20/20/3, S235JR	26, kg
014	3700	Ocel profil T 25/25/3,5, S235JR	2 312, kg
014	3710	Ocel profil T 30/30/4, S235JR	1 378, kg
014	3720	Ocel profil T 40/40/5, S235JR	2 282, kg
014	3723	Ocel profil T 50/50/6, S235JR	3 078, kg
014	3725	Ocel profil T 60/60/8, S235JR	111, kg
014	8035	Sv. site KD37 5/5 150/150	140, ks
014	8040	Sv. site KH20 6/6 150/150	111, ks
014	8045	Sv. site KY50 8/8 150/150	415, ks
014	8055	Sv. site KD35 5/5 100/100	165, ks
014	8060	Sv. site KH30 6/6 100/100	51, ks
014	8065	Sv. site KY49 8/8 100/100	72, ks
014	11085	Oc.nosič IPE80 S235JR	1 772, kg
014	11100	Oc.nosič I100 12,1m S235JR	320, kg
014	11105	Oc.nosič IPE100 12,1m S235JR	2 683, kg
014	11120	Oc.nosič I120 12,1m S235JR	12 698, kg
014	11121	Oc.nosič I120 14,1m S235JR	897, kg
014	11125	Oc.nosič IPE120 12,1m S235JR	1 309, kg
014	11140	Oc.nosič I140 12,1m S235JR	6 816, kg
014	11145	Oc.nosič IPE140 12,1m S235JR	1 426, kg
014	11160	Oc.nosič I160 12,1m S235JR	12 335, kg
014	11165	Oc.nosič IPE160 12,1m S235JR	3 544, kg
014	11180	Oc.nosič I180 12,1m S235JR	984, kg
014	11181	Oc.nosič I180 14,1m S235JR	545, kg
014	11184	Oc.nosič IPE180 12,1m S235JR	9 237, kg
014	11200	Oc.nosič I200 12,1m S235JR	14 231, kg
014	11205	Oc.nosič IPE200 S235JR	3 501, kg

014	11225	Oc.nosič IPE220 S235JR	1 237, kg
014	11240	Oc.nosič I240 S235JR	418, kg
014	11245	Oc.nosič IPE240 12,1m S235JR	862, kg
014	11301	Oc.nosič I300 S275JR	417, kg
014	12030	Oc.nosič U40x20x5 S235JR	453, kg
014	12050	Oc.nosič U50 S235JR	1 308, kg
014	12065	Oc.nosič U65 S235JR	3 700, kg
014	12081	Oc.nosič U80 12m S235JR	47 679, kg
014	12100	Oc.nosič U100 S235JR	63 949, kg
014	12120	Oc.nosič U120 12m S235JR	12 288, kg
014	12140	Oc.nosič U140, S235JR	15 919, kg
014	12160	Oc.nosič U160 12m S235JR	8 913, kg
014	12180	Oc.nosič U180 12m S235JR	10 553, kg
014	12200	Oc.nosič U200 S235JR	7 539, kg
014	12220	Oc.nosič U220 12,1m S235JR	1 121, kg
014	13160	Oc.nosič HEA160 S235JR	375, kg
014	14220	Oc.nosič HEB220 S235JR	2 850, kg
014	19500	Sloupek 280/43/2	1, ks
014	20000	Návin PVC 1,4mm/50m	13, ks
014	21310	Tažený oc.drát pr.3,5 mm	599, kg
030	300	Oc.pl. 0,8/1000/2000 DC01	17 573, kg
030	305	Oc.pl. 0,8/1250/2500 DC01	1 698, kg
030	310	Oc.pl. 1/1000/2000 DC01	14 064, kg
030	313	Oc.pl. 1/1000/2000 DC01	520, kg
030	320	Oc.pl. 1/1250/2500 DC01	11 507, kg
030	325	Oc.pl. 1/1500/3000 DC01	31 050, kg
030	334	Oc.pl. 1,25/1000/2000 DC01	3 180, kg
030	335	Oc.pl. 1,25/1250/2500 DC01	3 539, kg
030	336	Oc.pl. 1,25/1500/3000 DC01	7 684, kg
030	410	Oc.pl. 1,3/1000/2000 DC01	18 645, kg
030	420	Oc.pl. 1,3/1500/3000 DC01	2 527, kg
030	599	Oc.pl. 1,5/1000/2000 DC01	2 767, kg
030	600	Oc.pl. 1,5/1250/2500 DC01	7 520, kg
030	2100	Oc.pl. 2/1250/2500 DC01	156, kg
030	2200	Oc.pl. 2/1500/3000 DC01	21 431, kg

030	2300	Oc.pl. 2/1500/3000 S235JR+N	431, kg
030	2599	Oc.pl. 2,5/1250/2500 DC01	816, kg
030	2600	Oc.pl. 2,5/1250/2500 S235JR+N	1 579, kg
030	2699	Oc.pl. 2,5/1500/3000 DC01	3 583, kg
030	3000	Oc.pl. 3/1000/2000 S235JR+N	11 564, kg
030	3010	Oc.pl. 3/1000/2000 DC01	4 639, kg
030	3097	Oc.pl. 3/1250/2500 DC01	2 618, kg
030	3101	Oc.pl. 3/1250/2500 S235JR+N	6 840, kg
030	3109	Oc.pl. 3/1250/2500 S355J2+N	9 665, kg
030	3115	Oc.pl. 3/1250/2500 S355MC	4 534, kg
030	3400	Oc.pl. 3/1850/6000 S235JRC+AR	4 635, kg
030	3402	Oc.pl. 3/2000/4000 S235JR+N	24 626, kg
030	3403	Oc.pl. 3/2000/4000 S235JR+N křivé	768, kg
030	3404	Oc.pl. 3/2000/6000 S235JR+N	48 310, kg
030	3449	Oc.pl. 3/1500/3000 DC01	19 924, kg
030	3450	Oc.pl. 3/1500/3000 S235JR	32 091, kg
030	3501	Oc.pl. 3/1500/3000 S355MC	686, kg
030	3503	Oc.pl. 3/1500/3000 S355J2+N	4 198, kg
030	3510	Oc.pl. 3/1500/3000 P265GH+N	33 452, kg
030	3605	Oc.pl. 3/2000/6000 S355J2+N	1 886, kg
030	3701	Oc.pl.mořený 3/1500/3000 S235JR+N	18 954, kg
030	3711	Oc.pl.mořený 3/1500/3000 S355MC	6 030, kg
030	4001	Oc.pl. 4/1000/2000 S235JR+N	22 265, kg
030	4066	Oc.pl. 4/1250/2500 S235JR+N	10 892, kg
030	4315	Oc.pl. 4/1500/3000 S235JR+N	34 376, kg
030	4320	Oc.pl. 4/1500/3000 S355J2+N	11 665, kg
030	4321	Oc.pl. 4/1500/3000 S355MC	19 262, kg
030	4322	Oc.pl. 4/1500/3000 P265GH+N	23 354, kg
030	4330	Oc.pl. 4/1500/6000 S355J2+N	11 724, kg
030	4400	Oc.pl. 4/2000/6000 S235JR+AR	17 500, kg
030	4459	Oc.pl. 4/2000/6000 S235JR+N	22 459, kg
030	4502	Oc.pl. 4/2000/4000 S355MC	510, kg
030	4505	Oc.pl. 4/2000/6000 S355J2+N	42 161, kg
030	4506	Oc.pl. 4/2000/6000 S355MC	11 520, kg
030	4601	Oc.pl. 4/1500/6000 S235JR+N	14 133, kg

030	4701	Oc.pl.mořený 4/1500/3000 S235JR+N	18 532, kg
030	5000	Oc.pl. 5/1000/2000 S235JR+N	9 115, kg
030	5151	Oc.pl. 5/1250/2500 S235JR+N	6 883, kg
030	5173	Oc.pl. 5/1250/2500 S355J2+N	316, kg
030	5250	Oc.pl. 5/1500/3000 S235JR+N	30 870, kg
030	5321	Oc.pl. 5/1500/3000 S355MC	24 017, kg
030	5322	Oc.pl. 5/1500/3000 S355J2+N	23 812, kg
030	5333	Oc.pl. 5/1500/6000 S355J2+N	12 609, kg
030	5403	Oc.pl. 5/2000/6000 S235JRC+AR	67 976, kg
030	5404	Oc.pl. 5/2000/6000 S235JR+N	12 094, kg
030	5408	Oc.pl. 5/2000/5200 S235JR+N	3 306, kg
030	5410	Oc.pl. 5/2000/12000 S235JR+N	1 730, kg
030	5411	Oc.pl. 5/2000/12000 S235JRC+AR	15 574, kg
030	5422	Oc.pl. 5/2500/11000 S235JR+N	1 079, kg
030	5505	Oc.pl. 5/2000/6000 S355J2+N	15 490, kg
030	5507	Oc.pl. 5/2000/6000 S355MC	1 440, kg
030	5510	Oc.pl. 5/2000/12000 S355J2+N	47 295, kg
030	5512	Oc.pl. 5/2000/12000 S355MC	13 440, kg
030	5525	Oc.pl. 5/2500/12000 S355J2+N	15 903, kg
030	5701	Oc.pl.mořený 5/1500/3000 S235JR+N	49 102, kg
030	5711	Oc.pl.mořený 5/1500/3000 S355MC	42 025, kg
030	6001	Oc.pl. 6/1000/2000 S235JR+N	13 367, kg
030	6121	Oc.pl. 6/1000/2000 S355J2C+N	2 976, kg
030	6130	Oc.pl. 6/1055/2000 S355JR	2 180, kg
030	6151	Oc.pl. 6/1250/2500 S235JR+N	8 891, kg
030	6155	Oc.pl. 6/1250/4000 S235JR+N	3 270, kg
030	6185	Oc.pl. 6/1250/6300 S355J2+N	744, kg
030	6201	Oc.pl. 6/1500/3000 S235JR+N	20 148, kg
030	6252	Oc.pl. 6/1500/6000 S235JR+N	387, kg
030	6331	Oc.pl. 6/1500/3000 S355MC	1 641, kg
030	6332	Oc.pl. 6/1500/3000 S355J2C+N	3 999, kg
030	6333	Oc.pl.mořený 6/1500/3000 S355MC	432, kg
030	6350	Oc.pl. 6/1500/6000 S355J2C+N	312, kg
030	6389	Oc.pl. 6/2000/3490 S235JR+N	666, kg
030	6400	Oc.pl. 6/2000/6000 S235JRC+AR	46 672, kg

030	6405	Oc.pl. 6/2000/6000 S235JR+N	17 044, kg
030	6411	Oc.pl. 6/2000/12000 S235JR+N	4 032, kg
030	6412	Oc.pl. 6/2000/12000 S235JR+AR	3 325, kg
030	6426	Oc.pl. 6/2500/12000 S235JR+N	17 789, kg
030	6502	Oc.pl. 6/2000/4000 S355MC	384, kg
030	6504	Oc.pl. 6/2000/6000 S355MC	14 288, kg
030	6505	Oc.pl. 6/2000/6000 S355J2+N	31 483, kg
030	6525	Oc.pl. 6/2500/12000 S355J2+N	18 362, kg
030	8101	Oc.pl. 8/1000/2000 S235JR+N	16 040, kg
030	8155	Oc.pl. 8/1250/2500 S355J2+N	8 734, kg
030	8156	Oc.pl. 8/1250/2500 S235JRC+N	1 730, kg
030	8200	Oc.pl. 8/1500/3000 S235JR+N	39 114, kg
030	8220	Oc.pl. 8/1500/6000 S235JR+N	1 122, kg
030	8320	Oc.pl. 8/1500/3000 S355J2+N	3 456, kg
030	8332	Oc.pl. 8/1500/6000 S355J2+N	17 855, kg
030	8400	Oc.pl. 8/2000/6000 S235JR+N	16 606, kg
030	8401	Oc.pl. 8/2000/4000 S235JR+N	508, kg
030	8405	Oc.pl. 8/2000/6000 S235JR+N	1 093, kg
030	8408	Oc.pl. 8/2050/6000 S235JR+N	23 966, kg
030	8410	Oc.pl. 8/2000/12000 S235JR+N	1 084, kg
030	8411	Oc.pl. 8/2000/12000 S235JR+N	4 475, kg
030	8414	Oc.pl. 8/1500/5500 P265GH	528, kg
030	8416	Oc.pl. 8/2000/6000 P265GH	16 298, kg
030	8418	Oc.pl. 8/2050/12000 S235JR+N	28 305, kg
030	8425	Oc.pl. 8/2500/12000 S235JR+N	26 846, kg
030	8455	Oc.pl. 8/3000/12000 S235JR+N	8 394, kg
030	8500	Oc.pl. 8/2000/5580 S355MC	764, kg
030	8501	Oc.pl. 8/2000/6700 S355J2+N	842, kg
030	8504	Oc.pl. 8/2000/6000 S355J2+N	4 492, kg
030	8505	Oc.pl. 8/2000/6000 S355J2+N	12 064, kg
030	8508	Oc.pl. 8/2050/6000 S355J2+N	33 196, kg
030	8510	Oc.pl. 8/2000/12000 S355J2+N	9 764, kg
030	8511	Oc.pl. 8/2000/12000 S355J2+N	14 080, kg
030	8518	Oc.pl. 8/2050/12000 S355J2+N	20 861, kg
030	8525	Oc.pl. 8/2500/12000 S355J2+N	32 532, kg

030	8555	Oc.pl. 8/3000/12000 S355J2+N	40 321, kg
030	10000	Oc.pl. 10/1000/2000 S235JR	9 442, kg
030	10001	Oc.pl. 10/1000/2000 S235JR+N	18 484, kg
030	10004	Oc.pl. 10/1000/2000 S355J2+N	6 216, kg
030	10005	Oc.pl. 10/1000/2000 S355MC	7 814, kg
030	10110	Oc.pl. 10/1250/2500 S235JR+N	5 714, kg
030	10200	Oc.pl. 10/1500/3000 S235JR	63 942, kg
030	10321	Oc.pl. 10/1500/3000 S355MC	11 976, kg
030	10330	Oc.pl. 10/1500/6000 S355J2+N	308, kg
030	10400	Oc.pl. 10/2000/6000 P265GH	12 334, kg
030	10401	Oc.pl. 10/2050/6000 S235JR+N	54, kg
030	10405	Oc.pl. 10/2000/6000 S235JR+N	15 852, kg
030	10410	Oc.pl. 10/2000/12000 S235JR+N	36 118, kg
030	10411	Oc.pl. 10/2000/12000 S235JRC+AR	1 920, kg
030	10425	Oc.pl. 10/2500/12000 S235JR+N	65 007, kg
030	10501	Oc.pl. 10/2000/4000 S355MC	516, kg
030	10504	Oc.pl. 10/2000/6000 S355J2+N	17 078, kg
030	10505	Oc.pl. 10/2000/6000 S355J2+N	20 672, kg
030	10508	Oc.pl. 10/2050/6000 S355J2+N	16 422, kg
030	10510	Oc.pl. 10/2000/12000 S355J2+N	47 680, kg
030	10511	Oc.pl. 10/2000/12000 S355J2+N	20 910, kg
030	10525	Oc.pl. 10/2500/12000 S355J2+N	18 938, kg
030	10527	Oc.pl. 10/2500/12000 S355J2+N x8	2 445, kg
030	10555	Oc.pl. 10/3000/12000 S355J2+N	64 998, kg
030	12155	Oc.pl. 12/1500/3000 S235JR+N	23 614, kg
030	12181	Oc.pl. 12/1500/3000 S355MC	5 387, kg
030	12200	Oc.pl. 12/1500/6000 S235JR+N	16 954, kg
030	12225	Oc.pl. 12/1500/6000 S355J2+N	16 016, kg
030	12235	Oc.pl. 12/1500/7500 S355J2C+N	44 988, kg
030	12401	Oc.pl. 12/2000/4000 S235JRC+AR	1 536, kg
030	12404	Oc.pl. 12/2000/6000 S235JR+N	1 696, kg
030	12405	Oc.pl. 12/2000/6000 S235JR+N	12 050, kg
030	12410	Oc.pl. 12/2000/12000 S235JR+N	3 357, kg
030	12411	Oc.pl. 12/2000/12000 S235JR+N	3 648, kg
030	12425	Oc.pl. 12/2500/12000 S235JR+N	2 117, kg

030	12455	Oc.pl. 12/3000/12000 S235JR+N	14 128, kg
030	12505	Oc.pl. 12/2000/6000 S355J2+N	59 886, kg
030	12506	Oc.pl. 12/2000/6000 S355MC	5 760, kg
030	12510	Oc.pl. 12/2000/12000 S355J2+N	50 540, kg
030	12525	Oc.pl. 12/2500/12000 S355J2+N	46 346, kg
030	12555	Oc.pl. 12/3000/12000 S355J2+N	58 906, kg
030	14050	Oc.pl. 14/1350/2070 S355MC	1 535, kg
030	14410	Oc.pl. 14/2000/12000 S235JR+N	23 215, kg
030	14505	Oc.pl. 14/2000/6000 S355J2+N	25 292, kg
030	14510	Oc.pl. 14/2000/12000 S355J2+N	34 555, kg
030	15065	Oc.pl. 15/1050/2660 S355J2+N	26, kg
030	15100	Oc.pl. 15/1500/3000 S235JR	30 002, kg
030	15101	Oc.pl. 15/1500/3000 S235JR+N, kvarto	2 120, kg
030	15154	Oc.pl. 15/1500/6000 S355MC	21 710, kg
030	15155	Oc.pl. 15/1500/6000 S355J2+N	530, kg
030	15159	Oc.pl. 15/1500/6000 S355J2+N	32 537, kg
030	15305	Oc.pl. 15/1550/2400 S355J2+N	876, kg
030	15307	Oc.pl. 15/2000/6000 S355MC	21 168, kg
030	15410	Oc.pl. 15/2000/12000 S235JR+N	233, kg
030	15425	Oc.pl. 15/2500/12000 S235JR+N	2 435, kg
030	15455	Oc.pl. 15/3000/12000 S235JR+N	5 297, kg
030	15505	Oc.pl. 15/2000/6000 S355J2+N	28 091, kg
030	15510	Oc.pl. 15/2000/12000 S355J2+N	105 214, kg
030	15525	Oc.pl. 15/2500/12000 S355J2+N	72 388, kg
030	15655	Oc.pl. 15/3000/12000 S355J2+N	51 043, kg
030	16150	Oc.pl. 16/1500/3000 S355J2+N	13 674, kg
030	16155	Oc.pl. 16/1500/6000 S355J2+N	16 949, kg
030	16405	Oc.pl. 16/2000/6000 S235JR+N	753, kg
030	16425	Oc.pl. 16/2500/12000 S235JR+N	6 129, kg
030	16505	Oc.pl. 16/2000/6000 S355J2+N	317, kg
030	16510	Oc.pl. 16/2000/12000 S355J2+N	92 108, kg
030	16525	Oc.pl. 16/2500/12000 S355J2+N	805, kg
030	16555	Oc.pl. 16/3000/12000 S355J2+N	3 396, kg
030	18410	Oc.pl. 18/2000/12000 S235JR+N	32 501, kg
030	18505	Oc.pl. 18/2000/6000 S355J2+N	1 414, kg

030	18510	Oc.pl. 18/2000/12000 S355J2+N	15 281, kg
030	18525	Oc.pl. 18/2500/12000 S355J2+N	38 151, kg
030	20250	Oc.pl. 20/1500/6000 S235JR+N	4 231, kg
030	20405	Oc.pl. 20/2000/6000 S235JR+N	28 288, kg
030	20410	Oc.pl. 20/2000/12000 S235JR+N	24 481, kg
030	20425	Oc.pl. 20/2500/12000 S235JR+N	11 996, kg
030	20455	Oc.pl. 20/3000/12000 S235JR+N	24 120, kg
030	20504	Oc.pl. 20/1500/6000 S355J2+N	36 738, kg
030	20505	Oc.pl. 20/2000/6000 S355J2+N	59 656, kg
030	20510	Oc.pl. 20/2000/12000 S355J2+N	86 664, kg
030	20525	Oc.pl. 20/2500/12000 S355J2+N	98 608, kg
030	20555	Oc.pl. 20/3000/12000 S355J2+N	95 140, kg
030	22410	Oc.pl. 22/2000/12000 S235JR+N	9 672, kg
030	22510	Oc.pl. 22/2000/12000 S355J2+N	22 578, kg
030	24510	Oc.pl. 24/2000/12000 S355J2+N	30 723, kg
030	25404	Oc.pl. 25/1500/6000 S235JR+N	848, kg
030	25405	Oc.pl. 25/2000/6000 S235JR+N	50 956, kg
030	25410	Oc.pl. 25/2000/12000 S235JR+N	107 486, kg
030	25425	Oc.pl. 25/2500/12000 S235JR+N	5 888, kg
030	25455	Oc.pl. 25/3000/12000 S235JR+N	1 767, kg
030	25504	Oc.pl. 25/1500/6000 S355J2+N	24 724, kg
030	25505	Oc.pl. 25/2000/6000 S355J2+N	6 705, kg
030	25509	Oc.pl. 25/2000/7400 S355NL	2 905, kg
030	25510	Oc.pl. 25/2000/12000 S355J2+N	264 937, kg
030	25525	Oc.pl. 25/2500/12000 S355J2+N	37 936, kg
030	25555	Oc.pl. 25/3000/12000 S355J2+N	2 539, kg
030	28505	Oc.pl. 28/2000/6000 S355J2+N	1 319, kg
030	28510	Oc.pl. 28/2000/12000 S355J2+N	22 633, kg
030	30405	Oc.pl. 30/2000/6000 S235JR+N	25 434, kg
030	30410	Oc.pl. 30/2000/12000 S235JR+N	46 621, kg
030	30505	Oc.pl. 30/2000/6000 S355J2+N	31 455, kg
030	30510	Oc.pl. 30/2000/12000 S355J2+N	141 300, kg
030	30525	Oc.pl. 30/2500/12000 S355J2+N	50 597, kg
030	30555	Oc.pl. 30/3000/12000 S355J2+N	25 612, kg
030	32510	Oc.pl. 32/2000/12000 S355J2+N	13 563, kg

030	35410	Oc.pl. 35/2000/12000 S235JR+N	4 945, kg
030	35425	Oc.pl. 35/2500/12000 S235JR+N	1 979, kg
030	35455	Oc.pl. 35/3000/12000 S235JR+N	18 547, kg
030	35505	Oc.pl. 35/2000/6000 S355J2+N	72 533, kg
030	35510	Oc.pl. 35/2000/12000 S355J2+N	78 852, kg
030	35525	Oc.pl. 35/2500/12000 S355J2+N	41 215, kg
030	35526	Oc.pl. 35/2500/6000 S355J2+N	32 968, kg
030	35555	Oc.pl. 35/3000/12000 S355J2+N	2 087, kg
030	36510	Oc.pl. 36/2000/12000 S355J2+N	9 653, kg
030	40405	Oc.pl. 40/2000/6000 S235JR+N	1 884, kg
030	40425	Oc.pl. 40/2500/12000 S235JR+N	16 746, kg
030	40455	Oc.pl. 40/3000/12000 S235JR+N	19 782, kg
030	40505	Oc.pl. 40/2000/6000 S355J2+N	67 824, kg
030	40510	Oc.pl. 40/2000/12000 S355J2+N	105 512, kg
030	40525	Oc.pl. 40/2500/12000 S355J2+N	67 000, kg
030	40555	Oc.pl. 40/3000/12000 S355J2+N	856, kg
030	45408	Oc.pl. 45/2000/11900 S235JR+N	2 048, kg
030	45410	Oc.pl. 45/2000/12000 S235JR+N	15 542, kg
030	45425	Oc.pl. 45/2500/12000 S235JR+N	16 846, kg
030	45505	Oc.pl. 45/2000/6000 S355J2+N	8 484, kg
030	45510	Oc.pl. 45/2000/12000 S355J2+N	19 078, kg
030	45555	Oc.pl. 45/3000/12000 S355J2+N	31 261, kg
030	50410	Oc.pl. 50/2000/12000 S235JR+N	61 230, kg
030	50425	Oc.pl. 50/2500/12000 S235JR+N	2 266, kg
030	50450	Oc.pl. 50/3000/6000 S235JR+N	17 144, kg
030	50505	Oc.pl. 50/2000/6000 S355J2+N	96 555, kg
030	50510	Oc.pl. 50/2000/12000 S355J2+N	26 218, kg
030	50535	Oc.pl. 50/2500/12000 S355J2+N	10 792, kg
030	50551	Oc.pl. 50/3000/10000 S355J2+N	11 775, kg
030	50555	Oc.pl. 50/3000/12000 S355J2+N	31 724, kg
030	55508	Oc.pl. 55/2000/11800 S355J2+N	10 189, kg
030	55508	Oc.pl. 55/2000/11700 S355J2+N	3 627, kg
030	55510	Oc.pl. 55/2000/12000 S355J2+N	4 389, kg
030	55525	Oc.pl. 55/2500/12000 S355J2+N	13 420, kg
030	55550	Oc.pl. 55/3000/6000 S355J2+N	46 632, kg

030	60405	Oc.pl. 60/2000/6000 S235JR+N	2 864, kg
030	60406	Oc.pl. 60/2500/6000 S235JR+N	7 065, kg
030	60410	Oc.pl. 60/2000/12000 S235JR+N	942, kg
030	60445	Oc.pl. 60/3000/6000 S235JR+N	33 218, kg
030	60505	Oc.pl. 60/2000/6000 S355J2+N	2 826, kg
030	60545	Oc.pl. 60/3000/6000 S355J2+N	4 237, kg
030	65505	Oc.pl. 65/2000/6000 S355J2+N	1 020, kg
030	65510	Oc.pl. 65/2000/12000 S355J2+N	37 778, kg
030	65520	Oc.pl. 65/2500/5950 S355J2+N	7 590, kg
030	65525	Oc.pl. 65/2500/6000 S355J2+N	45 924, kg
030	65529	Oc.pl. 65/2500/9000 S355J2+N	7 679, kg
030	70410	Oc.pl. 70/2000/12000 S235JR+N	15 440, kg
030	70510	Oc.pl. 70/2000/12000 S355J2+N	11 764, kg
030	70525	Oc.pl. 70/2500/6000 S355J2+N	4 122, kg
030	70529	Oc.pl. 70/2500/9000 S355J2+N	15 399, kg
030	70555	Oc.pl. 70/3000/6000 S355J2+N	9 908, kg
030	75505	Oc.pl. 75/2000/6000 S355J2+N	45 921, kg
030	80405	Oc.pl. 80/2000/6000 S235JR+N	14 946, kg
030	80423	Oc.pl. 80/2500/4000 S235JR+N	12 560, kg
030	80425	Oc.pl. 80/2500/6000 S235JR+N	37 680, kg
030	80505	Oc.pl. 80/2000/6000 S355J2+N	77 872, kg
030	80510	Oc.pl. 80/2000/12000 S355J2+N	3 666, kg
030	80525	Oc.pl. 80/2500/6000 S355J2+N	11 595, kg
030	80529	Oc.pl. 80/2500/9000 S355J2+N	2 355, kg
030	80545	Oc.pl. 80/3000/6000 S355J2+N	35 721, kg
030	85410	Oc.pl. 85/2000/12000 S235JR+N	2 669, kg
030	90410	Oc.pl. 90/2000/12000 S235JR+N	14 130, kg
030	90505	Oc.pl. 90/2000/6000 S355J2+N	4 239, kg
030	90510	Oc.pl. 90/2000/12000 S355J2+N	11 360, kg
030	90525	Oc.pl. 90/2500/6000 S355J2+N	7 771, kg
030	90529	Oc.pl. 90/2520/6000 S355J2+N	21 364, kg
030	90550	Oc.pl. 90/3000/6000 S355J2+N	59 345, kg
030	95505	Oc.pl. 95/2000/6000 S355J2+N	8 976, kg
030	100405	Oc.pl. 100/2000/6000 S235JR+N	6 280, kg
030	100505	Oc.pl. 100/2000/6000 S355J2+N	4 710, kg

030	100515	Oc.pl. 100/2000/12000 S355J2+N	4 362, kg
030	100525	Oc.pl. 100/2500/6000 S355J2+N	19 203, kg
030	105510	Oc.pl. 105/2000/12000 S355J2+N	18 133, kg
030	110405	Oc.pl. 110/2000/6000 S235JR+N	6 908, kg
030	110506	Oc.pl. 110/2000/6000 S355J2+N	13 643, kg
030	120408	Oc.pl. 120/2000/6000 S235JR+N	1 884, kg
030	120500	Oc.pl. 120/2000/4200 S355J2+N	7 912, kg
030	120505	Oc.pl. 120/2000/6000 S355J2+N	13 187, kg
030	120535	Oc.pl. 120/2500/6000 S355J2+N	84 780, kg
030	130408	Oc.pl. 130/2000/6000 S235JR+N	8 164, kg
030	140406	Oc.pl. 140/2000/6000 S235JR+AR	8 792, kg
030	140510	Oc.pl. 140/2000/6000 S355J2+N	5 935, kg
030	140511	Oc.pl. 140/2000/5500 S355J2+N	2 198, kg
030	150511	Oc.pl. 150/2000/6000 S355J2+N	8 006, kg
030	160504	Oc.pl. 160/2000/4000 S355J2+N	3 994, kg
030	160505	Oc.pl. 160/2000/6000 S355J2+N	5 024, kg
030	170504	Oc.pl. 170/2000/4000 S355J2+N	8 007, kg
030	170506	Oc.pl. 170/2000/6000 S355J2+N	5 338, kg
030	180508	Oc.pl. 180/2000/5500 S355J2+N	79 131, kg
030	190505	Oc.pl. 190/2000/4000 S355J2+N	11 932, kg
030	190506	Oc.pl. 190/2000/5000 S355J2+N	59 660, kg
030	199001	Oc.pl. 200/2000/4000 S355J2+N	3 140, kg
030	199002	Oc.pl. 200/2000/5000 S355J2+N	25 120, kg
030	199100	Oc.plechý Czenstochowa	263 967, kg
030	199101	Oc.plechý Czenstochowa křivé	83 555, kg
030	200200	Pl.pozink. 0,55/1000/2000 DX51D	3 157, kg
030	200208	Pl.pozink. 0,8/1000/2000 DX51D+Z275	2 673, kg
030	200210	Pl.pozink. 1/1000/2000 DX51D+Z275	3 169, kg
030	200211	Pl.pozink. 1/1250/2500 DX51D	2 102, kg
030	200211	Pl.pozink. 1/1500/3000 DX51D	4 347, kg
030	200212	Pl.pozink. 1,25/1000/2000 DX51D+Z275	2 329, kg
030	200212	Pl.pozink. 1,25/1250/2500 DX51D	4 812, kg
030	200213	Pl.pozink. 1,5/1250/2500 DX51D	2 541, kg
030	200214	Pl.pozink. 1,5/1000/2000 DX51D+Z275	3 207, kg
030	200215	Pl.pozink. 1,5/1500/3000 DX51D+Z275	418, kg

030	200216	Pl.pozink. 2/1500/3000 DX51D+Z275	3 229, kg
030	200216	Pl.pozink. 3/1000/2000 DX51D+Z275	4 347, kg
030	200216	Pl.pozink. 2,5/1000/2000 DX51D	2 078, kg
030	200216	Pl.pozink. 3/1250/2500 DX51D zatečené	4 592, kg
030	200216	Pl.pozink. 2/1000/2000 DX51D+Z275	3 758, kg
030	200216	Pl.pozink. 2,5/1250/2500 DX51D	5 648, kg
030	200216	Pl.pozink. 3/1250/2500 DX51D+Z275	199, kg
030	200216	Pl.pozink. 2,5/1500/3000 DX51D	10 848, kg
030	200280	Oc.pl. trap. 1012F 0,8/800/6000 poz.	30, ks
030	200281	Trap.plech SAT40N 0,75/960/6000 poz.	28, ks
030	200390	Oc.pl. trap. 1142F 0,8/800/6000 poz.	29, ks
030	220300	Oc.pl.slza 3/1000/2000 S235JR+N	10 057, kg
030	220350	Oc.pl.slza 3/1250/2500 S235JR+N	13 741, kg
030	220360	Oc.pl.slza 3/1500/3000 S235JR+N	7 888, kg
030	220400	Oc.pl.slza 4/1000/2000 S235JR	16 562, kg
030	220420	Oc.pl. slza 4/1250/2500 S235JR+N	5 200, kg
030	220450	Oc.pl. slza 4/1500/3000 S235JR	26 855, kg
030	220455	Oc.pl.slza 4/1500/6000 S235JR	14 742, kg
030	220463	Oc.pl.slza 4/2000/4000 S235JR	2 457, kg
030	220465	Oc.pl.slza 4/2000/6000 S235JR+N	9 014, kg
030	220500	Oc.pl.slza 5/1000/2000 S235JR+N	18 978, kg
030	220525	Oc.pl.slza 5/1250/2500 S235JR+N	4 382, kg
030	220550	Oc.pl.slza 5/1500/3000 S235JR	25 801, kg
030	220552	Oc.pl.slza 5/1500/6000 S235JR+N	17 696, kg
030	220610	Oc.pl.slza 6/1000/2000 S235JR	13 877, kg
030	220625	Oc.pl.slza 6/1250/2500 S235JR+N	24 471, kg
030	220650	Oc.pl. slza 6/1500/3000 S235JR	24 801, kg
030	220660	Oc.pl. slza 6/1500/6000 S235JR+N	23 045, kg
030	220810	Oc.pl. slza 8/1000/2000 S235JR+N	5 128, kg
030	220825	Oc.pl.slza 8/1250/2500 S235JR+N	8 108, kg
030	220830	Oc.pl.slza 8/1500/3000 S235JR	13 164, kg
030	220860	Oc.pl. slza 8/1500/6000 S235JR	23 836, kg
030	220905	Oc.pl.slza 10/1000/2000 S235JR+N	1 772, kg
030	220910	Oc.pl.slza 10/1500/3000 S235JR+N	6 330, kg
030	220960	Oc.pl. slza 10/1500/6000 S235JR+N	20 017, kg