

SK	Číslo	Název 1	Mn.po p/v	MJ evidence
014	10	Ocel kruh. pr.6 mm	3 870,	kg
014	25	Ocel kruh. pr.6, 10505 žebr.	11 774,	kg
014	30	Ocel kruh. pr.8 mm	868,	kg
014	43	Ocel kruh. pr.8, 10505 žebr.	5 762,	kg
014	70	Ocel kruh. pr.10, B500B	21 798,	kg
014	90	Ocel kruh. pr.12 mm	4 415,	kg
014	110	Ocel kruh. pr.12, B500B	6 095,	kg
014	120	Ocel kruh. pr.12, S235JR	932,	kg
014	125	Ocel kruh. pr.12, S355J2	2 053,	kg
014	150	Ocel kruh. pr.14, B500B	37 375,	kg
014	160	Ocel kruh. pr.14, S235JR	4 322,	kg
014	210	Ocel kruh. pr.16, B500B	52 761,	kg
014	220	Ocel kruh. pr.16, S235JR	7 174,	kg
014	225	Ocel kruh. pr.16, S355J2	3 737,	kg
014	229	Ocel kruh. pr.18 mm	12 956,	kg
014	270	Ocel kruh. pr.20, B500B	13 237,	kg
014	280	Ocel kruh. pr.20, S235JR	4 830,	kg
014	285	Ocel kruh. pr.20, S355J2	7 051,	kg
014	290	Ocel kruh. pr.22, S235JR	3 065,	kg
014	320	Ocel kruh. pr.24, S235JR	3 405,	kg
014	360	Ocel kruh. pr.25, B500B	3 870,	kg
014	370	Ocel kruh. pr.25, S235JR	1 456,	kg
014	380	Ocel kruh. pr.25, S355J2	3 481,	kg
014	381	Ocel kruh. pr.25, 5,7m, S355J2	15 033,	kg
014	420	Ocel kruh. pr.30, S235JR	3 036,	kg
014	421	Ocel kruh. pr.30, S355J2	2 164,	kg
014	435	Ocel kruh. pr.32, B500B	3 565,	kg
014	440	Ocel kruh. pr.35mm C55	835,	kg
014	441	Ocel kruh. pr.35, S355J2	992,	kg
014	450	Ocel kruh. pr.36, S355J2	4 485,	kg
014	458	Ocel kruh. pr.38, S235JR	536,	kg
014	470	Ocel kruh. pr.40, S355J2	3 979,	kg
014	472	Ocel kruh. pr.42, S355J2	2 414,	kg
014	475	Ocel kruh. pr.45, S235JR	182,	kg

014	605	Ocel kruh. pr.100, 42CrMo4	2 618, kg
014	990	Ocel plochá 20/4, S235JR	1 926, kg
014	1000	Ocel plocha 20/5, S235JR	3 618, kg
014	1040	Ocel plochá 20/8, S235JR	1 024, kg
014	1053	Ocel plochá 20/12, S235JR	2 136, kg
014	1055	Ocel plochá 20/15, S235JR	6, kg
014	1095	Ocel plochá 25/4, S235JR	451, kg
014	1100	Ocel plocha 25/5, S235JR	3 341, kg
014	1200	Ocel plochá 25/8, S235JR	96, kg
014	1290	Ocel plochá 30/4, S235JR	3 320, kg
014	1291	Ocel plochá 30/4, S355J2	704, kg
014	1300	Ocel plochá 30/5, S235JR	8 703, kg
014	1350	Ocel plocha 30/6, S235JR	8 887, kg
014	1355	Ocel plocha 30/8, S235JR	4 368, kg
014	1360	Ocel plochá 30/8, St52.3	928, kg
014	1371	Ocel plochá 30/10, S235JR	3 192, kg
014	1371	Ocel plochá 30/10, 6,2m S235JR	588, kg
014	1380	Ocel plochá 30/12, S235JR	648, kg
014	1400	Ocel plocha 35/5, S235JR	5 766, kg
014	1500	Ocel plocha 35/8, S235JR	3 213, kg
014	1551	Ocel plochá 40/4, S235JR	667, kg
014	1600	Ocel plocha 40/5, S235JR	9 391, kg
014	1601	Ocel plochá 40/5, St52.3	532, kg
014	1700	Ocel plocha 40/6, S235JR	2 086, kg
014	1750	Ocel plocha 40/8, S235JR	4 898, kg
014	1760	Ocel plocha 40/10, S235JR	2 082, kg
014	1764	Ocel plocha 40/12, S235JR	403, kg
014	1768	Ocel plochá 40/16, S235JR	3 391, kg
014	1769	Ocel plochá 40/20, S235JR	753, kg
014	1780	Ocel plochá 45/5, S235JR	2 385, kg
014	1799	Ocel plochá 50/4, S235JR	2 882, kg
014	1800	Ocel plocha 50/5, S235JR	8 219, kg
014	1900	Ocel plocha 50/6, S235JR	11 279, kg
014	1950	Ocel plocha 50/8, S235JR	7 181, kg
014	1955	Ocel plochá 50/8, S355J2	905, kg

014	2000	Ocel plocha 50/10, S235JR	9 220, kg
014	2001	Ocel plocha 50/10, S355J2	1 642, kg
014	2005	Ocel plochá 50/12, S235JR	902, kg
014	2006	Ocel plochá 50/20, S235JR	600, kg
014	2006	Ocel plochá 50/15, S235JR	702, kg
014	2007	Ocel plochá 50/25, S235JR	1 231, kg
014	2009	Ocel plochá 60/4, S235JR	1 907, kg
014	2010	Ocel plochá 60/5, S235JR	5 111, kg
014	2020	Ocel plocha 60/6, S235JR	501, kg
014	2025	Ocel plocha 60/8, S235JR	6 689, kg
014	2026	Ocel plochá 60/8, S355J2	380, kg
014	2030	Ocel plocha 60/10, S235JR	825, kg
014	2035	Ocel plochá 60/10, St52.3	1 009, kg
014	2040	Ocel plochá 60/12, S235JR	1 180, kg
014	2041	Ocel plochá 60/15, S235JR	7 494, kg
014	2043	Ocel plochá 60/20, S235JR	173, kg
014	2044	Ocel plochá 60/20, S355J2	1 630, kg
014	2044	Ocel plochá 60/25, S235JR	4 028, kg
014	2090	Ocel plocha 70/5, S235JR	438, kg
014	2095	Ocel plochá 70/6, S235JR	4 441, kg
014	2100	Ocel plocha 70/8, S235JR	2 843, kg
014	2150	Ocel plocha 70/10 S235JR	3 462, kg
014	2155	Ocel plochá 70/10, S355J2	857, kg
014	2175	Ocel plochá 70/12, S235JR	1 168, kg
014	2200	Ocel plochá 70/15, S235JR	213, kg
014	2250	Ocel plochá 70/16, S355J2	2 056, kg
014	2304	Ocel plochá 70/40, S355J2	735, kg
014	2308	Ocel plochá 80/5, S235JR	2 297, kg
014	2309	Ocel plochá 80/6, S235JR	3 617, kg
014	2309	Ocel plochá 80/6, St52.3	70, kg
014	2310	Ocel plochá 80/8, S235JR	4 390, kg
014	2315	Ocel plochá 80/8 S355	1 457, kg
014	2320	Ocel plocha 80/10, S235JR	4 398, kg
014	2323	Ocel plochá 80/12, S235JR	2 108, kg
014	2324	Ocel plochá 80/12, S355J2	32, kg

014	2325	Ocel plochá 80/15, S235JR	613, kg
014	2334	Ocel plochá 80/20, S235JR	892, kg
014	2349	Ocel plochá 80/40, S275JR	1 196, kg
014	2350	Ocel plochá 90/5, S235JR	2 363, kg
014	2352	Ocel plochá 90/8, S235JR	1 375, kg
014	2352	Ocel plochá 90/8, S355J2	34, kg
014	2353	Ocel plochá 90/10, S355J2	424, kg
014	2353	Ocel plochá 90/10, S235JR	6 661, kg
014	2353	Ocel plochá 90/12, S235JR	1 147, kg
014	2354	Ocel plocha 100/6, S235JR	3 333, kg
014	2354	Ocel plochá 100/5, S235JR	3 065, kg
014	2355	Ocel plocha 100/8, S235JR	2 844, kg
014	2358	Ocel plochá 100/8, S355J2	2 795, kg
014	2360	Ocel plochá 100/10, S355J2	3 145, kg
014	2360	Ocel plocha 100/10, S235JR	8 117, kg
014	2361	Ocel plochá 100/12, S235JR	3 102, kg
014	2362	Ocel plochá 100/15, S235JR	5 035, kg
014	2363	Ocel plochá 100/25, S355J2	928, kg
014	2363	Ocel plochá 100/20, S235JR	1 600, kg
014	2365	Ocel plochá 110/8, S235JR	3 650, kg
014	2365	Ocel plochá 110/6, S235JR	6 255, kg
014	2365	Ocel plochá 110/10, S235JR	1 971, kg
014	2366	Ocel plochá 120/5, S235JR	4 626, kg
014	2368	Ocel plochá 120/8, S235JR	2 690, kg
014	2369	Ocel plochá 120/12, S235JR	3 879, kg
014	2369	Ocel plochá 120/10, S355J2	2 231, kg
014	2369	Ocel plocha 120/10, S235JR	650, kg
014	2372	Ocel plochá 130/6, S235JR	1 661, kg
014	2373	Ocel plochá 130/10, S235JR	2 219, kg
014	2379	Ocel plochá 140/6 S235JR	2 436, kg
014	2380	Ocel plochá 140/8 S235JR	2 999, kg
014	2383	Ocel plochá 140/15, S235JR	1 091, kg
014	2385	Ocel plochá 150/5, S235JR	4 968, kg
014	2385	Ocel plochá 150/6, S235JR	824, kg
014	2385	Ocel plochá 140/10, S235JR	5 427, kg

014	2385	Ocel plochá 150/8, S235JR	4 070, kg
014	2386	Ocel plochá 150/10, S235JR	984, kg
014	2386	Ocel plochá 150/10, S355J2	2 070, kg
014	2395	Ocel plochá 200/8, S235JR	5 251, kg
014	2398	Ocel plochá 200/10, S235JR	2 277, kg
014	2470	Ocel čtvercova 10/10, S235JR	3 367, kg
014	2480	Ocel čtvercova 12/12, S235JR	4 525, kg
014	2485	Ocel čtvercová 14/14, S235JR	2 888, kg
014	2487	Ocel čtvercová 16/16, S235JR	2 869, kg
014	2490	Ocel čtvercová 20/20, S235JR	5 821, kg
014	2536	Ocel čtvercová 35/35, S355J2	565, kg
014	3000	Ocel uhelník 20/20/3, S235JR	3 701, kg
014	3010	Ocel uhelník 25/25/3, S235JR	1 937, kg
014	3015	Ocel uhelník 25/25/4, S235JR	677, kg
014	3020	Ocel uhelník 30/30/3, S235JR	9 086, kg
014	3030	Ocel uhelník 30/30/4, S235JR	2 960, kg
014	3035	Ocel úhelník 30/30/5, S235JR	1 003, kg
014	3045	Ocel úhelník 35/35/3, S235JR	1 015, kg
014	3050	Ocel uhelník 35/35/4, S235JR	3 237, kg
014	3058	Ocel úhelník 40/20/4 S235JR	1 746, kg
014	3060	Ocel úhelník 40/40/3, S235JR	1 587, kg
014	3070	Ocel uhelník 40/40/4, S235JR	2 610, kg
014	3080	Ocel uhelník 40/40/5, S235JR	12 965, kg
014	3100	Ocel uhelník 45/45/5, S235JR	3 334, kg
014	3105	Ocel úhelník 50/30/5, S235JR	1 873, kg
014	3110	Ocel uhelník 50/50/4, S235JR	3 064, kg
014	3120	Ocel uhelník 50/50/5, S235JR	4 590, kg
014	3130	Ocel uhelník 50/50/6, S235JR	4 811, kg
014	3134	Ocel úhelník 60/40/5, S235JR	2 591, kg
014	3134	Ocel úhelník 60/40/6 S235JR	3 742, kg
014	3135	Ocel úhelník 60/60/5, S235JR	2 545, kg
014	3136	Ocel úhelník 60/60/5, 12,1m S235JR	41, kg
014	3145	Ocel úhelník 60/60/6, S235JR	5 098, kg
014	3155	Ocel uhelník 70/70/6, S235JR	9 122, kg
014	3160	Ocel úhelník 70/70/7, S235JR	2 588, kg

014	3164	Ocel úhelník 70/70/8, 12,1m S235JR	23 993, kg
014	3172	Ocel úhelník 80/40/6, S235JR	2 700, kg
014	3173	Ocel úhelník 80/40/8, S235JR	13 361, kg
014	3174	Ocel úhelník 80/60/6, S235JR	1 595, kg
014	3174	Ocel úhelník 80/60/8, S235JR	547, kg
014	3175	Ocel úhelník 80/80/6, S235JR	2 131, kg
014	3180	Ocel uhelník 80/80/8, S235JR	8 522, kg
014	3188	Ocel úhelník 80/80/10, S235JR	5 773, kg
014	3195	Ocel úhelník 90/90/10 S235JR	68, kg
014	3200	Ocel úhelník 90/90/10 S355J2	5 891, kg
014	3290	Ocel úhelník 90/60/8, S235JR	470, kg
014	3300	Ocel úhelník 100/50/6, S235JR	1 589, kg
014	3309	Ocel úhelník 100/65/8, S235JR	4 734, kg
014	3400	Ocel uhelník 100/100/6, S235JR	413, kg
014	3420	Ocel uhelník 100/100/8, 6m S235JR	2 483, kg
014	3430	Ocel uhelník 100/100/10, S235JR	11 432, kg
014	3439	Ocel úhelník 100/100/12, S355	146, kg
014	3440	Ocel úhelník 100/100/12, S235JR	371, kg
014	3441	Ocel úhelník 120/120/10 S235JR	1 705, kg
014	3451	Ocel úhelník 120/120/12 S235JR	10 329, kg
014	3685	Ocel profil T 20/20/3, S235JR	1 667, kg
014	3700	Ocel profil T 25/25/3,5, S235JR	1 818, kg
014	3710	Ocel profil T 30/30/4, S235JR	555, kg
014	3720	Ocel profil T 40/40/5, S235JR	3 949, kg
014	3723	Ocel profil T 50/50/6, S235JR	1 315, kg
014	8035	Sv. site KD37 5/5 150/150	338, ks
014	8040	Sv. site KH20 6/6 150/150	77, ks
014	8045	Sv. site KY50 8/8 150/150	335, ks
014	8050	Sv. site KA16 4/4 100/100	100, ks
014	8055	Sv. site KD35 5/5 100/100	238, ks
014	8060	Sv. site KH30 6/6 100/100	299, ks
014	8065	Sv. site KY49 8/8 100/100	281, ks
014	11080	Oc.nosič I80 S235JR	1 362, kg
014	11085	Oc.nosič IPE80 S235JR	4 661, kg
014	11100	Oc.nosič I100 12,1m S235JR	5 129, kg

014	11105	Oc.nosič IPE100 12,1m S235JR	2 834, kg
014	11120	Oc.nosič I120 12,1m S235JR	4 618, kg
014	11121	Oc.nosič I120 14,1m S235JR	897, kg
014	11125	Oc.nosič IPE120 12,1m S235JR	6 820, kg
014	11140	Oc.nosič I140 12,1m S235JR	6 923, kg
014	11145	Oc.nosič IPE140 12,1m S235JR	1 573, kg
014	11160	Oc.nosič I160 12,1m S235JR	3 468, kg
014	11165	Oc.nosič IPE160 12,1m S235JR	3 790, kg
014	11170	Oc.nosič IPE160 12,1m S355J2	4 948, kg
014	11180	Oc.nosič I180 12,1m S235JR	4 461, kg
014	11181	Oc.nosič I180 14,1m S235JR	170, kg
014	11184	Oc.nosič IPE180 12,1m S235JR	11 560, kg
014	11200	Oc.nosič I200 12,1m S235JR	5 039, kg
014	11205	Oc.nosič IPE200 12,1m S235JR	14 897, kg
014	11225	Oc.nosič IPE220 S235JR	2 355, kg
014	11240	Oc.nosič I240 12,1m S235JR	9 264, kg
014	11245	Oc.nosič IPE240 12,1m S235JR	505, kg
014	11271	Oc.nosič IPE270 12,1m S355J2	1 332, kg
014	11301	Oc.nosič I300 S275JR	417, kg
014	12030	Oc.nosič U40x20x5 S235JR	1 471, kg
014	12050	Oc.nosič U50 S235JR	6 063, kg
014	12065	Oc.nosič U65 6,1m S235JR	5 678, kg
014	12081	Oc.nosič U80 12m S235JR	20 691, kg
014	12100	Oc.nosič U100 S235JR	43 197, kg
014	12119	Oc.nosič U120 6,1m S235JR	3 368, kg
014	12120	Oc.nosič U120 12,1m S235JR	6 273, kg
014	12139	Oc.nosič U140 6,1m S235JR	3 915, kg
014	12140	Oc.nosič U140 12,1m S235JR	10 756, kg
014	12160	Oc.nosič U160 12m S235JR	1 573, kg
014	12165	Oc.nosič U160 12,1m S355J2	4 899, kg
014	12180	Oc.nosič U180 12,1m S235JR	3 375, kg
014	12200	Oc.nosič U200 S235JR	6 481, kg
014	12220	Oc.nosič U220 12,1m S235JR	12 211, kg
014	12240	Oc.nosič U240 S235JR	1 607, kg
014	12401	Oc.nosič U400 12,1m S355J2	2 401, kg

014	13300	Oc.nosič HEB160 12,1m S355J2	124,	kg
014	14220	Oc.nosič HEB220 S235JR	2 850,	kg
014	19500	Sloupek 280/43/2	1,	ks
014	20000	Návin PVC 1,4mm/50m	13,	ks
014	21300	Tažený oc.drát pr.3,15 mm	1 112,	kg
014	21310	Tažený oc.drát pr.3,5 mm	279,	kg
030	300	Oc.pl. 0,8/1000/2000 DC01	4 421,	kg
030	305	Oc.pl. 0,8/1250/2500 DC01	5 702,	kg
030	310	Oc.pl. 1/1000/2000 DC01	2 743,	kg
030	313	Oc.pl. 1/1000/2000 DC01	520,	kg
030	325	Oc.pl. 1/1500/3000 DC01	8 723,	kg
030	334	Oc.pl. 1,25/1000/2000 DC01	1 440,	kg
030	335	Oc.pl. 1,25/1250/2500 DC01	11 861,	kg
030	336	Oc.pl. 1,25/1500/3000 DC01	7 234,	kg
030	410	Oc.pl. 1,3/1000/2000 DC01	8 616,	kg
030	600	Oc.pl. 1,5/1250/2500 DC01	11 323,	kg
030	620	Oc.pl. 1,5/1500/3000 DC01	1 556,	kg
030	1990	Oc.pl. 2/1000/2000 DC01	396,	kg
030	1995	Oc.pl. 2/1000/2000 DC04	1 038,	kg
030	2000	Oc.pl. 2/1000/2000 S235JR	11 034,	kg
030	2050	Oc.pl. 2/1250/2500 S235JR	2 413,	kg
030	2100	Oc.pl. 2/1250/2500 DC01	6 762,	kg
030	2105	Oc.pl. 2/1250/2500 DC04	4 486,	kg
030	2200	Oc.pl. 2/1500/3000 DC01	460,	kg
030	2300	Oc.pl. 2/1500/3000 S235JR+N	14 902,	kg
030	2305	Oc.pl. 2/1500/3000 S355J2C+N	23 528,	kg
030	2454	Oc.pl. 2,5/1000/2000 DC01	5 114,	kg
030	2455	Oc.pl. 2,5/1000/2000 S235JR+N	5 930,	kg
030	2599	Oc.pl. 2,5/1250/2500 DC01	313,	kg
030	2600	Oc.pl. 2,5/1250/2500 S235JR+N	11 655,	kg
030	2699	Oc.pl. 2,5/1500/3000 DC01	2 053,	kg
030	3000	Oc.pl. 3/1000/2000 S235JRC+N	22 774,	kg
030	3010	Oc.pl. 3/1000/2000 DC01	6 593,	kg
030	3097	Oc.pl. 3/1250/2500 DC01	2 393,	kg
030	3101	Oc.pl. 3/1250/2500 S235JR+N	7 202,	kg

030	3109	Oc.pl. 3/1250/2500 S355J2+N	13 433, kg
030	3115	Oc.pl. 3/1250/2500 S355MC	766, kg
030	3400	Oc.pl. 3/1850/6000 S235JRC+AR	3 302, kg
030	3402	Oc.pl. 3/2000/4000 S235JR+N	10 250, kg
030	3403	Oc.pl. 3/2000/4000 S235JR+N křivé	768, kg
030	3404	Oc.pl. 3/2000/6000 S235JR+N	26 680, kg
030	3449	Oc.pl. 3/1500/3000 DC01	7 024, kg
030	3452	Oc.pl. 3/1500/3000 S235JRC+N	7 714, kg
030	3501	Oc.pl. 3/1500/3000 S355MC	7 458, kg
030	3503	Oc.pl. 3/1500/3000 S355J2C+N	9 530, kg
030	3510	Oc.pl. 3/1500/3000 P265GH+N	32 422, kg
030	3601	Oc.pl. 3/1500/6000 S235JRC+N	12 502, kg
030	3605	Oc.pl. 3/2000/6000 S355J2+N	23 252, kg
030	3611	Oc.pl. 3/1500/6000 S355J2C+N	56, kg
030	3701	Oc.pl.mořený 3/1500/3000 S235JR+N	17 874, kg
030	3711	Oc.pl.mořený 3/1500/3000 S355MC	3 006, kg
030	4001	Oc.pl. 4/1000/2000 S235JR+N	3 097, kg
030	4065	Oc.pl. 4/1250/2500 S235JRC+N	21 950, kg
030	4315	Oc.pl. 4/1500/3000 S235JR+N	6 175, kg
030	4320	Oc.pl. 4/1500/3000 S355J2+N	30 887, kg
030	4321	Oc.pl. 4/1500/3000 S355MC	11 608, kg
030	4330	Oc.pl. 4/1500/6000 S355J2+N	17 702, kg
030	4395	Oc.pl. 4/2000/4000 S235JR+N	1 438, kg
030	4400	Oc.pl. 4/2000/6000 S235JR+N	18, kg
030	4505	Oc.pl. 4/2000/6000 S355J2+N	17 585, kg
030	4601	Oc.pl. 4/1500/6000 S235JR+N	23 216, kg
030	4701	Oc.pl.mořený 4/1500/3000 S235JR+N	96, kg
030	5000	Oc.pl. 5/1000/2000 S235JR+N	9 525, kg
030	5151	Oc.pl. 5/1250/2500 S235JR+N	18 870, kg
030	5170	Oc.pl. 5/1250/2500 S355J2C+N	7 589, kg
030	5253	Oc.pl. 5/1500/3000 S235JRC+N	896, kg
030	5321	Oc.pl. 5/1500/3000 S355MC	18 501, kg
030	5322	Oc.pl. 5/1500/3000 S355J2C+N	14 514, kg
030	5326	Oc.pl. 5/1500/6000 S235JRC+N	10 068, kg
030	5333	Oc.pl. 5/1500/6000 S355J2C+N	12 276, kg

030	5350	Oc.pl. 5/2000/1200 S235JR+N	480, kg
030	5400	Oc.pl. 5/2000/4000 S235JR+N	24 622, kg
030	5403	Oc.pl. 5/2000/6000 S235JRC+AR	28 414, kg
030	5408	Oc.pl. 5/2000/5200 S235JR+N	3 306, kg
030	5410	Oc.pl. 5/2000/12000 S235JR+N	19 460, kg
030	5413	Oc.pl. 5/1500/3000 P265GH+N	12 170, kg
030	5425	Oc.pl. 5/2500/12000 S235JR+N	13 547, kg
030	5507	Oc.pl. 5/2000/6000 S355MC	960, kg
030	5510	Oc.pl. 5/2000/12000 S355	24 099, kg
030	5525	Oc.pl. 5/2500/12000 S355J2+N	26 505, kg
030	5701	Oc.pl.mořený 5/1500/3000 S235JR+N	16 312, kg
030	5711	Oc.pl.mořený 5/1500/3000 S355MC	42 025, kg
030	6001	Oc.pl. 6/1000/2000 S235JR+N	14 666, kg
030	6121	Oc.pl. 6/1000/2000 S355J2C+N	10 132, kg
030	6130	Oc.pl. 6/1055/2000 S355JR	1 675, kg
030	6151	Oc.pl. 6/1250/2500 S235JRC+N	2, kg
030	6155	Oc.pl. 6/1250/4000 S235JR+N	3 270, kg
030	6185	Oc.pl. 6/1250/6300 S355J2+N	744, kg
030	6201	Oc.pl. 6/1500/3000 S235JRC+N	20 704, kg
030	6251	Oc.pl. 6/1500/6000 S235JRC+N	11 194, kg
030	6331	Oc.pl. 6/1500/3000 S355MC	45 917, kg
030	6332	Oc.pl. 6/1500/3000 S355J2C+N	32 567, kg
030	6333	Oc.pl.mořený 6/1500/3000 S355MC	432, kg
030	6350	Oc.pl. 6/1500/6000 S355J2C+N	41 164, kg
030	6389	Oc.pl. 6/2000/3490 S235JR+N	666, kg
030	6399	Oc.pl. 6/2000/4000 S235JR+N	19 640, kg
030	6400	Oc.pl. 6/2000/6000 S235JRC+AR	33 600, kg
030	6405	Oc.pl. 6/2000/6000 S235JR+N	2 124, kg
030	6411	Oc.pl. 6/2000/12000 S235JR+N	59 687, kg
030	6412	Oc.pl. 6/2000/12000 S235JR	1 021, kg
030	6414	Oc.pl. 6/1500/3000 P265GH+N	12 020, kg
030	6426	Oc.pl. 6/2500/12000 S235JR+N	4 365, kg
030	6500	Oc.pl. 6/2000/6000 S355J2+N	3 955, kg
030	6504	Oc.pl. 6/2000/6000 S355MC	11 984, kg
030	6505	Oc.pl. 6/2000/6000 S355J2+N	44 796, kg

030	6510	Oc.pl. 6/2000/12000 S355J2+N	3 450, kg
030	6511	Oc.pl. 6/2000/12000 S355J2+N	6 780, kg
030	6520	Oc.pl. 6/2500/6000 S355J2+N	4 242, kg
030	6525	Oc.pl. 6/2500/12000 S355J2+N	16 006, kg
030	6526	Oc.pl. 6/2500/12000 S355J2C+N	9 891, kg
030	6530	Oc.pl. 6/3000/12000 S355J2+N	1 696, kg
030	8101	Oc.pl. 8/1000/2000 S235JR+N	168, kg
030	8155	Oc.pl. 8/1250/2500 S355J2+N	12 230, kg
030	8156	Oc.pl. 8/1250/2500 S235JRC+N	1 170, kg
030	8200	Oc.pl. 8/1500/3000 S235JRC+N	520, kg
030	8221	Oc.pl. 8/1500/6000 S235JRC+N	18 394, kg
030	8320	Oc.pl. 8/1500/3000 S355J2C+N	52 307, kg
030	8321	Oc.pl. 8/1500/3000 S355MC	17 916, kg
030	8331	Oc.pl. 8/1500/6000 S355J2C+N	19 638, kg
030	8400	Oc.pl. 8/2000/6000 S235JR+N	16 606, kg
030	8401	Oc.pl. 8/2000/4000 S235JR+N	9 632, kg
030	8405	Oc.pl. 8/2000/6000 S235JR+N	2 098, kg
030	8408	Oc.pl. 8/2050/6000 S235JR+N	1 865, kg
030	8410	Oc.pl. 8/2000/12000 S235JR+N	25 862, kg
030	8411	Oc.pl. 8/2000/12000 S235JR+N	4 475, kg
030	8414	Oc.pl. 8/1500/5500 P265GH	528, kg
030	8416	Oc.pl. 8/2000/6000 P265GH	23 580, kg
030	8418	Oc.pl. 8/2050/12000 S235JR+N	4 618, kg
030	8425	Oc.pl. 8/2500/12000 S235JR+N	31 556, kg
030	8455	Oc.pl. 8/3000/12000 S235JR+N	14 886, kg
030	8500	Oc.pl. 8/2000/5580 S355MC	764, kg
030	8506	Oc.pl. 8/2000/6000 S355J2+N Si	9 020, kg
030	8508	Oc.pl. 8/2050/6000 S355J2+N	8 492, kg
030	8510	Oc.pl. 8/2000/12000 S355J2+N	4 602, kg
030	8511	Oc.pl. 8/2000/12000 S355J2+N	7 229, kg
030	8518	Oc.pl. 8/2050/12000 S355J2+N	25 753, kg
030	8525	Oc.pl. 8/2500/12000 S355J2+N	9 628, kg
030	8555	Oc.pl. 8/3000/12000 S355J2+N	20 349, kg
030	10001	Oc.pl. 10/1000/2000 S235JR+N	72, kg
030	10004	Oc.pl. 10/1000/2000 S355J2+N	182, kg

030	10005	Oc.pl. 10/1000/2000 S355MC	4 774, kg
030	10110	Oc.pl. 10/1250/2500 S235JR+N	218, kg
030	10200	Oc.pl. 10/1500/3000 S235JR	12 062, kg
030	10320	Oc.pl. 10/1500/3000 S355J2+N	2 086, kg
030	10321	Oc.pl. 10/1500/3000 S355MC	720, kg
030	10330	Oc.pl. 10/1500/6000 S355J2C+N	24 066, kg
030	10332	Oc.pl. 10/1500/6000 S355J2+N	2 828, kg
030	10400	Oc.pl. 10/2000/6000 P265GH	10 414, kg
030	10401	Oc.pl. 10/2050/6000 S235JR+N	16 422, kg
030	10405	Oc.pl. 10/2000/6000 S235JR+N	1 696, kg
030	10410	Oc.pl. 10/2000/12000 S235JR+N	3 182, kg
030	10411	Oc.pl. 10/2000/12000 S235JRC+AR	1 920, kg
030	10417	Oc.pl. 10/2050/12000 S235JR+N	21 627, kg
030	10425	Oc.pl. 10/2500/12000 S235JR+N	44 386, kg
030	10455	Oc.pl. 10/3000/12000 S235JR+N	57 462, kg
030	10504	Oc.pl. 10/2000/6000 S355J2+N	1 890, kg
030	10508	Oc.pl. 10/2050/6000 S355J2+N	72, kg
030	10510	Oc.pl. 10/2000/12000 S355J2+N	10 784, kg
030	10516	Oc.pl. 10/2050/12000 S355J2+N	2 587, kg
030	10524	Oc.pl. 10/2500/12000 S355MC	18 840, kg
030	10525	Oc.pl. 10/2500/12000 S355J2+N	28 354, kg
030	10555	Oc.pl. 10/3000/12000 S355J2+N	28 206, kg
030	12000	Oc.pl. 12/1000/2000 S235JRC+N	4 812, kg
030	12010	Oc.pl. 12/1000/2000 S355J2+N	4 333, kg
030	12155	Oc.pl. 12/1500/3000 S235JR+N	1 674, kg
030	12181	Oc.pl. 12/1500/3000 S355MC	7 212, kg
030	12200	Oc.pl. 12/1500/6000 S235JR+N	565, kg
030	12201	Oc.pl. 12/1500/6000 S235JR+N	13 568, kg
030	12235	Oc.pl. 12/1500/7500 S355J2C+N	32 460, kg
030	12404	Oc.pl. 12/2000/6000 S235JR+N	1 696, kg
030	12405	Oc.pl. 12/2000/6000 S235JR+N	20 723, kg
030	12410	Oc.pl. 12/2000/12000 S235JR+N	24 876, kg
030	12411	Oc.pl. 12/2000/12000 S235JR+N	1 344, kg
030	12425	Oc.pl. 12/2500/12000 S235JR+N	6 003, kg
030	12505	Oc.pl. 12/2000/6000 S355J2+N	3 198, kg

030	12510	Oc.pl. 12/2000/12000 S355J2+N	7 620, kg
030	12525	Oc.pl. 12/2500/12000 S355J2+N	11 093, kg
030	12555	Oc.pl. 12/3000/12000 S355J2+N	4 029, kg
030	12833	Oc.pl. 12/1500/3000 S355J2+N	27 062, kg
030	14050	Oc.pl. 14/1350/2070 S355MC	1 535, kg
030	14100	Oc.pl. 14/1500/3000 S355J2C+N	22 044, kg
030	14410	Oc.pl. 14/2000/12000 S235JR+N	7 937, kg
030	14505	Oc.pl. 14/2000/6000 S355J2+N	1 550, kg
030	14510	Oc.pl. 14/2000/12000 S355J2+N	17 848, kg
030	15040	Oc.pl. 15/1000/2000 S235JR+N	7 552, kg
030	15100	Oc.pl. 15/1500/3000 S235JRC+N	48 650, kg
030	15101	Oc.pl. 15/1500/3000 S235JR+N, kvarto	530, kg
030	15120	Oc.pl. 15/1250/2500 S235JRC+N	10 372, kg
030	15154	Oc.pl. 15/1500/6000 S355MC	510, kg
030	15155	Oc.pl. 15/1500/6000 S355J2+N	17 490, kg
030	15159	Oc.pl. 15/1500/6000 S355J2+N	19 067, kg
030	15251	Oc.pl. 15/1500/6000 S235JR+N	5 281, kg
030	15301	Oc.pl. 15/1500/3000 S355J2C+N	18 422, kg
030	15305	Oc.pl. 15/1550/2400 S355J2+N	620, kg
030	15307	Oc.pl. 15/2000/6000 S355MC	13 894, kg
030	15405	Oc.pl. 15/2000/6000 S235JR+N	14 323, kg
030	15410	Oc.pl. 15/2000/12000 S235JR+N	33 437, kg
030	15425	Oc.pl. 15/2500/12000 S235JR+N	6 114, kg
030	15455	Oc.pl. 15/3000/12000 S235JR+N	16 422, kg
030	15505	Oc.pl. 15/2000/6000 S355J2+N	568, kg
030	15506	Oc.pl. 15/2000/6000 S355J2+N Si	1 413, kg
030	15510	Oc.pl. 15/2000/12000 S355J2+N	9 344, kg
030	15525	Oc.pl. 15/2500/12000 S355J2+N	8 793, kg
030	15655	Oc.pl. 15/3000/12000 S355J2+N	46 097, kg
030	16150	Oc.pl. 16/1500/3000 S355J2+N	18 726, kg
030	16155	Oc.pl. 16/1500/6000 S355J2+N	14 689, kg
030	16410	Oc.pl. 16/2000/12000 S235JR+N	19 087, kg
030	16425	Oc.pl. 16/2500/12000 S235JR+N	15, kg
030	16505	Oc.pl. 16/2000/6000 S355J2+N	12 373, kg
030	16510	Oc.pl. 16/2000/12000 S355J2+N	49 481, kg

030	16525	Oc.pl. 16/2500/12000 S355J2+N	12 737, kg
030	16555	Oc.pl. 16/3000/12000 S355J2+N	20 361, kg
030	18410	Oc.pl. 18/2000/12000 S235JR+N	1 441, kg
030	18505	Oc.pl. 18/2000/6000 S355J2+N	1 131, kg
030	18510	Oc.pl. 18/2000/12000 S355J2+N	3 131, kg
030	18525	Oc.pl. 18/2500/12000 S355J2+N	16 956, kg
030	20250	Oc.pl. 20/1500/6000 S235JR+N	1 375, kg
030	20405	Oc.pl. 20/2000/6000 S235JR+N	14 516, kg
030	20410	Oc.pl. 20/2000/12000 S235JR+N	28 682, kg
030	20425	Oc.pl. 20/2500/12000 S235JR+N	28 813, kg
030	20455	Oc.pl. 20/3000/12000 S235JR+N	13 616, kg
030	20503	Oc.pl. 20/1500/3000 S355J2+N	31 190, kg
030	20510	Oc.pl. 20/2000/12000 S355J2+N	1 278, kg
030	20525	Oc.pl. 20/2500/12000 S355J2+N	25 185, kg
030	20555	Oc.pl. 20/3000/12000 S355J2+N	5 461, kg
030	22410	Oc.pl. 22/2000/12000 S235JR+N	24 179, kg
030	22510	Oc.pl. 22/2000/12000 S355J2+N	35 942, kg
030	24510	Oc.pl. 24/2000/12000 S355J2+N	5 098, kg
030	25404	Oc.pl. 25/1500/6000 S235JR+N	514, kg
030	25410	Oc.pl. 25/2000/12000 S235JR+N	9 659, kg
030	25425	Oc.pl. 25/2500/12000 S235JR+N	5 888, kg
030	25455	Oc.pl. 25/3000/12000 S235JR+N	884, kg
030	25504	Oc.pl. 25/1500/6000 S355J2+N	3 498, kg
030	25505	Oc.pl. 25/2000/6000 S355J2+N	390, kg
030	25509	Oc.pl. 25/2000/7400 S355NL	2 905, kg
030	25510	Oc.pl. 25/2000/12000 S355J2+N	391, kg
030	25525	Oc.pl. 25/2500/12000 S355J2+N	5 923, kg
030	25555	Oc.pl. 25/3000/12000 S355J2+N	41 801, kg
030	28505	Oc.pl. 28/2000/6000 S355J2+N	1 319, kg
030	28510	Oc.pl. 28/2000/12000 S355J2+N	2 631, kg
030	30405	Oc.pl. 30/2000/6000 S235JR+N	16 956, kg
030	30410	Oc.pl. 30/2000/12000 S235JR+N	18 863, kg
030	30425	Oc.pl. 30/2500/12000 S235JR+N	14 571, kg
030	30455	Oc.pl. 30/3000/12000 S235JR+N	10 610, kg
030	30504	Oc.pl. 30/1500/6000 S355J2+N	1 413, kg

030	30505	Oc.pl. 30/2000/6000 S355J2+N	3 087, kg
030	30510	Oc.pl. 30/2000/12000 S355J2+N	38 296, kg
030	30525	Oc.pl. 30/2500/12000 S355J2+N	16 152, kg
030	30555	Oc.pl. 30/3000/12000 S355J2+N	21 192, kg
030	32510	Oc.pl. 32/2000/12000 S355J2+N	3 015, kg
030	35410	Oc.pl. 35/2000/12000 S235JR+N	46 157, kg
030	35425	Oc.pl. 35/2500/12000 S235JR+N	8 243, kg
030	35455	Oc.pl. 35/3000/12000 S235JR+N	9 891, kg
030	35510	Oc.pl. 35/2000/12000 S355J2+N	3 671, kg
030	35525	Oc.pl. 35/2500/12000 S355J2+N	16 486, kg
030	35555	Oc.pl. 35/3000/12000 S355J2+N	22 253, kg
030	36510	Oc.pl. 36/2000/12000 S355J2+N	5 131, kg
030	40405	Oc.pl. 40/2000/6000 S235JR+N	1 884, kg
030	40410	Oc.pl. 40/2000/12000 S235JR+N	13 556, kg
030	40425	Oc.pl. 40/2500/12000 S235JR+N	27 632, kg
030	40455	Oc.pl. 40/3000/12000 S235JR+N	8 478, kg
030	40505	Oc.pl. 40/2000/6000 S355J2+N	10 694, kg
030	40510	Oc.pl. 40/2000/12000 S355J2+N	57 784, kg
030	40525	Oc.pl. 40/2500/12000 S355J2+N	15 190, kg
030	40555	Oc.pl. 40/3000/12000 S355J2+N	15 040, kg
030	45410	Oc.pl. 45/2000/12000 S235JR+N	15 542, kg
030	45425	Oc.pl. 45/2500/12000 S235JR+N	10 646, kg
030	45505	Oc.pl. 45/2000/6000 S355J2+N	4 239, kg
030	45510	Oc.pl. 45/2000/12000 S355J2+N	1 062, kg
030	45535	Oc.pl. 45/2500/12000 S355J2+N	7 065, kg
030	45555	Oc.pl. 45/3000/12000 S355J2+N	4 239, kg
030	50405	Oc.pl. 50/2000/6000 S235JR+N	785, kg
030	50410	Oc.pl. 50/2000/12000 S235JR+N	3 924, kg
030	50425	Oc.pl. 50/2500/12000 S235JR+N	5 210, kg
030	50450	Oc.pl. 50/3000/6000 S235JR+N	25 328, kg
030	50505	Oc.pl. 50/2000/6000 S355J2+N	32 970, kg
030	50510	Oc.pl. 50/2000/12000 S355J2+N	390, kg
030	50535	Oc.pl. 50/2500/12000 S355J2+N	52 984, kg
030	50551	Oc.pl. 50/3000/10000 S355J2+N	51 810, kg
030	50554	Oc.pl. 50/3000/11000 S355J2+N	24 728, kg

030	55410	Oc.pl. 55/2000/12000 S235JR+N	25 903, kg
030	55508	Oc.pl. 55/2000/11700 S355J2+N	1 468, kg
030	55510	Oc.pl. 55/2000/12000 S355J2+N	933, kg
030	55525	Oc.pl. 55/2500/12000 S355J2+N	9 775, kg
030	55550	Oc.pl. 55/3000/6000 S355J2+N	23 316, kg
030	60405	Oc.pl. 60/2000/6000 S235JR+N	980, kg
030	60406	Oc.pl. 60/2500/6000 S235JR+N	11 775, kg
030	60407	Oc.pl. 60/2000/11800 S235JR+N	1 319, kg
030	60409	Oc.pl. 60/2000/11900 S235JR+N	1 413, kg
030	60410	Oc.pl. 60/2000/12000 S235JR+N	5 652, kg
030	60445	Oc.pl. 60/3000/6000 S235JR+N	11 345, kg
030	60502	Oc.pl. 60/2000/5000 P265GH+N	4 710, kg
030	60505	Oc.pl. 60/2000/6000 S355J2+N	30 036, kg
030	60510	Oc.pl. 60/2000/12000 S355J2+N	48 984, kg
030	60525	Oc.pl. 60/2500/6000 S355J2+N	7 065, kg
030	60531	Oc.pl. 60/2500/10500 S355J2+N	37 092, kg
030	60535	Oc.pl. 60/2500/12000 S355J2+N	89 490, kg
030	60545	Oc.pl. 60/3000/6000 S355J2+N	33 912, kg
030	60548	Oc.pl. 60/3000/8000 S355J2+N	11 304, kg
030	65510	Oc.pl. 65/2000/12000 S355J2+N	6 142, kg
030	65525	Oc.pl. 65/2500/6000 S355J2+N	17 859, kg
030	65529	Oc.pl. 65/2500/9000 S355J2+N	26, kg
030	65545	Oc.pl. 65/3000/6000 S355J2+N	27 555, kg
030	65548	Oc.pl. 65/3000/8000 S355J2+N	24 492, kg
030	70410	Oc.pl. 70/2000/12000 S235JR+N	15 385, kg
030	70505	Oc.pl. 70/2000/6000 S355J2+N	32 970, kg
030	70510	Oc.pl. 70/2000/12000 S355J2+N	23 660, kg
030	70522	Oc.pl. 70/2480/6000 S355J2+N	9 540, kg
030	70525	Oc.pl. 70/2500/6000 S355J2+N	26 790, kg
030	70529	Oc.pl. 70/2500/9000 S355J2+N	34 276, kg
030	70555	Oc.pl. 70/3000/6000 S355J2+N	19 782, kg
030	75505	Oc.pl. 75/2000/6000 S355J2+N	11 771, kg
030	75523	Oc.pl. 75/2450/8000 S355J2+N	8 078, kg
030	80405	Oc.pl. 80/2000/6000 S235JR+N	14 946, kg
030	80410	Oc.pl. 80/2000/12000 S235JR+N	30 144, kg

030	80423	Oc.pl. 80/2500/4000 S235JR+N	6 280, kg
030	80505	Oc.pl. 80/2000/6000 S355J2+N	124 344, kg
030	80510	Oc.pl. 80/2000/12000 S355J2+N	26 376, kg
030	80525	Oc.pl. 80/2500/6000 S355J2+N	14 130, kg
030	80545	Oc.pl. 80/3000/6000 S355J2+N	24 417, kg
030	85405	Oc.pl. 85/2000/6000 S235JR+N	8 007, kg
030	85410	Oc.pl. 85/2000/12000 S235JR+N	2 669, kg
030	85505	Oc.pl. 85/2000/6000 S355J2+N	30 026, kg
030	85525	Oc.pl. 85/2500/6000 S355J2+N	20 018, kg
030	90405	Oc.pl. 90/2000/6000 S235JR+N	16 956, kg
030	90410	Oc.pl. 90/2000/12000 S235JR+N	4 239, kg
030	90505	Oc.pl. 90/2000/6000 S355J2+N	93 258, kg
030	90510	Oc.pl. 90/2000/12000 S355J2+N	38 207, kg
030	90525	Oc.pl. 90/2500/6000 S355J2+N	35 502, kg
030	90550	Oc.pl. 90/3000/6000 S355J2+N	25 432, kg
030	95505	Oc.pl. 95/2000/6000 S355J2+N	4 501, kg
030	95510	Oc.pl. 95/2000/12000 S355J2+N	17 898, kg
030	100405	Oc.pl. 100/2000/6000 S235JR+N	1 570, kg
030	100408	Oc.pl. 100/2000/8000 S235JR+N	25 120, kg
030	100505	Oc.pl. 100/2000/6000 S355J2+N	84 600, kg
030	100515	Oc.pl. 100/2000/12000 S355J2+N	46 281, kg
030	100541	Oc.pl. 100/3000/5400 S355J2+N	3 297, kg
030	100542	Oc.pl. 100/3000/5300 S355J2+N DEPR	12 482, kg
030	100550	Oc.pl. 100/3000/6000 S355J2+N	141 300, kg
030	105510	Oc.pl. 105/2000/12000 S355J2+N	18 133, kg
030	110405	Oc.pl. 110/2000/6000 S235JR+N	15 025, kg
030	110506	Oc.pl. 110/2000/6000 S355J2+N	48 183, kg
030	110530	Oc.pl. 110/2500/6000 S355J2+N	25 906, kg
030	120407	Oc.pl. 120/2050/5000 S235JR+N	5 794, kg
030	120408	Oc.pl. 120/2000/6000 S235JR+N	1 884, kg
030	120423	Oc.pl. 120/2500/3700 S235JR+N	8 714, kg
030	120505	Oc.pl. 120/2000/6000 S355J2+N	74 795, kg
030	120508	Oc.pl. 120/2000/8000 S355J2+N	16 956, kg
030	120517	Oc.pl. 120/2450/5000 S355J2+N	23 080, kg
030	120535	Oc.pl. 120/2500/6000 S355J2+N	3 768, kg

030	130407	Oc.pl. 130/2000/6000 S235JR+AR	12 246, kg
030	130505	Oc.pl. 130/2000/6000 S355J2+N	44 902, kg
030	140510	Oc.pl. 140/2000/6000 S355J2+N	6 594, kg
030	140515	Oc.pl. 140/2000/10000 S355J2+N	21 980, kg
030	150506	Oc.pl. 150/2000/5000 S355J2+N	30 615, kg
030	150519	Oc.pl. 150/2000/9800 S355J2+N	46 158, kg
030	160505	Oc.pl. 160/2000/6000 S355J2+N	12 309, kg
030	160515	Oc.pl. 160/2000/9000 S355J2+N	45 216, kg
030	170506	Oc.pl. 170/2000/6000 S355J2+N	5 338, kg
030	170508	Oc.pl. 170/2000/8650 S355J2+N	23 087, kg
030	180508	Oc.pl. 180/2000/5500 S355J2+N	28 263, kg
030	190505	Oc.pl. 190/2000/4000 S355J2+N	11 932, kg
030	190506	Oc.pl. 190/2000/5000 S355J2+N	14 916, kg
030	199001	Oc.pl. 200/2000/4000 S355J2+N	3 140, kg
030	199003	Oc.pl. 210/2000/6800 S355J2+N	49 125, kg
030	199004	Oc.pl. 220/2000/6470 S355J2+N	22 347, kg
030	199005	Oc.pl. 220/2000/6500 S355J2+N	14 507, kg
030	199055	Oc.pl. 250/2080/3000 S355J2+N	7 892, kg
030	199100	Oc.plechý Czenstochowa	251 925, kg
030	199101	Oc.plechý Czenstochowa křivé	83 555, kg
030	199200	Oc.plechý HK	1 860, kg
030	200200	Pl.pozink. 0,55/1000/2000 DX51D	2 001, kg
030	200208	Pl.pozink. 0,8/1000/2000 DX51D+Z275	8 467, kg
030	200209	Pl.pozink. 0,8/1250/2500 DX51D+Z275	731, kg
030	200210	Pl.pozink. 1/1000/2000 DX51D+Z275	4 759, kg
030	200211	Pl.pozink. 1/1250/2500 DX51D	4 061, kg
030	200211	Pl.pozink. 1/1500/3000 DX51D+Z275	12, kg
030	200211	Pl.pozink. 1/1500/3000 DX51D zatečené	947, kg
030	200212	Pl.pozink. 1,25/1250/2500 DX51D+Z275	14, kg
030	200212	Pl.pozink. 1,25/1000/2000 DX51D+Z275	6 811, kg
030	200213	Pl.pozink. 1,5/1250/2500 DX51D	2 466, kg
030	200214	Pl.pozink. 1,5/1000/2000 DX51D+Z275	4 220, kg
030	200215	Pl.pozink. 1,5/1250/2500 DX51D+Z275	869, kg
030	200215	Pl.pozink. 1,5/1500/3000 DX51D+Z275	4 372, kg
030	200216	Pl.pozink. 3/1000/2000 DX51D+Z275	2 571, kg

030	200216	Pl.pozink. 2/1500/3000 DX51D+Z275	9 514,	kg
030	200216	Pl.pozink. 2,5/1500/3000 DX51D	10 848,	kg
030	200216	Pl.pozink. 3/1250/2500 DX51D zatečené	4 592,	kg
030	200216	Pl.pozink. 3/1250/2500 DX51D+Z275	2 547,	kg
030	200216	Pl.pozink. 2/1250/2500 DX51D+Z275	8 506,	kg
030	200216	Pl.pozink. 2,5/1250/2500 DX51D	5 273,	kg
030	200216	Pl.pozink. 2/1000/2000 DX51D+Z275	5 433,	kg
030	200280	Oc.pl. trap. 1012F 0,8/800/6000 poz.	97,	ks
030	200281	Trap.plech SAT40N 0,75/960/6000 poz.	2,	ks
030	200390	Oc.pl. trap. 1142F 0,8/800/6000 poz.	99,	ks
030	200507	Oc.pl. 200/2000/7100 S355J2+N	44 588,	kg
030	220300	Oc.pl.slza 3/1000/2000 S235JR+N	24,	kg
030	220350	Oc.pl.slza 3/1250/2500 S235JR+N	609,	kg
030	220360	Oc.pl.slza 3/1500/3000 S235JR	12 203,	kg
030	220370	Oc.pl.slza 3/1500/6000 S235JR	7 381,	kg
030	220450	Oc.pl. slza 4/1500/3000 S235JR	236,	kg
030	220500	Oc.pl.slza 5/1000/2000 S235JR+N	18 895,	kg
030	220550	Oc.pl.slza 5/1500/3000 S235JR	203,	kg
030	220552	Oc.pl.slza 5/1500/6000 S235JR+N	1 922,	kg
030	220610	Oc.pl.slza 6/1000/2000 S235JR	20 716,	kg
030	220625	Oc.pl.slza 6/1250/2500 S235JR+N	22 563,	kg
030	220626	Oc.pl.slza 6/1250/3000 S235JR+N	12 262,	kg
030	220629	Oc.pl.slza 6/1250/6000 S235JR+N	5 282,	kg
030	220650	Oc.pl. slza 6/1500/3000 S235JR	17 566,	kg
030	220662	Oc.pl. slza 6/1510/6000 S235JR+N	3 699,	kg
030	220810	Oc.pl. slza 8/1000/2000 S235JR+N	2 092,	kg
030	220825	Oc.pl.slza 8/1250/2500 S235JR+N	18 834,	kg
030	220830	Oc.pl.slza 8/1500/3000 S235JR	901,	kg
030	220860	Oc.pl. slza 8/1500/6000 S235JR	5 971,	kg
030	220865	Oc.pl.slza 8/2000/6000 S235JR+N	19 748,	kg
030	220905	Oc.pl.slza 10/1000/2000 S235JR+N	17 066,	kg
030	220907	Oc.pl.slza 10/1000/3000 S235JR+N	6 932,	kg