

SK	Číslo	Název 1	Mn.po p/v	MJ evidence
014	10	Ocel kruh. pr.6 mm	2 731,	kg
014	25	Ocel kruh. pr.6, 10505 žebr.	523,	kg
014	30	Ocel kruh. pr.8 mm	6 087,	kg
014	43	Ocel kruh. pr.8, 10505 žebr.	7 951,	kg
014	50	Ocel kruh. pr.10 mm	10 521,	kg
014	70	Ocel kruh. pr.10, B500B	7 613,	kg
014	90	Ocel kruh. pr.12 mm	5 968,	kg
014	110	Ocel kruh. pr.12, B500B	4 656,	kg
014	120	Ocel kruh. pr.12, S235JR	91,	kg
014	150	Ocel kruh. pr.14, B500B	23 330,	kg
014	155	Ocel kruh. pr.14 mm	6 951,	kg
014	210	Ocel kruh. pr.16, B500B	5 072,	kg
014	220	Ocel kruh. pr.16, S235JR	7 103,	kg
014	225	Ocel kruh. pr.16, S355J2	6 350,	kg
014	229	Ocel kruh. pr.18 mm	26 467,	kg
014	270	Ocel kruh. pr.20, B500B	14 926,	kg
014	280	Ocel kruh. pr.20, S235JR	6 905,	kg
014	285	Ocel kruh. pr.20, S355J2	1 781,	kg
014	290	Ocel kruh. pr.22, S235JR	485,	kg
014	320	Ocel kruh. pr.24, S235JR	1 501,	kg
014	324	Ocel kruh. pr.24, S355J2	1 360,	kg
014	360	Ocel kruh. pr.25, B500B	2 036,	kg
014	380	Ocel kruh. pr.25, S355J2	2 600,	kg
014	381	Ocel kruh. pr.25, 5,7m, S355J2	14 234,	kg
014	420	Ocel kruh. pr.30, S235JR	6 924,	kg
014	421	Ocel kruh. pr.30, S355J2	4 456,	kg
014	435	Ocel kruh. pr.32, B500B	1 273,	kg
014	440	Ocel kruh. pr.35mm C55	835,	kg
014	450	Ocel kruh. pr.36, S355J2	1 468,	kg
014	458	Ocel kruh. pr.38, S235JR	292,	kg
014	470	Ocel kruh. pr.40, S355J2	3 619,	kg
014	472	Ocel kruh. pr.42, S355J2	1 754,	kg
014	475	Ocel kruh. pr.45, S235JR	28,	kg
014	478	Ocel kruh. pr.50, S235JR	6,	kg
014	605	Ocel kruh. pr.100, 42CrMo4	2 618,	kg
014	1000	Ocel plocha 20/5, S235JR	4 968,	kg
014	1040	Ocel plochá 20/8, S235JR	2 503,	kg
014	1050	Ocel plochá 20/10, S235JR	932,	kg

014	1053	Ocel plochá 20/12, S235JR	1 999,	kg
014	1100	Ocel plocha 25/5, S235JR	7 257,	kg
014	1200	Ocel plochá 25/8, S235JR	3 027,	kg
014	1280	Ocel plochá 30/3 S235JR	2 176,	kg
014	1290	Ocel plochá 30/4, S235JR	3 040,	kg
014	1291	Ocel plochá 30/4, S355J2	680,	kg
014	1300	Ocel plochá 30/5, S235JR	1 902,	kg
014	1350	Ocel plocha 30/6, S235JR	8 343,	kg
014	1355	Ocel plocha 30/8, S235JR	3 255,	kg
014	1371	Ocel plochá 30/10, S235JR	3 184,	kg
014	1380	Ocel plochá 30/12, S235JR	21,	kg
014	1400	Ocel plocha 35/5, S235JR	4 009,	kg
014	1549	Ocel plochá 40/3, S235JR	634,	kg
014	1551	Ocel plochá 40/4, S235JR	4 843,	kg
014	1600	Ocel plocha 40/5, S235JR	6 912,	kg
014	1700	Ocel plocha 40/6, S235JR	364,	kg
014	1750	Ocel plocha 40/8, S235JR	1 530,	kg
014	1755	Ocel plochá 40/8, St52.3	4,	kg
014	1760	Ocel plocha 40/10, S235JR	5 994,	kg
014	1764	Ocel plocha 40/12, S235JR	16,	kg
014	1768	Ocel plochá 40/16, S235JR	1 558,	kg
014	1769	Ocel plochá 40/20, S235JR	25,	kg
014	1780	Ocel plochá 45/5, S235JR	1 557,	kg
014	1799	Ocel plochá 50/4, S235JR	1 231,	kg
014	1800	Ocel plocha 50/5, S235JR	7 141,	kg
014	1850	Ocel plochá 50/5, St52.3	4 202,	kg
014	1900	Ocel plocha 50/6, S235JR	6 228,	kg
014	1950	Ocel plocha 50/8, S235JR	4 210,	kg
014	1955	Ocel plochá 50/8, S355J2	23,	kg
014	2000	Ocel plocha 50/10, S235JR	826,	kg
014	2001	Ocel plocha 50/10, S355J2	1 546,	kg
014	2005	Ocel plochá 50/12, S235JR	1 120,	kg
014	2006	Ocel plochá 50/16, S235JR	115,	kg
014	2006	Ocel plochá 50/15, S235JR	10 412,	kg
014	2007	Ocel plochá 50/25, S235JR	931,	kg
014	2009	Ocel plochá 60/4, S235JR	1 612,	kg
014	2010	Ocel plochá 60/5, S235JR	3 321,	kg
014	2011	Ocel plochá 60/5, St52.3	1 377,	kg
014	2020	Ocel plocha 60/6, S235JR	6 049,	kg

014	2025	Ocel plocha 60/8, S235JR	4 794, kg
014	2030	Ocel plocha 60/10, S235JR	8 344, kg
014	2035	Ocel plochá 60/10, St52.3	378, kg
014	2040	Ocel plochá 60/12, S235JR	360, kg
014	2041	Ocel plochá 60/15, S235JR	4 855, kg
014	2044	Ocel plochá 60/20, S355J2	1 172, kg
014	2044	Ocel plochá 60/25, S235JR	5 026, kg
014	2090	Ocel plocha 70/5, S235JR	10 210, kg
014	2095	Ocel plochá 70/6, S235JR	3 836, kg
014	2100	Ocel plocha 70/8, S235JR	3 734, kg
014	2150	Ocel plocha 70/10 S235JR	4 241, kg
014	2155	Ocel plochá 70/10, S355J2	4 443, kg
014	2175	Ocel plochá 70/12, S235JR	2 670, kg
014	2250	Ocel plochá 70/16, S355J2	1 787, kg
014	2304	Ocel plochá 70/40, S355J2	4 035, kg
014	2308	Ocel plochá 80/5, S235JR	178, kg
014	2309	Ocel plochá 80/6, St52.3	24, kg
014	2309	Ocel plochá 80/6, S235JR	1 794, kg
014	2310	Ocel plochá 80/8, S235JR	8 910, kg
014	2315	Ocel plochá 80/8 S355	782, kg
014	2320	Ocel plocha 80/10, S235JR	6 752, kg
014	2323	Ocel plochá 80/12, S235JR	652, kg
014	2324	Ocel plochá 80/12, S355J2	27, kg
014	2325	Ocel plochá 80/15, S235JR	1 081, kg
014	2334	Ocel plochá 80/20, S235JR	1 600, kg
014	2335	Ocel plochá 80/20, St52.3	6 370, kg
014	2350	Ocel plochá 90/5, S235JR	946, kg
014	2351	Ocel plochá 90/6, S235JR	4 236, kg
014	2352	Ocel plochá 90/8, S235JR	387, kg
014	2352	Ocel plochá 90/8, S355J2	34, kg
014	2353	Ocel plochá 90/10, S235JR	5 487, kg
014	2353	Ocel plochá 90/10, S355J2	424, kg
014	2353	Ocel plochá 90/12, S235JR	1 147, kg
014	2354	Ocel plochá 100/5, S235JR	5 812, kg
014	2355	Ocel plocha 100/8, S235JR	3 013, kg
014	2358	Ocel plochá 100/8, S355J2	2 407, kg
014	2360	Ocel plocha 100/10, S235JR	8 068, kg
014	2360	Ocel plochá 100/10, S355J2	2 857, kg
014	2361	Ocel plochá 100/12, S235JR	2 365, kg

014	2362	Ocel plochá 100/15, S235JR	4 177,	kg
014	2363	Ocel plochá 100/20, S235JR	34,	kg
014	2365	Ocel plochá 110/8, S235JR	1 078,	kg
014	2365	Ocel plochá 110/10, S235JR	1 393,	kg
014	2365	Ocel plochá 110/6, S235JR	4,	kg
014	2366	Ocel plochá 120/5, S235JR	3 856,	kg
014	2367	Ocel plocha 120/6, S235JR	1 573,	kg
014	2368	Ocel plochá 120/8, S235JR	1 736,	kg
014	2369	Ocel plocha 120/10, S235JR	2 173,	kg
014	2369	Ocel plochá 120/12, S235JR	2 436,	kg
014	2369	Ocel plochá 120/10, S355J2	1 494,	kg
014	2372	Ocel plochá 130/6, S235JR	421,	kg
014	2373	Ocel plochá 130/10, S235JR	1 549,	kg
014	2379	Ocel plochá 140/6 S235JR	4 216,	kg
014	2380	Ocel plochá 140/8 S235JR	3 347,	kg
014	2383	Ocel plochá 140/15, S235JR	991,	kg
014	2385	Ocel plochá 140/10, S235JR	4 281,	kg
014	2385	Ocel plochá 150/8, S235JR	9 697,	kg
014	2385	Ocel plochá 150/5, S235JR	3 041,	kg
014	2386	Ocel plochá 150/10, S235JR	1 308,	kg
014	2386	Ocel plochá 150/10, S355J2	1 355,	kg
014	2395	Ocel plochá 200/8, S235JR	3 418,	kg
014	2398	Ocel plochá 200/10, S235JR	5 095,	kg
014	2470	Ocel čtvercova 10/10, S235JR	3 723,	kg
014	2480	Ocel čtvercova 12/12, S235JR	648,	kg
014	2485	Ocel čtvercová 14/14, S235JR	1 487,	kg
014	2487	Ocel čtvercová 16/16, S235JR	1 670,	kg
014	2490	Ocel čtvercová 20/20, S235JR	4 436,	kg
014	3000	Ocel uhelník 20/20/3, S235JR	3 122,	kg
014	3010	Ocel uhelník 25/25/3, S235JR	1 537,	kg
014	3015	Ocel uhelník 25/25/4, S235JR	543,	kg
014	3020	Ocel uhelník 30/30/3, S235JR	5 152,	kg
014	3030	Ocel uhelník 30/30/4, S235JR	4 813,	kg
014	3035	Ocel uhelník 30/30/5, S235JR	659,	kg
014	3045	Ocel uhelník 35/35/3, S235JR	88,	kg
014	3050	Ocel uhelník 35/35/4, S235JR	2 641,	kg
014	3058	Ocel uhelník 40/20/4 S235JR	520,	kg
014	3060	Ocel uhelník 40/40/3, S235JR	381,	kg
014	3070	Ocel uhelník 40/40/4, S235JR	7 941,	kg

014	3080	Ocel uhelnik 40/40/5, S235JR	7 537,	kg
014	3100	Ocel uhelnik 45/45/5, S235JR	2 052,	kg
014	3110	Ocel uhelnik 50/50/4, S235JR	77,	kg
014	3111	Ocel uhelnik 50/50/4 6,5m S355	1 728,	kg
014	3120	Ocel uhelnik 50/50/5, S235JR	8 190,	kg
014	3130	Ocel uhelnik 50/50/6, S235JR	4 542,	kg
014	3134	Ocel uhelnik 60/40/6 S235JR	1 900,	kg
014	3134	Ocel uhelnik 60/40/5, S235JR	2 062,	kg
014	3136	Ocel uhelnik 60/60/5, 12m S235JR	2 930,	kg
014	3145	Ocel uhelnik 60/60/6, S235JR	9 204,	kg
014	3150	Ocel uhelnik 60/60/8, S235JR	3 357,	kg
014	3160	Ocel uhelnik 70/70/7, S235JR	353,	kg
014	3173	Ocel uhelnik 80/40/8, S235JR	9 282,	kg
014	3174	Ocel uhelnik 80/60/8, S235JR	1 814,	kg
014	3174	Ocel uhelnik 80/60/6, S235JR	211,	kg
014	3175	Ocel uhelnik 80/80/6, S235JR	4 975,	kg
014	3180	Ocel uhelnik 80/80/8, S235JR	11 985,	kg
014	3188	Ocel uhelnik 80/80/10, S235JR	1 955,	kg
014	3200	Ocel uhelnik 90/90/10 S355J2	945,	kg
014	3290	Ocel uhelnik 90/60/8, S235JR	87,	kg
014	3300	Ocel uhelnik 100/50/6, S235JR	1 245,	kg
014	3308	Ocel uhelnik 100/65/7 12,1m S235JR	3 319,	kg
014	3400	Ocel uhelnik 100/100/6, S235JR	269,	kg
014	3420	Ocel uhelnik 100/100/8 S235JR	7 142,	kg
014	3430	Ocel uhelnik 100/100/10, S235JR	10 387,	kg
014	3440	Ocel uhelnik 100/100/12, S235JR	4 595,	kg
014	3441	Ocel uhelnik 120/120/10 S235JR	2 753,	kg
014	3685	Ocel profil T 20/20/3, S235JR	1 671,	kg
014	3700	Ocel profil T 25/25/3,5, S235JR	1 600,	kg
014	3710	Ocel profil T 30/30/4, S235JR	1 835,	kg
014	3724	Ocel profil T 60/60/7, S235JR	568,	kg
014	8035	Sv. site KD37 5/5 150/150	240,	ks
014	8040	Sv. site KH20 6/6 150/150	247,	ks
014	8045	Sv. site KY50 8/8 150/150	348,	ks
014	8050	Sv. site KA16 4/4 100/100	1,	ks
014	8055	Sv. site KD35 5/5 100/100	198,	ks
014	8060	Sv. site KH30 6/6 100/100	431,	ks
014	8065	Sv. site KY49 8/8 100/100	320,	ks
014	11080	Oc.nosič I80 S235JR	1 842,	kg

014	11085	Oc.nosič IPE80 S235JR	88,	kg
014	11100	Oc.nosič I100 12,1m S235JR	1 720,	kg
014	11105	Oc.nosič IPE100 12,1m S235JR	262,	kg
014	11120	Oc.nosič I120 12,1m S235JR	10 741,	kg
014	11121	Oc.nosič I120 14,1m S235JR	626,	kg
014	11125	Oc.nosič IPE120 12,1m S235JR	1 405,	kg
014	11140	Oc.nosič I140 12,1m S235JR	5 830,	kg
014	11145	Oc.nosič IPE140 12,1m S235JR	4 490,	kg
014	11160	Oc.nosič I160 12,1m S235JR	1 712,	kg
014	11165	Oc.nosič IPE160 12,1m S235JR	3 028,	kg
014	11170	Oc.nosič IPE160 12,1m S355J2	1 037,	kg
014	11180	Oc.nosič I180 12,1m S235JR	12 694,	kg
014	11184	Oc.nosič IPE180 12,1m S235JR	2 504,	kg
014	11200	Oc.nosič I200 12,1m S235JR	15 469,	kg
014	11220	Oc.nosič I220 S235JR	2 437,	kg
014	11225	Oc.nosič IPE220 S235JR	67,	kg
014	11240	Oc.nosič I240 12,1m S235JR	16 686,	kg
014	11271	Oc.nosič IPE270 12,1m S355J2	836,	kg
014	11301	Oc.nosič I300 S275JR	206,	kg
014	12030	Oc.nosič U40x20x5 S235JR	3 234,	kg
014	12050	Oc.nosič U50 S235JR	12 148,	kg
014	12066	Oc.nosič U65 5m S355J2	105,	kg
014	12081	Oc.nosič U80 12m S235JR	4 602,	kg
014	12085	Oc.nosič U80 5m S355J2	2 012,	kg
014	12086	Oc.nosič U80 6,1m S355J2	2 933,	kg
014	12100	Oc.nosič U100 S235JR	26 813,	kg
014	12119	Oc.nosič U120 6,1m S235JR	8 488,	kg
014	12120	Oc.nosič U120 12,1m S235JR	10 835,	kg
014	12139	Oc.nosič U140 6m S235JR	83,	kg
014	12140	Oc.nosič U140 12,1m S235JR	3 881,	kg
014	12159	Oc.nosič U160 6m S235JR	339,	kg
014	12160	Oc.nosič U160 12,1m S235JR	13 495,	kg
014	12180	Oc.nosič U180 12,1m S235JR	9 224,	kg
014	12200	Oc.nosič U200 S235JR	2 970,	kg
014	12220	Oc.nosič U220 12,1m S235JR	482,	kg
014	12240	Oc.nosič U240 S235JR	53,	kg
014	12260	Oc.nosič U260 S235JR	9,	kg
014	12401	Oc.nosič U400 12,1m S355J2	2 401,	kg
014	13285	Oc.nosič HEA300 12,1m S235JR	16 884,	kg

014	13290	Oc.nosič HEA340 S355J2	1 019,	kg
014	13300	Oc.nosič HEB160 12,1m S355J2	124,	kg
014	14220	Oc.nosič HEB220 S235JR	2 868,	kg
014	19500	Sloupek 280/43/2	1,	ks
014	20000	Návin PVC 1,4mm/50m	13,	ks
014	21280	Tažený oc.drát pr.2,8 mm, dl. 1,5m	241,	kg
014	21290	Tažený oc.drát pr.3 mm, dl. 1,7m	403,	kg
014	21300	Tažený oc.drát pr.3,15 mm	987,	kg
014	21320	Tažený oc.drát pr.4,5 mm	200,	kg
030	300	Oc.pl. 0,8/1000/2000 DC01	2 305,	kg
030	310	Oc.pl. 1/1000/2000 DC01	3 669,	kg
030	320	Oc.pl. 1/1250/2500 DC01	3 310,	kg
030	325	Oc.pl. 1/1500/3000 DC01 reklamace	10 003,	kg
030	334	Oc.pl. 1,25/1000/2000 DC01	20,	kg
030	336	Oc.pl. 1,25/1500/3000 DC01	73,	kg
030	410	Oc.pl. 1,3/1000/2000 DC01	1 971,	kg
030	416	Oc.pl. 1,3/1250/2500 DC01	5 310,	kg
030	599	Oc.pl. 1,5/1000/2000 DC01	12,	kg
030	620	Oc.pl. 1,5/1500/3000 DC01 reklamace	8 410,	kg
030	2050	Oc.pl. 2/1250/2500 S235JR+N	15 189,	kg
030	2100	Oc.pl. 2/1250/2500 DC01	990,	kg
030	2200	Oc.pl. 2/1500/3000 DC01 reklamace	20 001,	kg
030	2455	Oc.pl. 2,5/1000/2000 S235JR+N krycí	40,	kg
030	3000	Oc.pl. 3/1000/2000 S235JR+N	904,	kg
030	3050	Oc.pl. 3/1000/2000 S355J2C+N	20 414,	kg
030	3101	Oc.pl. 3/1250/2500 S235JR+N	173,	kg
030	3400	Oc.pl. 3/1850/6000 S235JRC+AR	112,	kg
030	3402	Oc.pl. 3/2000/4000 S235JR+N	242,	kg
030	3403	Oc.pl. 3/2000/4000 S235JR+N křivé	768,	kg
030	3404	Oc.pl. 3/2000/6000 S235JR+N	20 364,	kg
030	3452	Oc.pl. 3/1500/3000 S235JR+N	648,	kg
030	3510	Oc.pl. 3/1500/3000 P265GH+N	2 834,	kg
030	3601	Oc.pl. 3/1500/6000 S235JR+N	14 046,	kg
030	4000	Oc.pl. 4/1000/2000 S235JR+N	252,	kg
030	4065	Oc.pl. 4/1250/2500 S235JR+N	1 188,	kg
030	4315	Oc.pl. 4/1500/3000 S235JR+N	40,	kg
030	4322	Oc.pl. 4/1500/3000 P265GH+N	363,	kg
030	4395	Oc.pl. 4/2000/4000 S235JR+N	9 500,	kg
030	4400	Oc.pl. 4/2000/6000 S235JR+N	10 951,	kg

030	4416	Oc.pl. 4/2000/6000 P265GH	31 014,	kg
030	4501	Oc.pl. 4/2000/4000 S355J2+N	148,	kg
030	4505	Oc.pl. 4/2000/6000 S355J2+N	29 060,	kg
030	4601	Oc.pl. 4/1500/6000 S235JR+N	91,	kg
030	4701	Oc.pl.mořený 4/1500/3000 S235JR+N	432,	kg
030	5000	Oc.pl. 5/1000/2000 S235JR+N	48,	kg
030	5151	Oc.pl. 5/1250/2500 S235JR+N	86,	kg
030	5253	Oc.pl. 5/1500/3000 S235JR+N	561,	kg
030	5400	Oc.pl. 5/2000/4000 S235JR+N	799,	kg
030	5403	Oc.pl. 5/2000/6000 S235JR+N	2 712,	kg
030	5413	Oc.pl. 5/1500/3000 P265GH	7 234,	kg
030	5416	Oc.pl. 5/2000/6000 P265GH+N	32 950,	kg
030	5425	Oc.pl. 5/2500/12000 S235JR+N	1 046,	kg
030	5501	Oc.pl. 5/2000/4000 S355J2+N	21 806,	kg
030	5505	Oc.pl. 5/2000/6000 S355J2+N	21 468,	kg
030	5507	Oc.pl. 5/2000/6000 S355MC	480,	kg
030	5510	Oc.pl. 5/2000/12000 S355J2+N	22 477,	kg
030	5525	Oc.pl. 5/2500/12000 S355J2+N	11 491,	kg
030	5701	Oc.pl.mořený 5/1500/3000 S235JR+N	13 252,	kg
030	5711	Oc.pl.mořený 5/1500/3000 S355MC	13 830,	kg
030	6001	Oc.pl. 6/1000/2000 S235JR+N	56,	kg
030	6151	Oc.pl. 6/1250/2500 S235JR+N	6 426,	kg
030	6153	Oc.pl. 6/1250/2500 DD11 bez atestu	20 240,	kg
030	6155	Oc.pl. 6/1250/4000 S235JR+N	630,	kg
030	6185	Oc.pl. 6/1250/6300 S355J2+N	366,	kg
030	6201	Oc.pl. 6/1500/3000 S235JR+N rez	8 009,	kg
030	6251	Oc.pl. 6/1500/6000 S235JR+N	2 438,	kg
030	6333	Oc.pl.mořený 6/1500/3000 S355MC	432,	kg
030	6334	Oc.pl. 6/1500/2300 S355J2+N bez	23 825,	kg
030	6335	Oc.pl. 6/1500/4270 S355J2+N	5 936,	kg
030	6404	Oc.pl. 6/2000/6000 S235JR+N kvarto	1 673,	kg
030	6405	Oc.pl. 6/2000/6000 S235JR+N	41 349,	kg
030	6411	Oc.pl. 6/2000/12000 S235JR	3 910,	kg
030	6412	Oc.pl. 6/2000/12000 S235JR+N	18 080,	kg
030	6424	Oc.pl. 6/2500/11500 S235JR+N II.jakost	2 760,	kg
030	6426	Oc.pl. 6/2500/12000 S235JR+N	7 038,	kg
030	6500	Oc.pl. 6/2000/6000 S355J2+N	57 520,	kg
030	6501	Oc.pl. 6/2000/4000 S355J2+N	17 342,	kg
030	6503	Oc.pl. 6/2000/4000 S355J2+N	18 080,	kg

030	6510	Oc.pl. 6/2000/12000 S355J2+N	17 155,	kg
030	6511	Oc.pl. 6/2000/12000 S355J2+N	32 770,	kg
030	6525	Oc.pl. 6/2500/12000 S355J2+N	11 613,	kg
030	8101	Oc.pl. 8/1000/2000 S235JR+N	11 664,	kg
030	8150	Oc.pl. 8/1250/2500 S235JR+N	11 491,	kg
030	8223	Oc.pl. 8/1500/6000 S235JR+N	504,	kg
030	8250	Oc.pl. 8/1500/12000 S235JR+N	19 210,	kg
030	8321	Oc.pl. 8/1500/3000 S355MC	137,	kg
030	8330	Oc.pl. 8/1500/6000 S355J2+N	21 132,	kg
030	8350	Oc.pl. 8/1500/12000 S355J2+N	47 460,	kg
030	8402	Oc.pl. 8/2000/4000 S235JR+N	10,	kg
030	8405	Oc.pl. 8/2000/6000 S235JR+N	8 961,	kg
030	8408	Oc.pl. 8/2050/6000 S235JR+N	2 702,	kg
030	8410	Oc.pl. 8/2000/12000 S235JR+N	17 448,	kg
030	8411	Oc.pl. 8/2000/12000 S235JR+N	1 536,	kg
030	8416	Oc.pl. 8/2000/6000 P265GH	48 430,	kg
030	8505	Oc.pl. 8/2000/6000 S355J2+N	3 016,	kg
030	8510	Oc.pl. 8/2000/12000 S355J2+N	218,	kg
030	8511	Oc.pl. 8/2000/12000 S355J2+N	317,	kg
030	8513	Oc.pl. 8/2000/6000 S355MC kvarto	3 570,	kg
030	8518	Oc.pl. 8/2050/12000 S355J2+N	148,	kg
030	8525	Oc.pl. 8/2500/12000 S355J2+N	8 164,	kg
030	10004	Oc.pl. 10/1000/2000 S355J2C+N	18 254,	kg
030	10120	Oc.pl. 10/1250/2500 S355J2+N	11 450,	kg
030	10250	Oc.pl. 10/1500/6000 S235JR+N	14 847,	kg
030	10321	Oc.pl. 10/1500/3000 S355MC	1 370,	kg
030	10333	Oc.pl. 10/1500/6000 S355J2C+N kvarto	15 558,	kg
030	10335	Oc.pl. 10/1500/6000 S355MC	12 730,	kg
030	10360	Oc.pl. 10/1600/7900 S235JR+N	2 536,	kg
030	10400	Oc.pl. 10/2000/6000 P265GH	494,	kg
030	10402	Oc.pl. 10/2000/4000 S235JR+N	6 908,	kg
030	10405	Oc.pl. 10/2000/6000 S235JR+N	940,	kg
030	10410	Oc.pl. 10/2000/12000 S235JR+N	826,	kg
030	10411	Oc.pl. 10/2000/12000 S235JRC+AR	960,	kg
030	10417	Oc.pl. 10/2050/12000 S235JR+N	1 282,	kg
030	10425	Oc.pl. 10/2500/12000 S235JR+N	1 652,	kg
030	10455	Oc.pl. 10/3000/12000 S235JR+N	25 434,	kg
030	10500	Oc.pl. 10/2000/4000 S355J2+N	1 220,	kg
030	10505	Oc.pl. 10/2000/6000 S355J2+N	8 462,	kg

030	10510	Oc.pl. 10/2000/12000 S355J2+N	3 907,	kg
030	10525	Oc.pl. 10/2500/12000 S355J2+N	6 309,	kg
030	10526	Oc.pl. 10/2500/6000 S355J2+N	5 890,	kg
030	12010	Oc.pl. 12/1000/2000 S355J2+N	3 196,	kg
030	12180	Oc.pl. 12/1500/3000 S355 bez atestu	1 646,	kg
030	12220	Oc.pl. 12/1500/12000 S235JR+N	2 120,	kg
030	12225	Oc.pl. 12/1500/6000 S355J2+N	10 130,	kg
030	12235	Oc.pl. 12/1500/7500 S355J2C+N	276,	kg
030	12250	Oc.pl. 12/1500/12000 S355J2+N	11 872,	kg
030	12400	Oc.pl. 12/2000/4000 S235JR+N	6 032,	kg
030	12404	Oc.pl. 12/2000/6000 S235JR+N	1 696,	kg
030	12405	Oc.pl. 12/2000/6000 S235JR+N	941,	kg
030	12410	Oc.pl. 12/2000/12000 S235JR+N	24 790,	kg
030	12416	Oc.pl. 12/2000/6000 P265GH	1 114,	kg
030	12423	Oc.pl. 12/2450/12000 S235JR+N	19 383,	kg
030	12425	Oc.pl. 12/2500/12000 S235JR+N	14 780,	kg
030	12455	Oc.pl. 12/3000/12000 S235JR+N	27 128,	kg
030	12500	Oc.pl. 12/2000/4000 S355J2+N	20 330,	kg
030	12505	Oc.pl. 12/2000/6000 S355J2+N	843,	kg
030	12510	Oc.pl. 12/2000/12000 S355J2+N	5 127,	kg
030	12523	Oc.pl. 12/2450/12000 S355J2+N	8 307,	kg
030	12525	Oc.pl. 12/2500/12000 S355J2+N	1 240,	kg
030	12555	Oc.pl. 12/3000/12000 S355J2+N	639,	kg
030	14410	Oc.pl. 14/2000/12000 S235JR+N	8 728,	kg
030	14505	Oc.pl. 14/2000/6000 S355J2+N	9 464,	kg
030	14510	Oc.pl. 14/2000/12000 S355J2+N	1 583,	kg
030	15155	Oc.pl. 15/1500/6000 S355J2+N	8 410,	kg
030	15200	Oc.pl. 15/1500/12000 S235JR+N	14 840,	kg
030	15251	Oc.pl. 15/1500/6000 S235JR+N	43 460,	kg
030	15307	Oc.pl. 15/2000/6000 S355MC	15 307,	kg
030	15405	Oc.pl. 15/2000/6000 S235JR+N	292,	kg
030	15410	Oc.pl. 15/2000/12000 S235JR+N	32 970,	kg
030	15425	Oc.pl. 15/2500/12000 S235JR+N	41 192,	kg
030	15455	Oc.pl. 15/3000/12000 S235JR+N	28 623,	kg
030	15502	Oc.pl. 15/2000/4000 S355J2+N	726,	kg
030	15505	Oc.pl. 15/2000/6000 S355J2+N	1 953,	kg
030	15525	Oc.pl. 15/2500/12000 S355J2+N	1 324,	kg
030	15655	Oc.pl. 15/3000/12000 S355J2+N	13 949,	kg
030	16405	Oc.pl. 16/2000/6000 S235JR+N	754,	kg

030	16410	Oc.pl. 16/2000/12000 S235JR+N	269,	kg
030	16425	Oc.pl. 16/2500/12000 S235JR+N	3 768,	kg
030	16505	Oc.pl. 16/2000/6000 S355J2+N	567,	kg
030	16510	Oc.pl. 16/2000/12000 S355J2+N	7 315,	kg
030	16525	Oc.pl. 16/2500/12000 S355J2+N	2 705,	kg
030	18410	Oc.pl. 18/2000/12000 S235JR+N	51 216,	kg
030	18505	Oc.pl. 18/2000/6000 S355J2+N	28 810,	kg
030	18510	Oc.pl. 18/2000/12000 S355J2+N	35 604,	kg
030	18525	Oc.pl. 18/2500/12000 S355J2+N	20 993,	kg
030	20250	Oc.pl. 20/1500/6000 S235JR+N	15 543,	kg
030	20401	Oc.pl. 20/2000/4000 S235JR+N	20 096,	kg
030	20405	Oc.pl. 20/2000/6000 S235JR+N	14 759,	kg
030	20410	Oc.pl. 20/2000/12000 S235JR+N	31 754,	kg
030	20411	Oc.pl. 20/2000/12000 S235JR+N vážený	12 346,	kg
030	20425	Oc.pl. 20/2500/12000 S235JR+N	14 857,	kg
030	20455	Oc.pl. 20/3000/12000 S235JR+N	35 515,	kg
030	20495	Oc.pl. 20/1500/6000 S355MC	1,	kg
030	20504	Oc.pl. 20/1500/6000 S355J2+N	8 477,	kg
030	20505	Oc.pl. 20/2000/6000 S355J2+N	7 186,	kg
030	20512	Oc.pl. 20/2000/12000 S355MC	8 458,	kg
030	20555	Oc.pl. 20/3000/12000 S355J2+N	2 850,	kg
030	22410	Oc.pl. 22/2000/12000 S235JR+N	6 562,	kg
030	22510	Oc.pl. 22/2000/12000 S355J2+N	400,	kg
030	24510	Oc.pl. 24/2000/12000 S355J2+N	29 969,	kg
030	25402	Oc.pl. 25/2000/3000 S235JR+N	7 065,	kg
030	25404	Oc.pl. 25/1500/6000 S235JR+N	6 991,	kg
030	25405	Oc.pl. 25/2000/6000 S235JR+N	84,	kg
030	25410	Oc.pl. 25/2000/12000 S235JR+N	75 256,	kg
030	25411	Oc.pl. 25/2000/12000 S235JR+N vážený	200,	kg
030	25423	Oc.pl. 25/2450/12000 S235JR+N	11 540,	kg
030	25425	Oc.pl. 25/2500/12000 S235JR+N	15 272,	kg
030	25455	Oc.pl. 25/3000/12000 S235JR+N	7 357,	kg
030	25502	Oc.pl. 25/1500/7500 S355J2+N	3 973,	kg
030	25505	Oc.pl. 25/2000/6000 S355J2+N	389,	kg
030	25510	Oc.pl. 25/2000/12000 S355J2+N	21 387,	kg
030	25525	Oc.pl. 25/2500/12000 S355J2+N	71 280,	kg
030	25555	Oc.pl. 25/3000/12000 S355J2+N	38 856,	kg
030	28510	Oc.pl. 28/2000/12000 S355J2+N	14 856,	kg
030	30404	Oc.pl. 30/1500/6000 S235JR+N	8 480,	kg

030	30405	Oc.pl. 30/2000/6000 S235JR+N	10 362,	kg
030	30410	Oc.pl. 30/2000/12000 S235JR+N	67 824,	kg
030	30411	Oc.pl. 30/2000/12000 S235JR+N	11 138,	kg
030	30425	Oc.pl. 30/2500/12000 S235JR+N	9 953,	kg
030	30504	Oc.pl. 30/1500/6000 S355J2+N	9 540,	kg
030	30505	Oc.pl. 30/2000/6000 S355J2+N	10 476,	kg
030	30510	Oc.pl. 30/2000/12000 S355J2+N	49 690,	kg
030	30523	Oc.pl. 30/2450/12000 S355J2+N	3 462,	kg
030	30525	Oc.pl. 30/2500/12000 S355J2+N	80 070,	kg
030	30555	Oc.pl. 30/3000/12000 S355J2+N	24 881,	kg
030	32510	Oc.pl. 32/2000/12000 S355J2+N	503,	kg
030	35405	Oc.pl. 35/2000/6000 S235JR+N	2 177,	kg
030	35410	Oc.pl. 35/2000/12000 S235JR+N	491,	kg
030	35411	Oc.pl. 35/2000/12000 S235JR+N vážená	7 110,	kg
030	35425	Oc.pl. 35/2500/12000 S235JR+N	1 031,	kg
030	35500	Oc.pl. 35/1500/6000 S355J2+N	23 493,	kg
030	35505	Oc.pl. 35/2000/6000 S355J2+N	548,	kg
030	35510	Oc.pl. 35/2000/12000 S355J2+N	2 747,	kg
030	35511	Oc.pl. 35/2000/12000 S355J2+N vážená	196,	kg
030	36510	Oc.pl. 36/2000/12000 S355J2+N	12 479,	kg
030	40405	Oc.pl. 40/2000/6000 S235JR+N	28 260,	kg
030	40410	Oc.pl. 40/2000/12000 S235JR+N	41 192,	kg
030	40425	Oc.pl. 40/2500/12000 S235JR+N	9 420,	kg
030	40505	Oc.pl. 40/2000/6000 S355J2+N	914,	kg
030	40525	Oc.pl. 40/2500/12000 S355J2+N	9 150,	kg
030	45410	Oc.pl. 45/2000/12000 S235JR+N	9 891,	kg
030	45510	Oc.pl. 45/2000/12000 S355J2+N	9 410,	kg
030	45511	Oc.pl. 45/2000/12000 S355J2+N vážená	170,	kg
030	45512	Oc.pl. 45/2000/11800 S355J2+N	6 217,	kg
030	45535	Oc.pl. 45/2500/12000 S355J2+N	15 898,	kg
030	45555	Oc.pl. 45/3000/12000 S355J2+N	57 247,	kg
030	50405	Oc.pl. 50/2000/6000 S235JR+N	11 775,	kg
030	50410	Oc.pl. 50/2000/12000 S235JR+N	1 569,	kg
030	50419	Oc.pl. 50/2500/6000 S235JR+N	17 664,	kg
030	50425	Oc.pl. 50/2500/12000 S235JR+N	5 896,	kg
030	50450	Oc.pl. 50/3000/6000 S235JR+N	14 130,	kg
030	50505	Oc.pl. 50/2000/6000 S355J2+N	37 680,	kg
030	50510	Oc.pl. 50/2000/12000 S355J2+N	101 975,	kg
030	50550	Oc.pl. 50/3000/6000 S355J2+N	21 195,	kg

030	50551	Oc.pl. 50/3000/10000 S355J2+N	38 857,	kg
030	55410	Oc.pl. 55/2000/12000 S235JR+N	20 738,	kg
030	55510	Oc.pl. 55/2000/12000 S355J2+N	14,	kg
030	60505	Oc.pl. 60/2000/6000 S355J2+N	848,	kg
030	60510	Oc.pl. 60/2000/12000 S355J2+N	7 217,	kg
030	60519	Oc.pl. 60/2450/7670 S355J2+N	8 851,	kg
030	60525	Oc.pl. 60/2500/6000 S355J2+N	28 260,	kg
030	60531	Oc.pl. 60/2500/10500 S355J2+N	61 820,	kg
030	60545	Oc.pl. 60/3000/6000 S355J2+N	16 956,	kg
030	60548	Oc.pl. 60/3000/8000 S355J2+N	33 912,	kg
030	65504	Oc.pl. 65/2000/5800 S355J2+N	5 919,	kg
030	65505	Oc.pl. 65/2000/6000 S355J2+N	11 223,	kg
030	65506	Oc.pl. 65/2000/8000 S355J2+N	8 320,	kg
030	65510	Oc.pl. 65/2000/12000 S355J2+N	42 881,	kg
030	65514	Oc.pl. 65/2450/6000 S355J2+N	15 002,	kg
030	65525	Oc.pl. 65/2500/6000 S355J2+N	7 508,	kg
030	65548	Oc.pl. 65/3000/8000 S355J2+N	24 492,	kg
030	70410	Oc.pl. 70/2000/12000 S235JR+N	16 464,	kg
030	70505	Oc.pl. 70/2000/6000 S355J2+N	5 466,	kg
030	70520	Oc.pl. 70/2450/6000 S355J2+N	16 156,	kg
030	70525	Oc.pl. 70/2500/6000 S355J2+N	6 436,	kg
030	70555	Oc.pl. 70/3000/6000 S355J2+N	16 485,	kg
030	75510	Oc.pl. 75/2000/12000 S355J2+N	5 884,	kg
030	80405	Oc.pl. 80/2000/6000 S235JR+N	15 072,	kg
030	80505	Oc.pl. 80/2000/6000 S355J2+N	2 368,	kg
030	80510	Oc.pl. 80/2000/12000 S355J2+N	11 896,	kg
030	85405	Oc.pl. 85/2000/6000 S235JR+N	8 007,	kg
030	85410	Oc.pl. 85/2000/12000 S235JR+N	2 669,	kg
030	90501	Oc.pl. 90/2000/5850 S355J2+N	5 440,	kg
030	90505	Oc.pl. 90/2000/6000 S355J2+N	40 869,	kg
030	90510	Oc.pl. 90/2000/12000 S355J2+N	118 557,	kg
030	90525	Oc.pl. 90/2500/6000 S355J2+N	5 097,	kg
030	100505	Oc.pl. 100/2000/6000 S355J2+N	18 746,	kg
030	100515	Oc.pl. 100/2000/12000 S355J2+N	32 970,	kg
030	100525	Oc.pl. 100/2500/6000 S355J2+N	11 775,	kg
030	100550	Oc.pl. 100/3000/6000 S355J2+N	5 887,	kg
030	105510	Oc.pl. 105/2000/12000 S355J2+N	18 133,	kg
030	110506	Oc.pl. 110/2000/6000 S355J2+N	37 339,	kg
030	120423	Oc.pl. 120/2500/3700 S235JR+N	8 714,	kg

030	120430	Oc.pl. 120/2500/4500 S235JR+N	10 598,	kg
030	120502	Oc.pl. 120/2000/4000 S355J2+N	3 768,	kg
030	120505	Oc.pl. 120/2000/6000 S355J2+N	65 550,	kg
030	130408	Oc.pl. 130/2000/6000 S235JR+N	12 246,	kg
030	130505	Oc.pl. 130/2000/6000 S355J2+N	4 082,	kg
030	130509	Oc.pl. 130/2000/10700 S355J2+N	12 246,	kg
030	140510	Oc.pl. 140/2000/6000 S355J2+N	13 188,	kg
030	160515	Oc.pl. 160/2000/9000 S355J2+N	62 599,	kg
030	170510	Oc.pl. 170/2000/8180 S355J2+N	20 978,	kg
030	180508	Oc.pl. 180/2000/5500 S355J2+N	4 044,	kg
030	180509	Oc.pl. 180/2000/8000 S355J2+N	47 826,	kg
030	190505	Oc.pl. 190/2000/4000 S355J2+N	20 881,	kg
030	190508	Oc.pl. 190/2000/7320 S355J2+N	21 836,	kg
030	199002	Oc.pl. 200/2000/7100 S355J2+N	11 438,	kg
030	199003	Oc.pl. 210/2000/6800 S355J2+N	9 232,	kg
030	199005	Oc.pl. 220/2000/6500 S355J2+N	22 451,	kg
030	199022	Oc.pl. 230/2000/2500 S355J2+N	9 226,	kg
030	199025	Oc.pl. 230/2000/6000 S355J2+N	40 300,	kg
030	199028	Oc.pl. 240/2000/2200 S355J2+N	4 652,	kg
030	199034	Oc.pl. 240/2000/5000 S355J2+N	26 940,	kg
030	199050	Oc.pl. 250/2000/5000 S355J2+N	40,	kg
030	199058	Oc.pl. 260/2000/2500 S355J2+N	6 272,	kg
030	199060	Oc.pl. 260/2000/5000 S355J2+N	20 840,	kg
030	199100	Oc.plechý Czenstochowa	97 076,	kg
030	199101	Oc.plechý Czenstochowa křivé	75 990,	kg
030	199205	Oc.plechý KPN	19 398,	kg
030	200208	Pl.pozink. 0,8/1000/2000 DX51D+Z275	1 533,	kg
030	200209	Pl.pozink. 0,8/1250/2500 DX51D+Z275	1 955,	kg
030	200212	Pl.pozink. 1,25/1000/2000 DX51D+Z275	2 029,	kg
030	200215	Pl.pozink. 1,5/1250/2500 DX51D+Z275	22,	kg
030	200216	Pl.pozink. 2,5/1000/2000 DX51D+Z275	843,	kg
030	200216	Pl.pozink. 3/1250/2500 DX51D zatečené	4 442,	kg
030	200216	Pl.pozink. 2,5/1250/2500 DX51D	239,	kg
030	200216	Pl.pozink. 2,5/1500/3000 DX51D	1 728,	kg
030	200216	Pl.pozink. 2/1000/2000 DX51D+Z275	1,	kg
030	200216	Pl.pozink. 2,5/1500/3000 DX51D lehké	2 457,	kg
030	200280	Oc.pl. trap. 1012F 0,8/800/6000 poz.	72,	ks
030	200281	Trap.plech SAT40N 0,75/960/6000 poz.	2,	ks
030	200390	Oc.pl. trap. 1142F 0,8/800/6000 poz.	67,	ks

030	220300	Oc.pl.slza 3/1000/2000 S235JR+N	13 112, kg
030	220350	Oc.pl.slza 3/1250/2500 S235JR+N	12 719, kg
030	220400	Oc.pl.slza 4/1000/2000 S235JR+N	19 397, kg
030	220420	Oc.pl. slza 4/1250/2500 S235JR+N	11 955, kg
030	220500	Oc.pl.slza 5/1000/2000 S235JR+N	318, kg
030	220525	Oc.pl.slza 5/1250/2500 S235JR+N	13 867, kg
030	220560	Oc.pl. slza 5/1500/6000 S235JR	18, kg
030	220610	Oc.pl.slza 6/1000/2000 S235JR+N	13 434, kg
030	220625	Oc.pl.slza 6/1250/2500 S235JR+N	11 526, kg
030	220650	Oc.pl. slza 6/1500/3000 S235JR+N	20 192, kg
030	220825	Oc.pl.slza 8/1250/2500 S235JR+N	7 480, kg
030	220830	Oc.pl.slza 8/1500/3000 S235JR+N	4 435, kg
030	220860	Oc.pl. slza 8/1500/6000 S235JR+N	4 732, kg
030	220910	Oc.pl.slza 10/1500/3000 S235JR+N	8 568, kg
030	220960	Oc.pl. slza 10/1500/6000 S235JR+N	2 250, kg