

SK	Číslo	Název 1	Mn.po p/v	MJ evidence
014	10	Ocel kruh. pr.6 mm	2 367,	kg
014	25	Ocel kruh. pr.6, 10505 žebr.	1 323,	kg
014	30	Ocel kruh. pr.8 mm	1 383,	kg
014	43	Ocel kruh. pr.8, 10505 žebr.	953,	kg
014	50	Ocel kruh. pr.10 mm	1 315,	kg
014	70	Ocel kruh. pr.10, B500B	15 604,	kg
014	90	Ocel kruh. pr.12 mm	3 713,	kg
014	110	Ocel kruh. pr.12, B500B	4 438,	kg
014	120	Ocel kruh. pr.12, S235JR	161,	kg
014	150	Ocel kruh. pr.14, B500B	10 446,	kg
014	160	Ocel kruh. pr.14, S235JR	4 298,	kg
014	210	Ocel kruh. pr.16, B500B	5 446,	kg
014	220	Ocel kruh. pr.16, S235JR	6 398,	kg
014	225	Ocel kruh. pr.16, S355J2	3 878,	kg
014	229	Ocel kruh. pr.18 mm	44 975,	kg
014	270	Ocel kruh. pr.20, B500B	1 730,	kg
014	280	Ocel kruh. pr.20, S235JR	2 766,	kg
014	285	Ocel kruh. pr.20, S355J2	6 424,	kg
014	290	Ocel kruh. pr.22, S235JR	431,	kg
014	324	Ocel kruh. pr.24, S355J2	1 190,	kg
014	360	Ocel kruh. pr.25, B500B	538,	kg
014	380	Ocel kruh. pr.25, S355J2	610,	kg
014	381	Ocel kruh. pr.25, 5,7m, S355J2	14 212,	kg
014	417	Ocel kruh. pr.28, S235JR	185,	kg
014	420	Ocel kruh. pr.30, S235JR	6 039,	kg
014	421	Ocel kruh. pr.30, S355J2	2 323,	kg
014	435	Ocel kruh. pr.32, B500B	1 115,	kg
014	440	Ocel kruh. pr.35mm C55	835,	kg
014	450	Ocel kruh. pr.36, S355J2	199,	kg
014	458	Ocel kruh. pr.38, S235JR	292,	kg
014	470	Ocel kruh. pr.40, S355J2	3 139,	kg
014	472	Ocel kruh. pr.42, S355J2	4 041,	kg
014	475	Ocel kruh. pr.45, S235JR	28,	kg
014	476	Ocel kruh. pr.45, S355J2	2 096,	kg
014	478	Ocel kruh. pr.50, S235JR	6,	kg
014	605	Ocel kruh. pr.100, 42CrMo4	2 618,	kg
014	1000	Ocel plocha 20/5, S235JR	2 772,	kg
014	1040	Ocel plochá 20/8, S235JR	2 333,	kg

014	1050	Ocel plochá 20/10, S235JR	736,	kg
014	1053	Ocel plochá 20/12, S235JR	1 774,	kg
014	1100	Ocel plocha 25/5, S235JR	3 630,	kg
014	1200	Ocel plocha 25/6, S235JR	2 535,	kg
014	1200	Ocel plochá 25/8, S235JR	1 705,	kg
014	1280	Ocel plochá 30/3 S235JR	1 669,	kg
014	1291	Ocel plochá 30/4, S355J2	680,	kg
014	1300	Ocel plochá 30/5, S235JR	9 625,	kg
014	1350	Ocel plocha 30/6, S235JR	7 016,	kg
014	1355	Ocel plocha 30/8, S235JR	11 974,	kg
014	1360	Ocel plochá 30/8, St52.3	2 764,	kg
014	1371	Ocel plochá 30/10, S235JR	4 112,	kg
014	1380	Ocel plochá 30/12, S235JR	858,	kg
014	1400	Ocel plocha 35/5, S235JR	2 691,	kg
014	1500	Ocel plocha 35/8, S235JR	5 082,	kg
014	1549	Ocel plochá 40/3, S235JR	462,	kg
014	1551	Ocel plochá 40/4, S235JR	940,	kg
014	1600	Ocel plocha 40/5, S235JR	14 385,	kg
014	1700	Ocel plocha 40/6, S235JR	1 594,	kg
014	1750	Ocel plocha 40/8, S235JR	15 543,	kg
014	1760	Ocel plocha 40/10, S235JR	7 733,	kg
014	1764	Ocel plocha 40/12, S235JR	16,	kg
014	1768	Ocel plochá 40/16, S235JR	1 347,	kg
014	1769	Ocel plochá 40/20, S235JR	1 918,	kg
014	1780	Ocel plochá 45/5, S235JR	1 352,	kg
014	1799	Ocel plochá 50/4, S235JR	16,	kg
014	1800	Ocel plocha 50/5, S235JR	5 512,	kg
014	1850	Ocel plochá 50/5, St52.3	4 202,	kg
014	1900	Ocel plocha 50/6, S235JR	7 156,	kg
014	1950	Ocel plocha 50/8, S235JR	10 320,	kg
014	1955	Ocel plochá 50/8, S355J2	23,	kg
014	2000	Ocel plocha 50/10, S235JR	12 166,	kg
014	2001	Ocel plocha 50/10, S355J2	1 498,	kg
014	2005	Ocel plochá 50/12, S235JR	917,	kg
014	2006	Ocel plochá 50/15, S235JR	10 232,	kg
014	2006	Ocel plochá 50/16, S235JR	38,	kg
014	2007	Ocel plochá 50/25, S235JR	931,	kg
014	2009	Ocel plochá 60/4, S235JR	1 382,	kg
014	2010	Ocel plochá 60/5, S235JR	4 913,	kg

014	2011	Ocel plochá 60/5, St52.3	287,	kg
014	2020	Ocel plocha 60/6, S235JR	1 945,	kg
014	2025	Ocel plocha 60/8, S235JR	8 830,	kg
014	2030	Ocel plocha 60/10, S235JR	5 097,	kg
014	2040	Ocel plochá 60/12, S235JR	1 539,	kg
014	2041	Ocel plochá 60/15, S235JR	932,	kg
014	2044	Ocel plochá 60/25, S235JR	1 128,	kg
014	2090	Ocel plocha 70/5, S235JR	12 132,	kg
014	2095	Ocel plochá 70/6, S235JR	3 351,	kg
014	2100	Ocel plocha 70/8, S235JR	4 111,	kg
014	2150	Ocel plocha 70/10 S235JR	155,	kg
014	2155	Ocel plochá 70/10, S355J2	3 943,	kg
014	2175	Ocel plochá 70/12, S235JR	80,	kg
014	2250	Ocel plochá 70/16, S355J2	4,	kg
014	2304	Ocel plochá 70/40, S355J2	3 364,	kg
014	2308	Ocel plochá 80/5, S235JR	1 484,	kg
014	2309	Ocel plochá 80/6, S235JR	4 183,	kg
014	2310	Ocel plochá 80/8, S235JR	5 082,	kg
014	2315	Ocel plochá 80/8 S355	627,	kg
014	2320	Ocel plocha 80/10, S235JR	3 763,	kg
014	2323	Ocel plochá 80/12, S235JR	103,	kg
014	2334	Ocel plochá 80/20, S235JR	9 054,	kg
014	2350	Ocel plochá 90/5, S235JR	440,	kg
014	2351	Ocel plochá 90/6, S235JR	4 134,	kg
014	2352	Ocel plochá 90/8, S355J2	34,	kg
014	2352	Ocel plochá 90/8, S235JR	77,	kg
014	2353	Ocel plochá 90/10, S235JR	5 228,	kg
014	2353	Ocel plochá 90/12, S235JR	1 147,	kg
014	2353	Ocel plochá 90/10, S355J2	424,	kg
014	2354	Ocel plochá 100/5, S235JR	10 740,	kg
014	2355	Ocel plocha 100/8, S235JR	3 524,	kg
014	2360	Ocel plocha 100/10, S235JR	4 135,	kg
014	2360	Ocel plochá 100/10, S355J2	2 809,	kg
014	2361	Ocel plochá 100/12, S235JR	2 250,	kg
014	2362	Ocel plochá 100/15, S235JR	3 240,	kg
014	2363	Ocel plochá 100/20, S235JR	2 278,	kg
014	2365	Ocel plochá 110/6, S235JR	4,	kg
014	2365	Ocel plochá 110/8, S235JR	1 078,	kg
014	2365	Ocel plochá 110/10, S235JR	1 575,	kg

014	2365	Ocel plochá 110/6, S355J2	4 379, kg
014	2366	Ocel plochá 120/5, S235JR	3 711, kg
014	2367	Ocel plocha 120/6, S235JR	4 084, kg
014	2368	Ocel plochá 120/8, S235JR	3 944, kg
014	2369	Ocel plocha 120/10, S235JR	3 726, kg
014	2369	Ocel plochá 120/10, S355J2	1 437, kg
014	2372	Ocel plochá 130/6, S235JR	1 895, kg
014	2373	Ocel plochá 130/10, S235JR	1 484, kg
014	2379	Ocel plochá 140/6 S235JR	1 500, kg
014	2380	Ocel plochá 140/8 S235JR	1 328, kg
014	2383	Ocel plochá 140/15, S235JR	1 930, kg
014	2385	Ocel plochá 140/10, S235JR	3 222, kg
014	2385	Ocel plochá 150/8, S235JR	8 280, kg
014	2386	Ocel plochá 150/10, S355J2	1 283, kg
014	2386	Ocel plochá 150/10, S235JR	2 020, kg
014	2395	Ocel plochá 200/8, S235JR	660, kg
014	2470	Ocel čtvercova 10/10, S235JR	2 121, kg
014	2480	Ocel čtvercova 12/12, S235JR	4 345, kg
014	2485	Ocel čtvercová 14/14, S235JR	771, kg
014	2487	Ocel čtvercová 16/16, S235JR	1 634, kg
014	2490	Ocel čtvercová 20/20, S235JR	3 004, kg
014	3000	Ocel uhelník 20/20/3, S235JR	2 988, kg
014	3010	Ocel uhelník 25/25/3, S235JR	3 427, kg
014	3015	Ocel uhelník 25/25/4, S235JR	55, kg
014	3020	Ocel uhelník 30/30/3, S235JR	17 458, kg
014	3030	Ocel uhelník 30/30/4, S235JR	3 928, kg
014	3035	Ocel úhelník 30/30/5, S235JR	553, kg
014	3045	Ocel úhelník 35/35/3, S235JR	88, kg
014	3050	Ocel uhelník 35/35/4, S235JR	3 587, kg
014	3058	Ocel úhelník 40/20/4 S235JR	70, kg
014	3060	Ocel úhelník 40/40/3, S235JR	2 711, kg
014	3070	Ocel uhelník 40/40/4, S235JR	2 251, kg
014	3080	Ocel uhelník 40/40/5, S235JR	10 378, kg
014	3100	Ocel uhelník 45/45/5, S235JR	857, kg
014	3110	Ocel uhelník 50/50/4, S235JR	361, kg
014	3111	Ocel uhelník 50/50/4 6,5m S355	763, kg
014	3120	Ocel uhelník 50/50/5, S235JR	9 940, kg
014	3130	Ocel uhelník 50/50/6, S235JR	2 662, kg
014	3134	Ocel úhelník 60/40/5, S235JR	6 491, kg

014	3134	Ocel úhelník 60/40/6 S235JR	1 322,	kg
014	3136	Ocel úhelník 60/60/5, 12m S235JR	51,	kg
014	3145	Ocel úhelník 60/60/6, S235JR	19 838,	kg
014	3150	Ocel uhelnik 60/60/8, S235JR	2 438,	kg
014	3155	Ocel uhelnik 70/70/6 S235JR	173,	kg
014	3160	Ocel úhelník 70/70/7, S235JR	4 051,	kg
014	3164	Ocel úhelník 70/70/8, 12,1m S235JR	1 249,	kg
014	3172	Ocel úhelník 80/40/6 12m S235JR	3 162,	kg
014	3173	Ocel úhelník 80/40/8, S235JR	822,	kg
014	3174	Ocel úhelník 80/60/6, S235JR	68,	kg
014	3174	Ocel úhelník 80/60/8, S235JR	1 258,	kg
014	3175	Ocel úhelník 80/80/6, S235JR	398,	kg
014	3180	Ocel uhelnik 80/80/8, S235JR	2 788,	kg
014	3188	Ocel úhelník 80/80/10, S235JR	4 696,	kg
014	3200	Ocel úhelník 90/90/10 S355J2	945,	kg
014	3300	Ocel úhelník 100/50/6, S235JR	127,	kg
014	3308	Ocel úhelník 100/65/7 12,1m S235JR	235,	kg
014	3405	Ocel uhelnik 100/100/6, S355J2	23 326,	kg
014	3420	Ocel uhelnik 100/100/8 S235JR	506,	kg
014	3430	Ocel uhelnik 100/100/10, S235JR	19 126,	kg
014	3487	Ocel úhelník 140/140/13, S235JR	7 789,	kg
014	3685	Ocel profil T 20/20/3, S235JR	1 554,	kg
014	3700	Ocel profil T 25/25/3,5, S235JR	1 250,	kg
014	3710	Ocel profil T 30/30/4, S235JR	256,	kg
014	3715	Ocel profil T 35/35/4,5, S235JR	1 296,	kg
014	3720	Ocel profil T 40/40/5, S235JR	5 379,	kg
014	3723	Ocel profil T 50/50/6, S235JR	2 301,	kg
014	3724	Ocel profil T 60/60/7, S235JR	378,	kg
014	8035	Sv. site KD37 5/5 150/150	3,	ks
014	8040	Sv. site KH20 6/6 150/150	1,	ks
014	8045	Sv. site KY50 8/8 150/150	7,	ks
014	8055	Sv. site KD35 5/5 100/100	2,	ks
014	8065	Sv. sitě KY49 8/8 100/100	9,	ks
014	11080	Oc.nosič I80 S235JR	1 220,	kg
014	11085	Oc.nosič IPE80 S235JR	67,	kg
014	11100	Oc.nosič I100 12,1m S235JR	5 053,	kg
014	11105	Oc.nosič IPE100 12,1m S235JR	20,	kg
014	11120	Oc.nosič I120 12,1m S235JR	2 481,	kg
014	11121	Oc.nosič I120 14,1m S235JR	310,	kg

014	11140	Oc.nosič I140 12,1m S235JR	9 742,	kg
014	11141	Oc.nosič I140 8m S235JR	1 115,	kg
014	11142	Oc.nosič I140 9m S235JR	1 595,	kg
014	11143	Oc.nosič IPE140 11m S235JR	2 010,	kg
014	11144	Oc.nosič IPE140 10m S235JR	4 735,	kg
014	11145	Oc.nosič IPE140 S355J2	490,	kg
014	11145	Oc.nosič IPE140 12,1m S235JR	416,	kg
014	11160	Oc.nosič I160 12,1m S235JR	8 986,	kg
014	11165	Oc.nosič IPE160 12,1m S235JR	15 083,	kg
014	11170	Oc.nosič IPE160 12,1m S355J2	5 877,	kg
014	11180	Oc.nosič I180 12,1m S235JR	2 278,	kg
014	11184	Oc.nosič IPE180 12,1m S235JR	10 524,	kg
014	11200	Oc.nosič I200 12,1m S235JR	802,	kg
014	11205	Oc.nosič IPE200 6,1m S235JR	4 386,	kg
014	11220	Oc.nosič I220 S235JR	6 282,	kg
014	11225	Oc.nosič IPE220 S235JR	979,	kg
014	11240	Oc.nosič I240 12,1m S235JR	6 112,	kg
014	11245	Oc.nosič IPE240 12,1m S235JR	2 231,	kg
014	11271	Oc.nosič IPE270 12,1m S355J2	572,	kg
014	11301	Oc.nosič I300 S275JR	206,	kg
014	12030	Oc.nosič U40x20x5 S235JR	1 075,	kg
014	12050	Oc.nosič U50 S235JR	13 501,	kg
014	12065	Oc.nosič U65 6m S235JR	6 243,	kg
014	12066	Oc.nosič U65 12,1m S355J2	1 151,	kg
014	12080	Oc.nosič U80 6m S235JR	21 314,	kg
014	12081	Oc.nosič U80 12,1m S235JR	11 668,	kg
014	12085	Oc.nosič U80 5m S355J2	1 967,	kg
014	12086	Oc.nosič U80 6,1m S355J2	2 605,	kg
014	12100	Oc.nosič U100 S235JR	54 025,	kg
014	12119	Oc.nosič U120 6,1m S235JR	18 227,	kg
014	12139	Oc.nosič U140 6m S235JR	13 665,	kg
014	12140	Oc.nosič U140 12,1m S235JR	3 273,	kg
014	12159	Oc.nosič U160 6,1m S235JR	164,	kg
014	12160	Oc.nosič U160 12,1m S235JR	24 735,	kg
014	12164	Oc.nosič U160 10m S235JR	907,	kg
014	12166	Oc.nosič U160 11m S235JR	1 025,	kg
014	12180	Oc.nosič U180 12,1m S235JR	9 816,	kg
014	12181	Oc.nosič U180 10m S355J2	5 730,	kg
014	12200	Oc.nosič U200 S235JR	4 867,	kg

014	12208	Oc.nosič U200 5,9m S355J2	2 011,	kg
014	12220	Oc.nosič U220 12,1m S235JR	219,	kg
014	12240	Oc.nosič U240 S235JR	53,	kg
014	12248	Oc.nosič U240 S355J2	607,	kg
014	12260	Oc.nosič U260 S235JR	916,	kg
014	12401	Oc.nosič U400 12,1m S355J2	1 527,	kg
014	13180	Oc.nosič HEA180 S235JR	216,	kg
014	13300	Oc.nosič HEB160 12,1m S355J2	124,	kg
014	14220	Oc.nosič HEB220 S235JR	330,	kg
014	19500	Sloupek 280/43/2	1,	ks
014	20000	Návin PVC 1,4mm/50m	13,	ks
014	21280	Tažený oc.drát pr.2,8 mm, dl. 1,5m	141,	kg
014	21290	Tažený oc.drát pr.3 mm, dl. 1,7m	403,	kg
014	21300	Tažený oc.drát pr.3,15 mm	532,	kg
014	21320	Tažený oc.drát pr.4,5 mm	170,	kg
030	335	Oc.pl. 1,25/1250/2500 DC01	3 289,	kg
030	336	Oc.pl. 1,25/1500/3000 DC01	7 089,	kg
030	2050	Oc.pl. 2/1250/2500 S235JR	24 448,	kg
030	2100	Oc.pl. 2/1250/2500 DC01	9 462,	kg
030	2200	Oc.pl. 2/1500/3000 DC01 reklamace	71,	kg
030	2300	Oc.pl. 2/1500/3000 S235JR+N	13 828,	kg
030	3050	Oc.pl. 3/1000/2000 S355J2C+N	9 630,	kg
030	3404	Oc.pl. 3/2000/6000 S235JR+N	13 782,	kg
030	3452	Oc.pl. 3/1500/3000 S235JR+N	7 212,	kg
030	3500	Oc.pl. 3/1500/3000 S355J2+N	4 036,	kg
030	3515	Oc.pl. 3/1500/3000 P355NH+N	2 052,	kg
030	3601	Oc.pl. 3/2000/6000 S235JR+N	1 702,	kg
030	3605	Oc.pl. 3/2000/6000 S355J2+N	266,	kg
030	3820	Oc.pl. 3,8/1250/2500 S235JRC+N	1 022,	kg
030	3870	Oc.pl. 3,9/1500/3000 S355J2C+N	12 247,	kg
030	4320	Oc.pl. 4/1500/3000 S355J2+N	24 042,	kg
030	4400	Oc.pl. 4/2000/6000 S235JR+N	2 098,	kg
030	4470	Oc.pl. 4,5/1500/2660 S235JR+N	4 412,	kg
030	4505	Oc.pl. 4/2000/6000 S355J2+N	7 228,	kg
030	4506	Oc.pl. 4/2000/6000 S355MC	1 494,	kg
030	4601	Oc.pl. 4/1500/6000 S235JR+N	2 857,	kg
030	4701	Oc.pl.mořený 4/1500/3000 S235JR+N	432,	kg
030	4900	Oc.pl. 4,9/1000/2000 S235JR+N	17 832,	kg
030	4920	Oc.pl. 4,9/1500/3000 S355J2C+N	11 423,	kg

030	5170	Oc.pl. 5/1250/2500 S355J2C+N	1 261,	kg
030	5322	Oc.pl. 5/1500/3000 S355J2C+N	10 714,	kg
030	5326	Oc.pl. 5/1500/6000 S235JR+N	2 722,	kg
030	5333	Oc.pl. 5/1500/6000 S355J2C+N	7 512,	kg
030	5400	Oc.pl. 5/2000/4000 S235JR+N	479,	kg
030	5425	Oc.pl. 5/2500/12000 S235JR+N	42 364,	kg
030	5501	Oc.pl. 5/2000/4000 S355J2+N	4 998,	kg
030	5505	Oc.pl. 5/2000/6000 S355J2+N	20 594,	kg
030	5507	Oc.pl. 5/2000/6000 S355MC	248,	kg
030	5510	Oc.pl. 5/2000/12000 S355J2+N	935,	kg
030	5525	Oc.pl. 5/2500/12000 S355J2+N	60 078,	kg
030	5915	Oc.pl. 5,9/1500/3000 S355MC	6 264,	kg
030	6001	Oc.pl. 6/1000/2000 S235JR+N	19 520,	kg
030	6121	Oc.pl. 6/1000/2000 S355J2C+N	9 420,	kg
030	6180	Oc.pl. 6/1250/2500 S355J2C+N	23 306,	kg
030	6201	Oc.pl. 6/1500/3000 S235JR+N	24 037,	kg
030	6251	Oc.pl. 6/1500/6000 S235JR+N	47 944,	kg
030	6331	Oc.pl. 6/1500/3000 S355MC	23 668,	kg
030	6333	Oc.pl.mořený 6/1500/3000 S355MC	432,	kg
030	6351	Oc.pl. 6/1500/6000 S355J2C+N	1 242,	kg
030	6401	Oc.pl. 6/2000/6000 S235JR+N	22 082,	kg
030	6404	Oc.pl. 6/2000/6000 S235JR+N kvarto	2 825,	kg
030	6405	Oc.pl. 6/2000/6000 S235JR+N	497,	kg
030	6411	Oc.pl. 6/2000/12000 S235JR	34 222,	kg
030	6426	Oc.pl. 6/2500/12000 S235JR+N	38 151,	kg
030	6505	Oc.pl. 6/2000/6000 S355J2+N	1 856,	kg
030	6525	Oc.pl. 6/2500/12000 S355J2+N	2 119,	kg
030	8155	Oc.pl. 8/1250/2500 S355J2+N	142,	kg
030	8200	Oc.pl. 8/1500/3000 S235JR+N	14 286,	kg
030	8205	Oc.pl. 8/1500/3000 P265GH	19 823,	kg
030	8223	Oc.pl. 8/1500/6000 S235JR+N	554,	kg
030	8321	Oc.pl. 8/1500/3000 S355MC	137,	kg
030	8402	Oc.pl. 8/2000/4000 S235JR+N	17 058,	kg
030	8405	Oc.pl. 8/2000/6000 S235JR+N	1 093,	kg
030	8408	Oc.pl. 8/2050/6000 S235JR+N	772,	kg
030	8410	Oc.pl. 8/2000/12000 S235JR+N	465,	kg
030	8411	Oc.pl. 8/2000/12000 S235JR+N	1 536,	kg
030	8416	Oc.pl. 8/2000/6000 P265GH	1 038,	kg
030	8418	Oc.pl. 8/2050/12000 S235JR+N	241,	kg

030	8425	Oc.pl. 8/2500/12000 S235JR+N	1 884,	kg
030	8450	Oc.pl. 8/3000/6000 S235JR+N	46 330,	kg
030	8455	Oc.pl. 8/3000/12000 S235JR+N	6 783,	kg
030	8511	Oc.pl. 8/2000/12000 S355J2+N	317,	kg
030	8512	Oc.pl. 8/2000/4000 S355J2+N	5 502,	kg
030	8513	Oc.pl. 8/2000/6000 S355MC kvarto	5 878,	kg
030	8515	Oc.pl. 8/2000/6000 S355MC	8 270,	kg
030	8518	Oc.pl. 8/2050/12000 S355J2+N	23,	kg
030	8550	Oc.pl. 8/3000/6000 S355J2+N	13 560,	kg
030	10001	Oc.pl. 10/1000/2000 S235JR+N	10 794,	kg
030	10250	Oc.pl. 10/1500/6000 S235JR+N	1 414,	kg
030	10333	Oc.pl. 10/1500/6000 S355J2C+N kvarto	8 488,	kg
030	10335	Oc.pl. 10/1500/6000 S355MC	6 367,	kg
030	10402	Oc.pl. 10/2000/4000 S235JR+N	15 072,	kg
030	10411	Oc.pl. 10/2000/12000 S235JRC+AR	960,	kg
030	10425	Oc.pl. 10/2500/12000 S235JR+N	4 317,	kg
030	10455	Oc.pl. 10/3000/12000 S235JR+N	15 543,	kg
030	10500	Oc.pl. 10/2000/4000 S355J2+N	1 256,	kg
030	10525	Oc.pl. 10/2500/12000 S355J2+N	21 178,	kg
030	10526	Oc.pl. 10/2500/6000 S355J2+N	1 178,	kg
030	10555	Oc.pl. 10/3000/12000 S355J2+N	98 910,	kg
030	12150	Oc.pl. 12/1500/3000 S235JR+N Kvarto	7 632,	kg
030	12200	Oc.pl. 12/1500/6000 S235JR+N	832,	kg
030	12220	Oc.pl. 12/1500/12000 S235JR+N	4,	kg
030	12225	Oc.pl. 12/1500/6000 S355J2+N	32 235,	kg
030	12235	Oc.pl. 12/1500/7500 S355J2C+N	276,	kg
030	12400	Oc.pl. 12/2000/4000 S235JR+N	754,	kg
030	12404	Oc.pl. 12/2000/6000 S235JR+N	1 695,	kg
030	12405	Oc.pl. 12/2000/6000 S235JR+N	20 535,	kg
030	12410	Oc.pl. 12/2000/12000 S235JR+N	2 643,	kg
030	12423	Oc.pl. 12/2450/12000 S235JR+N	813,	kg
030	12425	Oc.pl. 12/2500/12000 S235JR+N	11 954,	kg
030	12455	Oc.pl. 12/3000/12000 S235JR+N	60 332,	kg
030	12500	Oc.pl. 12/2000/4000 S355J2+N	18 096,	kg
030	12505	Oc.pl. 12/2000/6000 S355J2+N	15 301,	kg
030	12510	Oc.pl. 12/2000/12000 S355J2+N	283,	kg
030	12523	Oc.pl. 12/2450/12000 S355J2+N	5 538,	kg
030	12525	Oc.pl. 12/2500/12000 S355J2+N	30 756,	kg
030	12555	Oc.pl. 12/3000/12000 S355J2+N	43 026,	kg

030	12833	Oc.pl. 12/1500/3000 S355J2+N kvarto	8 904,	kg
030	14405	Oc.pl. 14/2000/6000 S235JR+N	1 319,	kg
030	14410	Oc.pl. 14/2000/12000 S235JR+N	1 692,	kg
030	14505	Oc.pl. 14/2000/6000 S355J2+N	1 547,	kg
030	14510	Oc.pl. 14/2000/12000 S355J2+N	12 970,	kg
030	14600	Oc.pl. 14,8/1000/2000 S235JRC+N	1 400,	kg
030	15101	Oc.pl. 15/1500/3000 S235JR+N	1 542,	kg
030	15101	Oc.pl. 15/1500/3000 S235JR+N, kvarto	1 590,	kg
030	15200	Oc.pl. 15/1500/12000 S235JR+N	2 120,	kg
030	15251	Oc.pl. 15/1500/6000 S235JR+N	5 300,	kg
030	15405	Oc.pl. 15/2000/6000 S235JR+N	5 274,	kg
030	15425	Oc.pl. 15/2500/12000 S235JR+N	21 193,	kg
030	15455	Oc.pl. 15/3000/12000 S235JR+N	30 387,	kg
030	15505	Oc.pl. 15/2000/6000 S355J2+N	22 899,	kg
030	15513	Oc.pl. 15/2000/12000 S355MC	28 260,	kg
030	15525	Oc.pl. 15/2500/12000 S355J2+N	29 440,	kg
030	15655	Oc.pl. 15/3000/12000 S355J2+N	25 606,	kg
030	16510	Oc.pl. 16/2000/12000 S355J2+N	10 060,	kg
030	16525	Oc.pl. 16/2500/12000 S355J2+N	33 965,	kg
030	16555	Oc.pl. 16/3000/12000 S355J2+N	27 132,	kg
030	18410	Oc.pl. 18/2000/12000 S235JR+N	20 713,	kg
030	18505	Oc.pl. 18/2000/6000 S355J2+N	5 054,	kg
030	18510	Oc.pl. 18/2000/12000 S355J2+N	11 867,	kg
030	20245	Oc.pl. 20/1500/3000 S235JR+N	24 745,	kg
030	20250	Oc.pl. 20/1500/6000 S235JR+N	17 661,	kg
030	20401	Oc.pl. 20/2000/4000 S235JR+N	26 352,	kg
030	20405	Oc.pl. 20/2000/6000 S235JR+N	25 656,	kg
030	20410	Oc.pl. 20/2000/12000 S235JR+N	15 454,	kg
030	20411	Oc.pl. 20/2000/12000 S235JR+N vážený	1 042,	kg
030	20425	Oc.pl. 20/2500/12000 S235JR+N	23 550,	kg
030	20455	Oc.pl. 20/3000/12000 S235JR+N	38 655,	kg
030	20503	Oc.pl. 20/1500/3000 S355J2+N	33 229,	kg
030	20505	Oc.pl. 20/2000/6000 S355J2+N	9 384,	kg
030	20510	Oc.pl. 20/2000/12000 S355J2+N	11 699,	kg
030	20511	Oc.pl. 20/2000/12000 S355J2+N	35 344,	kg
030	20512	Oc.pl. 20/2000/12000 S355MC	26 376,	kg
030	20525	Oc.pl. 20/2500/12000 S355J2+N	47 100,	kg
030	20555	Oc.pl. 20/3000/12000 S355J2+N	39 588,	kg
030	22410	Oc.pl. 22/2000/12000 S235JR+N	13,	kg

030	22510	Oc.pl. 22/2000/12000 S355J2+N	5 581,	kg
030	24510	Oc.pl. 24/2000/12000 S355J2+N	34 491,	kg
030	24515	Oc.pl. 24/2050/12000 S355J2+N	13 905,	kg
030	25403	Oc.pl. 25/1500/3000 S235JR+N	10 545,	kg
030	25404	Oc.pl. 25/1500/6000 S235JR+N	22 919,	kg
030	25405	Oc.pl. 25/2000/6000 S235JR+N	8 244,	kg
030	25406	Oc.pl. 25/2000/6000 S235JR+N x8	16 800,	kg
030	25410	Oc.pl. 25/2000/12000 S235JR+N	24 186,	kg
030	25411	Oc.pl. 25/2000/12000 S235JR+N vážený	200,	kg
030	25423	Oc.pl. 25/2450/12000 S235JR+N	5 770,	kg
030	25424	Oc.pl. 25/2450/12000 S275J2+N x8	23 520,	kg
030	25455	Oc.pl. 25/3000/12000 S235JR+N	30 709,	kg
030	25503	Oc.pl. 25/1500/3000 S355J2+N	8 830,	kg
030	25505	Oc.pl. 25/2000/6000 S355J2+N	39 990,	kg
030	25510	Oc.pl. 25/2000/12000 S355J2+N	52 216,	kg
030	25525	Oc.pl. 25/2500/12000 S355J2+N	15 221,	kg
030	25555	Oc.pl. 25/3000/12000 S355J2+N	29 049,	kg
030	26510	Oc.pl. 26/2000/12000 S355J2+N	19 592,	kg
030	28505	Oc.pl. 28/2000/6000 S355J2+N	13 190,	kg
030	28510	Oc.pl. 28/2000/12000 S355J2+N	23 477,	kg
030	30403	Oc.pl. 30/1500/3000 S235JR+N	25 440,	kg
030	30405	Oc.pl. 30/2000/6000 S235JR+N	3 297,	kg
030	30410	Oc.pl. 30/2000/12000 S235JR+N	22 608,	kg
030	30411	Oc.pl. 30/2000/12000 S235JR+N	1 664,	kg
030	30503	Oc.pl. 30/1500/3000 S355J2+N	2 120,	kg
030	30504	Oc.pl. 30/1500/6000 S355J2+N	27 560,	kg
030	30505	Oc.pl. 30/2000/6000 S355J2+N	8 910,	kg
030	30510	Oc.pl. 30/2000/12000 S355J2+N	941,	kg
030	30511	Oc.pl. 30/2000/12000 S355J2+N	40 730,	kg
030	30525	Oc.pl. 30/2500/12000 S355J2+N	14 084,	kg
030	30555	Oc.pl. 30/3000/12000 S355J2+N	14 849,	kg
030	32510	Oc.pl. 32/2000/12000 S355J2+N	12 542,	kg
030	35410	Oc.pl. 35/2000/12000 S235JR+N	491,	kg
030	35425	Oc.pl. 35/2500/12000 S235JR+N	1 031,	kg
030	35505	Oc.pl. 35/2000/6000 S355J2+N	10 990,	kg
030	35510	Oc.pl. 35/2000/12000 S355J2+N	32 970,	kg
030	35525	Oc.pl. 35/2500/12000 S355J2+N	16 486,	kg
030	36510	Oc.pl. 36/2000/12000 S355J2+N	2 871,	kg
030	40405	Oc.pl. 40/2000/6000 S235JR+N	8 792,	kg

030	40410	Oc.pl. 40/2000/12000 S235JR+N	36 498,	kg
030	40425	Oc.pl. 40/2500/12000 S235JR+N	18 840,	kg
030	40505	Oc.pl. 40/2000/6000 S355J2+N	20 114,	kg
030	40510	Oc.pl. 40/2000/12000 S355J2+N	35 301,	kg
030	40513	Oc.pl. 40/2000/6000 P295GH+N	11 304,	kg
030	45510	Oc.pl. 45/2000/12000 S355J2+N	1 013,	kg
030	45511	Oc.pl. 45/2000/12000 S355J2+N vážená	39,	kg
030	45530	Oc.pl. 45/2020/6000 S690QL	4 281,	kg
030	45555	Oc.pl. 45/3000/12000 S355J2+N	20,	kg
030	50405	Oc.pl. 50/2000/6000 S235JR+N	23 550,	kg
030	50450	Oc.pl. 50/3000/6000 S235JR+N	1 555,	kg
030	55410	Oc.pl. 55/2000/12000 S235JR+N	7 769,	kg
030	60410	Oc.pl. 60/2000/12000 S235JR+N	182,	kg
030	60505	Oc.pl. 60/2000/6000 S355J2+N x8	45 648,	kg
030	60510	Oc.pl. 60/2000/12000 S355J2+N	30 144,	kg
030	60517	Oc.pl. 60/2450/6000 S355J2+N	10 386,	kg
030	60519	Oc.pl. 60/2450/7670 S355J2+N	15 394,	kg
030	60525	Oc.pl. 60/2500/6000 S355J2+N	7 065,	kg
030	65506	Oc.pl. 65/2000/8000 S355J2+N	2 080,	kg
030	65514	Oc.pl. 65/2450/6000 S355J2+N	22 503,	kg
030	65525	Oc.pl. 65/2500/6000 S355J2+N	7 654,	kg
030	65548	Oc.pl. 65/3000/8000 S355J2+N	1 412,	kg
030	70405	Oc.pl. 70/2000/6000 S235JR+N	8 792,	kg
030	70410	Oc.pl. 70/2000/12000 S235JR+N	15 386,	kg
030	70505	Oc.pl. 70/2000/6000 S355J2+N	6 594,	kg
030	70510	Oc.pl. 70/2000/12000 S355J2+N	1 063,	kg
030	80405	Oc.pl. 80/2000/6000 S235JR+N	3 768,	kg
030	80410	Oc.pl. 80/2000/12000 S235JR+N	15 072,	kg
030	90501	Oc.pl. 90/2000/5850 S355J2+N	17,	kg
030	90505	Oc.pl. 90/2000/6000 S355J2+N	16 929,	kg
030	90507	Oc.pl. 90/2000/6000 S355J2+N x8	34 560,	kg
030	90510	Oc.pl. 90/2000/12000 S355J2+N	33 912,	kg
030	90525	Oc.pl. 90/2500/6000 S355J2+N	42 392,	kg
030	90550	Oc.pl. 90/3000/6000 S355J2+N	25 434,	kg
030	100410	Oc.pl. 100/2000/12000 S235JR+N	15 700,	kg
030	100411	Oc.pl. 100/2200/4400 S235JR+N	7 599,	kg
030	100515	Oc.pl. 100/2000/12000 S355J2+N	63,	kg
030	100525	Oc.pl. 100/2500/6000 S355J2+N	11 775,	kg
030	110506	Oc.pl. 110/2000/6000 S355J2+N	4 922,	kg

030	110511	Oc.pl. 110/2000/6000 S355J2+N x8	26 400,	kg
030	110515	Oc.pl. 110/2000/12000 S355J2+N	34 540,	kg
030	120502	Oc.pl. 120/2000/4000 S355J2+N	3 768,	kg
030	120505	Oc.pl. 120/2000/6000 S355J2+N	24 210,	kg
030	120506	Oc.pl. 120/2000/6000 S355J2+N x8	34 560,	kg
030	120508	Oc.pl. 120/2000/8000 S355J2+N	25 812,	kg
030	120518	Oc.pl. 120/2450/6000 S355J2+N	13 847,	kg
030	120535	Oc.pl. 120/2500/6000 S355J2+N	42 390,	kg
030	130504	Oc.pl. 130/2000/5000 S355J2+N x8	16 328,	kg
030	140503	Oc.pl. 140/2000/4000 S355J2+N x8	4 480,	kg
030	150503	Oc.pl. 150/2000/4000 S355J2+N x8	36 960,	kg
030	160515	Oc.pl. 160/2000/9000 S355J2+N	12 311,	kg
030	180508	Oc.pl. 180/2000/5500 S355J2+N	4 044,	kg
030	180509	Oc.pl. 180/2000/8000 S355J2+N	4 239,	kg
030	199003	Oc.pl. 210/2000/6600 S355J2+N	21 760,	kg
030	199005	Oc.pl. 220/2000/6500 S355J2+N	8 635,	kg
030	199025	Oc.pl. 230/2000/6000 S355J2+N	28 636,	kg
030	199034	Oc.pl. 240/2000/5000 S355J2+N	212,	kg
030	199100	Oc.plechý Czenstochowa	21 826,	kg
030	199101	Oc.plechý Czenstochowa křivé	45 605,	kg
030	199205	Oc.plechý KPN	3 304,	kg
030	200208	Pl.pozink. 0,8/1000/2000 DX51D+Z275	4 977,	kg
030	200209	Pl.pozink. 0,8/1250/2500 DX51D+Z275	4 879,	kg
030	200212	Pl.pozink. 1,25/1000/2000 DX51D+Z275	389,	kg
030	200216	Pl.pozink. 3/1000/2000 DX51D+Z275	941,	kg
030	200216	Pl.pozink. 2,5/1500/3000 DX51D	1 728,	kg
030	200216	Pl.pozink. 3/1250/2500 DX51D zatečené	4 442,	kg
030	200216	Pl.pozink. 2/1000/2000 DX51D+Z275	2 400,	kg
030	200216	Pl.pozink. 2,5/1500/3000 DX51D lehké	2 457,	kg
030	200216	Pl.pozink. 3/1250/2500 DX51D+Z275	4 361,	kg
030	200280	Oc.pl. trap. 1012F 0,8/800/6000 poz.	12,	ks
030	200281	Trap.plech SAT40N 0,75/960/6000 poz.	2,	ks
030	220450	Oc.pl.slza 4/1500/3000 S235JR+N	290,	kg
030	220610	Oc.pl.slza 6/1000/2000 S235JR+N	189,	kg
030	220625	Oc.pl.slza 6/1250/2500 S235JR+N	1 980,	kg
030	220810	Oc.pl. slza 8/1000/2000 S235JR+N	331,	kg
030	220825	Oc.pl.slza 8/1250/2500 S235JR+N	6 650,	kg
030	220830	Oc.pl.slza 8/1500/3000 S235JR+N	583,	kg
030	220860	Oc.pl. slza 8/1500/6000 S235JR+N	4 975,	kg

030	220910	Oc.pl.slza 10/1500/3000 S235JR+N	2 178, kg
030	220960	Oc.pl. slza 10/1500/6000 S235JR+N	35 029, kg
030	220970	Oc.pl. slza 12/1000/2000 S235JR+N	1 598, kg